Rapid flash annealing of thermally reactive copolymers in a roll-to-roll process for polymer solar cells

Helgesen, Martin; Carlé, Jon Eggert; Andreasen, Birgitta; Hösel, Markus; Norrman, Kion; Søndergaard, Roar; Krebs, Frederik C

Published in:
Polymer Chemistry

Link to article, DOI:
[10.1039/C2PY20429K](https://doi.org/10.1039/C2PY20429K)

Publication date:
2012

Document Version
Peer reviewed version

[Link back to DTU Orbit](#)

Citation (APA):
Helgesen, M., Carlé, J. E., Andreasen, B., Hösel, M., Norrman, K., Søndergaard, R., & Krebs, F. C. (2012). Rapid flash annealing of thermally reactive copolymers in a roll-to-roll process for polymer solar cells. *Polymer Chemistry*, 3(9), 2649-2655. <https://doi.org/10.1039/C2PY20429K>

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

RSC Publishing

DTU Library
Technical Information
Center of Denmark

[RSC](#) | [ChemSpider](#) | [Feedback](#)
[Login](#) | [Register](#)

- [Journals](#)
- [Books](#)
- [Alerts](#)
- [Others](#)
- [Help](#)

Full Text

[Advanced Search](#)

[Home](#) > [Journals](#) > [Polymer Chemistry](#) > Rapid flash annealing o...

[Authors & Referees](#) | [Librarians](#)

[Polymer Chemistry](#)

[Issue 9, 2012](#) [More about this Journal](#)

[Editorial Board](#)

[Submit an Article](#)

Follow Journal [_](#) | [_](#) | [_](#)

[Journal Home](#) | [RSC Journals](#)

Supplementary Info

- [Supplementary information](#)
PDF (702K)

Articles By

- ☐ Martin Helgesen
- ☐ Jon Eggert Carlé
- ☐ Birgitta Andreassen
- ☐ Markus Hösel
- ☐ Kion Norrman
- ☐ Roar Søndergaard
- ☐ Frederik C. Krebs
-

© Royal Society of Chemistry 2012

[Terms & Conditions](#) | [Privacy](#) | [Accessibility](#) | [ACAP Enabled](#)

Also from the RSC

Advertisements

Paper

[Previous Article](#) | [Next Article](#)

Rapid flash annealing of thermally reactive copolymers in a roll-to-roll process for polymer solar cells

Martin Helgesen , Jon Eggert Carlé , Birgitta Andreassen , Markus Hösel , Kion Norrman , Roar Søndergaard and Frederik C. Krebs

Polym. Chem., 2012, **3**, 2649-2655

DOI: 10.1039/C2PY20429K

Received 18 Jun 2012, Accepted 02 Jul 2012

First published on the web 04 Jul 2012

[Share](#)

0 |||||

- PDF
- Rich HTML
- [Buy PDF \(£34\)](#)

Download Citation

BibTex

[Request Permissions](#)

Please choose one of the options provided in the log in section to gain access to this content:

[Abstract](#)[Cited by](#)[Related Content](#)

Light induced thermocleaving of a thermally reactive copolymer based on dithienylthiazolo[5,4-*d*]thiazole (DTZ) and silolodithiophene (SDT) in contact with the heat sensitive substrate the heat sensitive substrate polyethyleneterphthalate (PET) was effectively demonstrated with the use of high intensity pulsed light, delivered by a commercial photonic sintering system. Thermally labile ester groups are positioned on the DTZ unit of the copolymer that can be eliminated thermally for enhanced photochemical stability and advantages in terms of processing (solubility/insolubility switching). The photonic sintering system was successfully implemented in a full roll-to-roll process on flexible PET substrates and large-area polymer solar cell modules were prepared by solution processing of five layers under ambient conditions using the photonic sintering system for thermocleaving of the active layer. The PET foil did not show any deformation after exposure to the high intensity light only leaving the insoluble thermocleaved active layer. The active layer remained planar after light exposure thereby allowing the coating of supplementary material on top.

Log in (Subscriber Access)[Login via Athens or your home institution](#)

Login with your subscriber
username and password

Username*

Password*

Ask your librarian to arrange
site-wide access.