

Changes in the freshwater inventory of Young Sound-Tyroler fjord system (NE Greenland): Evidence from 10 years of Greenland Ecosystem Monitoring

Stedmon, Colin; Sejr, Mikael; Bendtsen, Jørgen ; Dalsgaard, Tage; Juul Pedersen, Thomas ; Mortensen, John ; Rysgaard, Søren

Published in: Book of Abstracts. DTU's Sustain Conference 2015

Publication date: 2015

Document Version Publisher's PDF, also known as Version of record

Link back to DTU Orbit

Citation (APA):

Stedmon, C., Sejr, M., Bendtsen, J., Dalsgaard, T., Juul Pedersen, T., Mortensen, J., & Rysgaard, S. (2015). Changes in the freshwater inventory of Young Sound-Tyroler fjord system (NE Greenland): Evidence from 10 years of Greenland Ecosystem Monitoring. In *Book of Abstracts. DTU's Sustain Conference 2015* Article S-1 Technical University of Denmark.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

• Users may download and print one copy of any publication from the public portal for the purpose of private study or research.

- · You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.



Changes in the freshwater inventory of Young Sound-Tyroler fjord system (NE Greenland): Evidence from 10 years of Greenland Ecosystem Monitoring.

<u>Colin A. Stedmon</u>1*; Mikael Sejr2; Jørgen Bendtsen3; Tage Dalsgaard2; Thomas Juul Pedersen4; John Mortensen4; Søren Rysgaard2,3

1 DTU Aqua; 2 Arctic Research Centre, Aarhus University, Denmark; 3 ClimateLab; 4 Greenland Climate Research Centre; 5 Centre for Earth Observation Science, University of Manitoba.

*Corresponding author email: cost@aqua.dtu.dk

Freshwater supply to the fjord systems in NE Greenland can be expected to change as a result of climate change induced ice melt. The most obvious alteration is in that of increased freshwater supply from snow and ice melt on land. A more subtle change may also occur at the marine end as the contribution from Arctic Ocean sea ice melt and upstream freshwater discharge may alter the salinities of the inflowing marine water. Here we analyse 10 years data collected from a fjord system in NE Greenland to reveal that there although there are no systematic changes in local freshwater run off, the coastal shelf waters that flow into the fjord have doubled in freshwater content.



Figure: Freshwater content of coastal waters outside the fjord system at depths between 30-50 m which corresponds to the sill depth. The colour of the symbols represent the year sampled. Note in 2014 samples are from July, August September and October. All other years only August. The data points with much higher freshwater content originate from profiles with deep surface mixed layer, where local freshwater has likely been recently mixed downwards by high winds (e.g. October 2014).