



Fabrication of doped Titania (TiO₂) nanofibers to serve as catalysts in NH₃-Selective Catalytic Reduction (SCR)

Marani, Debora; Silva, Rafael Hubert ; Dankeaw, Apiwat; Gudik-Sørensen, Mads; Norrman, Kion; Kammer Hansen, Kent; Esposito, Vincenzo

Publication date:
2016

Document Version
Peer reviewed version

[Link back to DTU Orbit](#)

Citation (APA):

Marani, D., Silva, R. H., Dankeaw, A., Gudik-Sørensen, M., Norrman, K., Kammer Hansen, K., & Esposito, V. (2016). *Fabrication of doped Titania (TiO₂) nanofibers to serve as catalysts in NH₃-Selective Catalytic Reduction (SCR)*.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Fabrication of doped Titania (TiO₂) nanofibers to serve as catalysts in NH₃-Selective Catalytic Reduction (SCR)

Debora Marani, Rafael Hubert Silva, Apiwat Dankeaw, Mads Gudik-Sørensen, Kion Norrman,
Kent Kammer Hansen, Vincenzo Esposito

*Department of Energy Conversion and Storage, Technical University of Denmark (DTU)
Frederiksborgvej 399, Roskilde, DK-4000, Denmark*

Abstract

In a context of significant interest for energy and environment, nanostructured-based ceramic materials are considered ideal candidates for the development of cost and energy efficient innovative systems. Such an attention is essentially due to the unique properties originating from the confinement of either one or more dimensions into the nanoscale level. Among others the large surface-to-volume ratio is a feature that greatly increases the reactivity of the nanomaterials towards gaseous species when compared with the non-nano dimensional materials. With this regards, catalysis is one of those applications that unquestionable benefits from this novel feature. In addition, when nanofibers (1D nanostructure) are used as catalysts, the further advantage of a self-supported wide open and well-interconnected porous structure is achieved.

Herein we demonstrate nanofibers as catalysts for the removal of the NO_x in exhausts via the NH₃ Selective Catalytic Reduction (SCR) method. By combining electrospinning and sol-gel chemistry, materials are processed as nanofibers with the catalytic components (*e. g.* V₂O₅-WO₃) incorporated as dopants into the supporting anatase phase (*e. g.* TiO₂). Remarkable high NO_x conversion efficiencies are obtained and associated with the unique features deriving from the synergism among the doping approach, the nanoscale confinement, and the nano-fibrous texture. A novel concept of self-supported, lightweight and ultra-compact design SCR reactor is defined.