



The impact of transferrin receptor targeting on immunoliposomal cargo delivery across the blood-brain barrier.

Johnsen, Kasper B.; Andresen, Thomas Lars; Moos, Torben

Published in:

Abstracts of papers presented at the 2016 meeting on Blood Brain Barrier

Publication date:

2016

Document Version

Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

Citation (APA):

Johnsen, K. B., Andresen, T. L., & Moos, T. (2016). The impact of transferrin receptor targeting on immunoliposomal cargo delivery across the blood-brain barrier. In *Abstracts of papers presented at the 2016 meeting on Blood Brain Barrier* (pp. 39-39)

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.


- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Abstracts of papers presented
at the 2016 meeting on

BLOOD BRAIN BARRIER

December 7–December 10, 2016



Cold Spring Harbor Laboratory
MEETINGS & COURSES PROGRAM

THE IMPACT OF TRANSFERRIN RECEPTOR TARGETING ON IMMUNOLIPOSOMAL CARGO DELIVERY ACROSS THE BLOOD-BRAIN BARRIER

Kasper B Johnsen¹, Thomas L Andresen², Torben Moos¹

¹Aalborg University, Laboratory of Neurobiology, Department of Health Science and Technology, Aalborg, Denmark, ²Technical University of Denmark, Department of Micro- and Nanotechnology, Lyngby, Denmark

Transferrin receptor expression is exclusive to the endothelial cells of the brain capillaries as opposed to endothelial cells in other organs of the body. This makes the transferrin receptor an interesting target for drug delivery to the brain. However, evidence on the intracellular trafficking mechanism of the transferrin receptor does not support the possibility of full transcytosis of the receptor. Still, the transferrin receptor could be an important tool to transport nanocarriers to the brain vasculature and subsequently depend on BCEC processing of the nanocarrier to mediate drug release.

We studied transferrin receptor-targeted liposomes containing oxaliplatin as a model drug cargo with the aim of quantifying the nanocarrier and cargo uptake in BCECs and the remainder of the CNS. A parallel approach using both in vitro and in vivo assessments was employed to study this aspect. For in vitro studies, a primary culture model of the rat blood-brain barrier was used to study the uptake of the immunoliposomes. For in vivo studies, 18 day old rats were used (due to their high expression of transferrin receptor on their brain capillaries) to study the passage of oxaliplatin into the brain parenchyma.

The uptake of OX26-conjugated immunoliposomes by BCECs were significantly higher both in vitro and in vivo when compared to isotypic IgG-conjugated liposomes. Quantitative analyses after capillary depletion revealed cargo transport from BCECs to the remaining CNS, but no differences could be detected between OX26-conjugated and isotype IgG control immunoliposomes in vivo, whereas isotype IgG control immunoliposomes were superior in vitro. In conclusion, OX26-targeted immunoliposomes are suitable for uptake by BCECs, which may be exploited for controlled release of a drug compound within the BCEC.