



Potentials and challenges of biogas from fish industry waste in the arctic

Jensen, Pernille Erland; Heiske, Stefan

Published in:

International Conference on Materials, Systems and Structures in Civil Engineering

Publication date:

2016

Document Version

Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

Citation (APA):

Jensen, P. E., & Heiske, S. (2016). Potentials and challenges of biogas from fish industry waste in the arctic. In *International Conference on Materials, Systems and Structures in Civil Engineering: Conference workshop on Cold Region Engineering* (pp. 69-69). Technical University of Denmark, Department of Civil Engineering.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

POTENTIALS AND CHALLENGES OF BIOGAS FROM FISH INDUSTRY WASTE IN THE ARCTIC

Pernille Erland Jensen ⁽¹⁾, Stefan Heiske ⁽²⁾

(1) Department of Civil Engineering, Technical University of Denmark, Lyngby, Denmark

(2) Department of Chemical Engineering, Technical University of Denmark.

Abstract

The fish industry is a main industry in many Arctic locations. In most places by-products are disposed of at sea. Oxygen depletion and dead sea bottom is observed, as the organic material is biodegraded and methane produced; contributing to the global warming. In this study, the biogas potential of fish industry by-products from Greenland was investigated. Methane potential of Greenlandic shrimp, crab, and halibut by-products as well as co-digestion of shrimp by-products with waste water sludge and common brown algae was tested in lab scale batch experiments at mesophilic conditions. Fate of indicator microorganisms was investigated. All residues had biogas potentials similar to or higher than conventional feedstocks like manure and silage. Waste water sludge and brown algae had potentials comparable to manure. The combined shrimp and algae digestion showed indication of synergistic effects. Indicator bacteria were reduced significantly while coliphages (virus indicators) were not. Fish and seafood by products from the fish processing industry constitute a significant resource for energy and may provide an economic incentive to install digesters, which can also partly stabilize waste water sludge, though additional heat treatment may be necessary depending on final use of digestate.