

## Polluted sediments in arctic harbors and electrodialytic remediation

Ottosen, Lisbeth M.; Pedersen, Kristine Bondo ; Kirkelund, Gunvor Marie; Jensen, Pernille Erland

Published in: International Conference on Materials, Systems and Structures in Civil Engineering

Publication date: 2016

**Document Version** Publisher's PDF, also known as Version of record

Link back to DTU Orbit

*Citation (APA):* Ottosen, L. M., Pedersen, K. B., Kirkelund, G. M., & Jensen, P. E. (2016). Polluted sediments in arctic harbors and electrodialytic remediation. In International Conference on Materials, Systems and Structures in Civil Engineering: Conference workshop on Cold Region Engineering (pp. 71-72). Technical University of Denmark, Department of Civil Engineering.

#### **General rights**

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

• Users may download and print one copy of any publication from the public portal for the purpose of private study or research.

- · You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

# POLLUTED SEDIMENTS IN ARCTIC HARBORS AND ELECTRODIALYTIC REMEDIATION

Lisbeth M. Ottosen (1), Kristine Bondo Pedersen(2), Gunvor M. Kirkelund(1), and Pernille E. Jensen(1)

(1) Department of Civil Engineering, Technical University of Denmark, Lyngby, Denmark
(2) Akvaplan-niva, Tromsö, Norway

### Abstract

International focus on the Arctic environment has increased during the past decade due to the environmental and geopolitical changes in the region. The Arctic is a major focus for long-range atmospheric transport of pollutants from industrial regions at mid-latitudes. For example, compared to the background, the Pb concentrations in recent Greenlandic lake sediments have increased about 2.5-fold, with slightly higher enrichments towards the coast, where annual precipitation is highest [1]

Accumulation of persistent pollutants in the environmental as well as bioaccumulation in the food chain of Arctic mammals has been reported [2]. Also human accumulation of persistent pollutants has been found [3], and the situation calls for action. Eventhough long-range transport of pollutants overall plays a major role, locally point sources can also be of major importance.

Local sources for pollution are among others harbour areas, where the sediment can be polluted from different anthropogenic activities. The present work summarizes findings from previous investigations (e.g. [4], [5], [6]) on pollution levels and spreading in the two Arctic harbours Hammerfest, Norway and Sisimiut, Greenland. The sediments from both harbours were polluted with organic compounds and heavy metals. Organic pollutants and heavy metals were generally found to correlate to sediment characteristics; however, TBT was an exception and did not follow this pattern.

To hinder further spreading of the polluted harbour sediments remediation is needed. The method investigated in this work is electrodialytic remediation for heavy metal contaminated sediments. Experimental results from previous work is compiled (e.g. [7], [8]) and major conclusions are drawn. Clean up target levels were met in several experiments.

International Conference on Materials, Systems and Structures in Civil Engineering Conference workshop on Cold Regions Engineering 24 August 2016, Technical University of Denmark, Lyngby, Denmark

### References

- Bindler, R.; Renberg, I.; Anderson, N.J.; Appleby, P.G.; Emtery, O.; Boyle, J. Pb isotope ratios of lake sediments in West Greenland: inferences on pollution sources. Atmospheric Environment 35 (2001) 4675–4685
- [2] OSPAR (2008). Atmospheric deposition of selected heavy metals and persistent organic pollutants to the OSPAR Maritime Area (1990-2005). www.ospar.org.
- [3] Johansen, P.; Mulvad, G.; Pedersen, H.S.; Hansen, J.C.; Riget, F. Human accumulation of mercury in Greenland. Science of the Total Environment 377 (2007) 173–178
- [4] Ottosen, L. M.; Villumsen, A. High Cu and Cd pollution in sediments from Sisimiut, Greenland. Adsorption to organic matter and fine particles. Environmental Chemistry Letters 4 (2006) 195–199
- [5] Villumsen, A.; Ottosen, L.M. Heavy Metal and TBT Contamination in the sediment around Sisimiut, Greenland. The Greenlandic Environment, Pollution and Solutions (ISBN: 87-7877-202-8) (2006), 32-37, Department of Civil Engineering, Technical University of Denmark, Lyngby
- [6] Pedersen, K.B.;; Lejon, T.; Jensen, P.E.; Ottosen, L.M. (2015) Chemometric Analysis for Pollution Source Assessment of Harbour Sediments in Arctic Locations, Water Air Soil Pollut (2015) 226: 150, 15 pages
- [7] Ottosen, L.M., Nystrøm, G.M., Jensen, P.E., Villumsen, A. Electrodialytic extraction of Cd and Cu from sediment from Sisimiut Harbour, Greenland. Journal of Hazardous Materials 140(1) (2007) 271-279
- [8] Pedersen, K.B.; Kirkelund, G.M.; Lejon, T.; Ottosen, L.M.; Jensen, P.E. Multivariate Methods for Evaluating the Efficiency of Electrodialytic Removal of Heavy Metals from Polluted Harbour Sediments. Journal of Hazardous Materials. 283 (2015) 712-720