



## Chemical Synthesis and Electrochemical Characterization of Nanoporous Gold films

Christiansen, Mikkel U-B; Seselj, Nedjeljko; Engelbrekt, Christian; Wagner, Michal; Nielsen, Frederick Stappen; Zhang, Jingdong

*Publication date:*  
2017

*Document Version*  
Peer reviewed version

[Link back to DTU Orbit](#)

*Citation (APA):*  
Christiansen, M. U.-B., Seselj, N., Engelbrekt, C., Wagner, M., Nielsen, F. S., & Zhang, J. (2017). *Chemical Synthesis and Electrochemical Characterization of Nanoporous Gold films*. Abstract from Forth EuCheMS Inorganic Chemistry Conference (EICC-4), Copenhagen, Denmark.

---

### General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

## Chemical Synthesis and Electrochemical Characterization of Nanoporous Gold films

Mikkel U.-B. Christiansen, Nedjeljko Seselj, Christian Engelbrekt, Michal Wagner, Frederick N. Stappen, and Jingdong Zhang  
Department of Chemistry, Technical University of Denmark, Kemitorvet 207, 2800, Kongens Lyngby, Denmark  
S113151@student.dtu.dk

Nanoporous gold (NPG) is conventionally made via dealloying methods<sup>1</sup>. We present an alternative method for bottom-up chemical synthesis of nanoporous gold film (cNPGF), with properties resembling those of dealloyed NPG. The developed procedure is simple and only benign chemicals are used. Chloroauric acid is reduced to nanoparticles (NPs) by 2-(N-morpholino)ethanesulfonate, acting also as a protecting agent for the NPs and as a pH buffer, while potassium chloride is used to control ionic strength. The film formation is controlled by parameters such as temperature, ionic strength and protonation of the buffer. Therefore, it is possible to influence the trapping of nanoparticles at the air-liquid interface, yielding porous thin film structures, Figure 1A. The produced cNPGFs have been investigated by atomic force microscopy (AFM), transmission electron microscopy (TEM) and cyclic voltammetry (CV). The micro- and nanostructure of cNPGFs are shown in Figure 1B and 1C. The film coverage areas that we can achieve are up to 20 cm<sup>2</sup>, with an average thickness of 500 ± 200 nm. It is also found that in-house synthesized cNPGFs are active electrocatalysts for CO<sub>2</sub> reduction and CO oxidation.




Figure 1. A) Schematic representation of cNPG film synthesis. B) TEM representation of cNPG. C) High resolution (HR-TEM) image of nanoporous structure of cNPGF.

- 1 A. Wittstock, J. Biener, J. Erlebacher and M. Baumer, Eds., *Nanoporous Gold*, The Royal Society of Chemistry, 2012.