Nickel-aluminum diffusion: A study of evolution of microstructure and phase

Alimadadi, Hossein; Kjartansdóttir, Cecilía Kristín; Burrows, Andrew; Kasama, Takeshi; Møller, Per

Published in:
Materials Characterization

Link to article, DOI:
[10.1016/j.matchar.2017.05.039](https://doi.org/10.1016/j.matchar.2017.05.039)

Publication date:
2017

Document Version
Peer reviewed version

[Link back to DTU Orbit](#)

Citation (APA):
Alimadadi, H., Kjartansdóttir, C. K., Burrows, A., Kasama, T., & Møller, P. (2017). Nickel-aluminum diffusion: A study of evolution of microstructure and phase. *Materials Characterization*, 130, 105-112.
<https://doi.org/10.1016/j.matchar.2017.05.039>

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Nickel-Aluminum diffusion; A study of evolution of microstructure and phase

Hossein Alimadadi^{1,†}, Cecilía Kjartansdóttir², Andrew Burrows¹, Takeshi Kasama¹ and Per Møller²

¹Technical University of Denmark, Center for Electron Nanoscopy, Fysikvej, building 307, DK-2800 Kongens Lyngby, Denmark.

²Technical University of Denmark, Department of Mechanical Engineering, Produktionstorvet, building 425, DK – 2800 Kongens Lyngby, Denmark.

† Corresponding Author, E-Mail: hoal@cen.dtu.dk, Tel.: +45 45256494

Keywords: Diffusion; Kirkendall effect; Intermetallics; Aluminum-Nickel binary alloys; Grain boundary diffusion; Electron microscopy

Abstract:

Microstructural and phase evolution of an aluminum deposit on nickel, after heat treatment at 883 K, is studied by means of various microscopy techniques, i.e. energy dispersive X-ray spectroscopy, backscattered electron imaging, electron backscatter diffraction, ion channeling contrast imaging and scanning transmission electron microscopy. AlNi₃ crystallites are observed on the aluminum grain boundaries after only 3 min. of heat treatment indicating that nickel and nickel rich phases are the initially diffusing and forming species. Heat treatment for 120 min. or longer results in the formation of Al₃Ni₂ and a porous Al₃Ni₂/γ-Al₂O₃ structure at the surface. The Al₃Ni₂ layer is composed of two different grain morphologies, indicating the position of a Kirkendall plane, and hence, there is a high diffusion rate of aluminum in this phase.