Ancient genomes show social and reproductive behavior of early Upper Paleolithic foragers

Sikora, Martin; Seguin-Orlando, Andaine; Sousa, Vitor C.; Albrechtsen, Anders; Korneliussen, Thorfinn; Ko, Amy; Rasmussen, Simon; Dupanloup, Isabelle; Nigst, Philip R.; Bosch, Marjolein D.

Total number of authors:
27

Published in:
Science

Link to article, DOI:
[10.1126/science.aao1807](https://doi.org/10.1126/science.aao1807)

Publication date:
2017

Document Version
Peer reviewed version

[Link back to DTU Orbit](#)

Citation (APA):

Sikora, M., Seguin-Orlando, A., Sousa, V. C., Albrechtsen, A., Korneliussen, T., Ko, A., Rasmussen, S., Dupanloup, I., Nigst, P. R., Bosch, M. D., Renaud, G., Allentoft, M. E., Margaryan, A., Vasilyev, S. V., Veselovskaya, E. V., Borutskaya, S. B., Deviese, T., Comeskey, D., Higham, T., ... Willerslev, E. (2017). Ancient genomes show social and reproductive behavior of early Upper Paleolithic foragers. *Science*, 358(6363), 659-662. [eao1807]. <https://doi.org/10.1126/science.aao1807>

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Cite as: M. Sikora *et al.*, *Science*
10.1126/science.aao1807 (2017).

Ancient genomes show social and reproductive behavior of early Upper Paleolithic foragers

Martin Sikora,^{1*} Andaine Seguin-Orlando,^{1*} Vitor C. Sousa,^{2,3,4} Anders Albrechtsen,⁵ Thorfinn Korneliussen,¹ Amy Ko,⁶ Simon Rasmussen,⁷ Isabelle Dupanloup,^{2,3} Philip R. Nigst,⁸ Marjolein D. Bosch,^{9,10} Gabriel Renaud,¹ Morten E. Allentoft,¹ Ashot Margaryan,^{1,11} Sergey V. Vasilyev,¹² Elizaveta V. Veselovskaya,¹² Svetlana B. Borutskaya,¹³ Thibaut Deviese,¹⁴ Dan Comeskey,¹⁴ Tom Higham,¹⁴ Andrea Manica,¹⁵ Robert Foley,^{1,16} David J. Meltzer,^{1,17} Rasmus Nielsen,^{1,5} Laurent Excoffier,^{2,3} Marta Mirazon Lahr,^{1,16} Ludovic Orlando,^{1,18} Eske Willerslev^{1,19,20†}

¹Centre for GeoGenetics, Natural History Museum of Denmark, University of Copenhagen, 1350 Copenhagen, Denmark. ²Institute of Ecology and Evolution, University of Bern, CH-3012 Bern, Switzerland. ³Swiss Institute of Bioinformatics, 1015 Lausanne, Switzerland. ⁴Centre for Ecology, Evolution and Environmental Changes, Faculdade de Ciências, Universidade de Lisboa, 1749-016 Lisboa, Portugal. ⁵Department of Biology, University of Copenhagen, 2200 København N, Denmark. ⁶Department of Integrative Biology, University of California, Berkeley, CA 94720, USA. ⁷Center for Biological Sequence Analysis, Department of Systems Biology, Technical University of Denmark, Kemitorvet, 2800 Kongens Lyngby, Denmark. ⁸Division of Archaeology, Department of Archaeology and Anthropology, University of Cambridge, Cambridge CB2 3DZ, UK. ⁹McDonald Institute for Archaeological Research, University of Cambridge, Cambridge CB2 3ER, UK. ¹⁰Department of Human Evolution, Max Planck Institute for Evolutionary Anthropology, 04103 Leipzig, Germany. ¹¹Institute of Molecular Biology, National Academy of Sciences, 0014 Yerevan, Armenia. ¹²Centre of Physical Anthropology, Institute Ethnology and Anthropology, Russian Academy of Science, 119334 Moscow, Russia. ¹³Department of Anthropology, Biological Faculty, Lomonosov's Moscow State University, 119991 Moscow, Russia. ¹⁴Oxford Radiocarbon Accelerator Unit, University of Oxford, Oxford OX1 3QY, UK. ¹⁵Department of Zoology, University of Cambridge, CB2 3EJ, UK. ¹⁶Leverhulme Centre for Human Evolutionary Studies, Department of Archaeology and Anthropology, University of Cambridge, Cambridge CB2 1QH, UK. ¹⁷Department of Anthropology, Southern Methodist University, Dallas, TX 75275, USA. ¹⁸Laboratoire d'Anthropobiologie Moléculaire et d'Imagerie de Synthèse, CNRS UMR 5288, Université de Toulouse, Université Paul Sabatier, 31000 Toulouse, France. ¹⁹GeoGenetics Groups, Department of Zoology, University of Cambridge, Cambridge CB2 3EJ, UK. ²⁰Wellcome Trust Sanger Institute, Hinxton, Cambridge CB10 1SA, UK.

*These authors contributed equally to this work.

†Corresponding author. Email: ewillerslev@snm.ku.dk

Present-day hunter-gatherers (HGs) live in multilevel social groups essential to sustain a population structure characterized by limited levels of within-band relatedness and inbreeding. When these wider social networks evolved among HGs is unknown. Here, we investigate whether the contemporary HG strategy was already present in the Upper Paleolithic (UP), using complete genome sequences from Sunghir, a site dated to ~34 thousand years BP (kya) containing multiple anatomically modern human (AMH) individuals. We demonstrate that individuals at Sunghir derive from a population of small effective size, with limited kinship and levels of inbreeding similar to HG populations. Our findings suggest that UP social organization was similar to that of living HGs, with limited relatedness within residential groups embedded in a larger mating network.

Opportunities to investigate the population dynamics of early AMH populations are rare owing to a dearth of human remains, with wide variations in ancient population size estimates from ethnographic or archaeological data (1, 2). In the absence of evidence for true contemporaneity among individuals recovered archaeologically, the population structure of foraging groups is even harder to establish. Exceptions are cases of multiple UP individuals buried simultaneously or originating from sufficiently close temporal and spatial proximity that they may represent a single social group.

One such example of multiple burials is Sunghir, a site harboring two of the most extraordinary UP burials known (3, 4) (figs. S1 and S2 and tables S1 to S4): one of an adult male (Sunghir 1 [SI]), and another one of two sub-adults (Sunghir 2 and 3 [SII and SIII]), originally thought to be a

boy and girl, interred head-to-head. All remains were covered in ochre, and accompanied by rich grave goods including ivory beads and spears, armbands and carvings, as well as arctic fox canines. Adjacent to SII was the femoral diaphysis of an adult (Sunghir 4 [SIV]) that had been polished, hollowed-out and filled with red ochre. The site also yielded other less complete human remains, some of uncertain stratigraphic provenance (Sunghir 5-9 [SV-SIX]). Radiocarbon analyses place the age of SI-SIV between 34.6 and 33.6 kya (5, 6). The homogeneity in morphological traits (e.g., metopism) among the remains, as well as signs of possible congenital pathologies in SIII have been interpreted as evidence of inbreeding (3). Other UP individuals with reported congenital or degenerative pathologies (e.g., at Barma Grande and Dolní Věstonice) (3) reinforce the view that UP groups were small and susceptible to inbreeding, possibly

similar to what has been reported for the Altai Neanderthal (7). However, genomic data available for some of those individuals (8) were of insufficient coverage for inferring population sizes and inbreeding levels.

We screened six of the Sunghir individuals (SI-SV; Sunghir 6 [SVI]) to assess DNA preservation, five of which (excluding SV) yielded sufficient endogenous DNA for genome sequencing. We sequenced those genomes to an average depth-of-coverage ranging from 1.11X to 10.75X (figs. S3 and S4 and tables S5 and S6), and compared them to panels of modern and ancient human genomes (4). All individuals were genetically male on the basis of the fraction of Y chromosome reads (table S7), including SIII who was previously identified as female (3). Contamination levels from X chromosome heterozygosity were low (0.33% – 0.90%, table S5) except for SVI (13.1%). Radiocarbon dates indicate that while SV is only slightly more recent than the other individuals, SVI is from ~900 yBP (figs. S5 and S6 and tables S8 to S10). Together with mtDNA and Y-chromosome haplogroups (W3a1 and I2a1b2, respectively), these data indicate that SVI is not associated with the UP burials at the site, and was therefore excluded from further analyses.

Analyses of mtDNA genomes place SI-SIV in haplogroup U, consistent with West Eurasian and Siberian Paleolithic and Mesolithic genomes (9) (fig. S7 and table S5). SI belonged to haplogroup U8c; the sequences for the three individuals from the double burial (SII-SIV) were identical, and belonged to haplogroup U2, which is closely related to the UP Kostenki 12 (8) and Kostenki 14 (10) individuals. Phylogenetic analyses of the Y chromosome sequences place all Sunghir individuals in an early divergent lineage of haplogroup C1a2 (fig. S8 and tables S12 to S15). Y-chromosome haplogroup C1, which is rare among contemporary Eurasians, has been found in other early European individuals including the ~36 ky-old Kostenki 14 (11).

We investigated the degree of relatedness among the Sunghir individuals with a method that allows relationship inferences up to a third degree, but does not rely on allele frequencies (4). Surprisingly, none of them were closely related (that is, third degree or closer), despite the fact that the SII-SIV individuals buried together share both mitochondrial and Y-chromosome lineages (Fig. 1 and tables S16 to S23). We then inferred genomic segments that were identical-by-descent (IBD) and homozygous-by-descent (HBD) from three higher coverage Sunghir genomes (SII-SIV) and a panel of ancient and contemporary humans (4). We compared their distributions to those inferred from whole genomes obtained using coalescent simulations (12) of randomly mating populations with varying effective population sizes (N_E) (fig. S9). The distribution of HBD tracts were different between AMH and archaic humans, indicating small effective population sizes and/or recent inbreeding in

archaic individuals, particularly the Altai Neanderthal (7, 13) (Fig. 2A and figs. S10 to S14).

Patterns of pairwise IBD-sharing detect close genetic relatives in modern individuals (Fig. 2B). However, the Sunghir pairs do not share sufficiently long IBD tracts to suggest relatedness at the 1st or 2nd degree, consistent with the results from genome-wide identity-by-state (IBS) counts (Fig. 2B and fig. S15). Interestingly, the effective population sizes tended to be higher ($N_E \sim 500$) for two out of three Sunghir pairs than those estimated from HBD segments ($N_E \sim 200$). N_E from both HBD and IBD tracts (4) was within the range, or slightly higher, than that of contemporary non-African HG populations (Fig. 2C), particularly from genetically isolated groups (14).

Genetic clustering of ancient individuals using out-group- f_3 statistics ($f_3(\text{Mbuti}; \text{Ancient}_1, \text{Ancient}_2)$) indicates shared genetic drift and tight clustering of the Sunghir individuals, which form a clade to the exclusion of all other individuals (Fig. 3, figs. S16 to S20, and tables S28 and S29). Furthermore, we find genetic affinities between the Sunghir individuals and those from Kostenki (12 and 14), as well as with the ‘Vestonice cluster’ (8), associated with the UP Gravettian culture.

Individuals mapped onto a previously inferred admixture graph of early Eurasians (4, 8) placed the Sunghir cluster as a descendent of a lineage related to the Kostenki 14 individual, contributing the major fraction of the ancestry of the ‘Vestonice cluster’ (Fig. 3C and figs. S21 to S24). Adding the low coverage Kostenki 12 individual suggests a closer relationship to the Sunghir group rather than with the earlier Kostenki 14 individual (fig. S25). Finally, Kostenki 14 shows substantial population-specific drift after its divergence from the shared ancestor with Sunghir, allowing us to reject a direct ancestral relationship to both Sunghir and Kostenki 12 (fig. S26). These results suggest that the people at Kostenki were at least partially replaced by later groups related to Sunghir, which exhibit genetic affinities with individuals of the more western Gravettian culture.

Our high coverage Sunghir individual (SIII), allows us to explore quantitative models of Eurasian demographic history. Using coalescent-based modeling of the site frequency spectrum (SFS) (fig. S27), we estimate that SIII diverged ~38 kya (95% CI 35-43) from the lineage ancestral to contemporary Europeans, with a relatively small effective population size ($N_e = 297$; 95% CI 158-901) (Fig. 4A, figs. S28 and S29, and tables S24 and S25). The Ust’-Ishim genome, a 45 kya UP individual from Siberia (15) which diverged from the Asian lineage (~48 kya; 95% CI 45-55) soon after the initial divergence among Eurasians (~52.5 kya; 95% CI 49-57), indicates a comparably higher effective population size ($N_e = 1,203$; 95% CI 253-7098) (Fig. 4B, figs. S30 and S31, and tables S26 and S27). The best-fit models also suggest a

common Neanderthal admixture event shared by all Eurasians at 55 kya (95% CI 52-63), consistent with previous estimates (11, 15). However, we also find evidence of multiple Neanderthal admixture events in both SIII (36 kya; 95% CI 34-42) and Ust'-Ishim (47 kya; 95% CI 44-51), the latter introgression providing an estimated 0.6% (95% CI 0.002-1.53) of Neanderthal ancestry to SIII. That excess may reflect either further pulses of Neanderthal introgression, or selection against Neanderthal introgressed regions in AMHs as previously suggested (8, 16-18). Analyses of putative archaic-introgressed genomic segments (4) confirms a higher level of Neanderthal ancestry and a longer average Neanderthal segment length among UP individuals, in agreement with their closer proximity to the human-Neanderthal admixture event than present-day Eurasians (fig. S36). Assuming that the Sungir individuals are contemporaneous (4), we obtain a refined estimate of the time since admixture at 770 generations (95% CI 755-786). Accounting for the uncertainty of both the admixture estimate and ^{14}C ages, this corresponds to an admixture date between the ancestors of Sungir and Neanderthals between 53.6 and 58.1 kya (at 29 years/generation (19)), in agreement with the results obtained from coalescent modeling (fig. S37).

Our results suggest a social and population network of HG demes that preferentially mated within sub-groups, with exogamy and regular exchanges between demes. Among contemporary HGs, primary kin constitute <10% of residential groups, leading to low genetic relatedness (20, 21). Some modern human groups exhibit increased levels of inbreeding, including populations where consanguineous marriage practices are encouraged, or geographically isolated HG groups such as those from the Amazon rainforest region (Fig. 2, A and C). In contrast, patterns of HBD among the UP individuals are consistent with randomly mating populations of moderate effective size ($N_E \sim 200$), suggesting that close consanguineous mating was avoided (Fig. 2, A and C). Although our findings are currently limited to a single UP site, if they are representative of early UP HGs more generally, they reveal a social structure and cultural practices that emphasized exogamy. This is consistent with archaeological evidence of high mobility in the UP (22), perhaps comparable to the scale of mobility seen ethnographically among small foraging bands at high-latitudes (23). We note that this interpretation relies on the evidence that all individuals at Sungir were contemporaneous and members of the same social group. While this is clearly the case for the two children in the double burial (SII, SIII), it is possible that both SIV and SI were members of different social groups, potentially separated in time from SII and SIII. Nevertheless, the shared material culture, overlapping radiocarbon date intervals, as well as close genetic relationship among all individuals, all support this inference.

Although the number of ancient genomes available remains small, the differences in inbreeding levels, and thus group organization, between AMH groups in the UP and Neanderthals are intriguing. The small reproductive groups of UP AMH at Sungir apparently avoided inbreeding and its deleterious consequences, in contrast to what has been observed for the Altai Neanderthals. We caution that more genomic data on Neanderthals from other regions is necessary to conclude whether the patterns observed in the Altai are representative of their genetic diversity more generally, or if that individual was an outlier. Assuming the former, whether this would reflect ongoing extinction of Neanderthals or a more general difference in social behavior and cultural practices also remains unknown. Our results nonetheless suggest that the human HG social structure of low levels of within-band relatedness, complex family residence patterns, relatively high individual mobility and multilevel social networks were already in place among UP societies 34 kya. This social structure may have affected the development of cooperation and information transfer that underlie the evolution of culture in humans (20, 21, 24, 25), and may be crucial to understanding our species unique evolutionary resilience and trajectory.

REFERENCES AND NOTES

1. J.-P. Bocquet-Appel, P.-Y. Demars, L. Noiret, D. Dobrowsky, Estimates of Upper Palaeolithic meta-population size in Europe from archaeological data. *J. Archaeol. Sci.* **32**, 1656-1668 (2005). doi:10.1016/j.jas.2005.05.006
2. M. M. Lahr, R. A. Foley, in *Neanderthals and Modern Humans in the European Landscape During the Last Glaciation: Archaeological Results of the Stage 3 Project* (McDonald Institute for Archaeological Research, Cambridge, 2003), pp. 241-256.
3. E. Trinkaus, A. P. Buzhilova, M. B. Mednikova, M. V. Dobrovolskaya, *The People of Sungir: Burials, Bodies, and Behavior in the Earlier Upper Paleolithic* (Oxford Univ. Press, 2014).
4. See supplementary materials.
5. A. Marom, J. S. O. McCullagh, T. F. G. Higham, A. A. Sinitsyn, R. E. M. Hedges, Single amino acid radiocarbon dating of Upper Paleolithic modern humans. *Proc. Natl. Acad. Sci. U.S.A.* **109**, 6878-6881 (2012). doi:10.1073/pnas.1116328109 Medline
6. S. Nalawade-Chavan, J. McCullagh, R. Hedges, New hydroxyproline radiocarbon dates from Sungir, Russia, confirm early Mid Upper Palaeolithic burials in Eurasia. *PLOS ONE* **9**, e76896 (2014). doi:10.1371/journal.pone.0076896 Medline
7. K. Prüfer, F. Racimo, N. Patterson, F. Jay, S. Sankararaman, S. Sawyer, A. Heinze, G. Renaud, P. H. Sudmant, C. de Filippo, H. Li, S. Mallick, M. Dannemann, Q. Fu, M. Kircher, M. Kuhlwilm, M. Lachmann, M. Meyer, M. Ongyerth, M. Siebauer, C. Theunert, A. Tandon, P. Moorjani, J. Pickrell, J. C. Mullikin, S. H. Vohr, R. E. Green, I. Hellmann, P. L. F. Johnson, H. Blanche, H. Cann, J. O. Kitzman, J. Shendure, E. E. Eichler, E. S. Lein, T. E. Bakken, L. V. Golovanova, V. B. Doronichev, M. V. Shunkov, A. P. Derevianko, B. Viola, M. Slatkin, D. Reich, J. Kelso, S. Pääbo, The complete genome sequence of a Neanderthal from the Altai Mountains. *Nature* **505**, 43-49 (2014). doi:10.1038/nature12886 Medline
8. Q. Fu, C. Posth, M. Hajdinjak, M. Petr, S. Mallick, D. Fernandes, A. Furtwängler, W.

- Haak, M. Meyer, A. Mittnik, B. Nickel, A. Peltzer, N. Rohland, V. Slon, S. Talamo, I. Lazaridis, M. Lipson, I. Mathieson, S. Schiffels, P. Skoglund, A. P. Derevianko, N. Drozdov, V. Slavinsky, A. Tsybankov, R. G. Cremonesi, F. Mallegni, B. Gély, E. Vacca, M. R. Morales, L. G. Straus, C. Neugebauer-Maresch, M. Teschler-Nicola, S. Constantin, O. T. Moldovan, S. Benazzi, M. Peresani, D. Coppola, M. Lari, S. Ricci, A. Ronchitelli, F. Valentin, C. Thevenet, K. Wehrberger, D. Grigorescu, H. Rougier, I. Crevecoeur, D. Flas, P. Semal, M. A. Mannino, C. Cupillard, H. Bocherens, N. J. Conard, K. Harvati, V. Moiseyev, D. G. Drucker, J. Svoboda, M. P. Richards, D. Caramelli, R. Pinhasi, J. Kelso, N. Patterson, J. Krause, S. Pääbo, D. Reich, The genetic history of Ice Age Europe. *Nature* **534**, 200–205 (2016). [doi:10.1038/nature17993](https://doi.org/10.1038/nature17993) [Medline](#)
9. C. Posth, G. Renaud, A. Mittnik, D. G. Drucker, H. Rougier, C. Cupillard, F. Valentin, C. Thevenet, A. Furtwängler, C. Wißing, M. Francken, M. Malina, M. Bolus, M. Lari, E. Gigli, G. Capecchi, I. Crevecoeur, C. Beauval, D. Flas, M. Germonpré, J. van der Plicht, R. Cottiaux, B. Gély, A. Ronchitelli, K. Wehrberger, D. Grigorescu, J. Svoboda, P. Semal, D. Caramelli, H. Bocherens, K. Harvati, N. J. Conard, W. Haak, A. Powell, J. Krause, Pleistocene mitochondrial genomes suggest a single major dispersal of non-Africans and a late glacial population turnover in Europe. *Curr. Biol.* **26**, 827–833 (2016). [doi:10.1016/j.cub.2016.02.022](https://doi.org/10.1016/j.cub.2016.02.022) [Medline](#)
10. J. Krause, A. W. Briggs, M. Kircher, T. Maricic, N. Zwyns, A. Derevianko, S. Pääbo, A complete mtDNA genome of an early modern human from Kostenki, Russia. *Curr. Biol.* **20**, 231–236 (2010). [doi:10.1016/j.cub.2009.11.068](https://doi.org/10.1016/j.cub.2009.11.068) [Medline](#)
11. A. Seguin-Orlando, T. S. Korneliussen, M. Sikora, A.-S. Malaspinas, A. Manica, I. Moltke, A. Albrechtsen, A. Ko, A. Margaryan, V. Moiseyev, T. Goebel, M. Westaway, D. Lambert, V. Khartanovich, J. D. Wall, P. R. Nigst, R. A. Foley, M. M. Lahr, R. Nielsen, L. Orlando, E. Willerslev, Genomic structure in Europeans dating back at least 36,200 years. *Science* **346**, 1113–1118 (2014). [doi:10.1126/science.aaa0114](https://doi.org/10.1126/science.aaa0114) [Medline](#)
12. J. Kelleher, A. M. Etheridge, G. McVean, Efficient coalescent simulation and genealogical analysis for large sample sizes. *PLOS Comput. Biol.* **12**, e1004842 (2016). [doi:10.1371/journal.pcbi.1004842](https://doi.org/10.1371/journal.pcbi.1004842) [Medline](#)
13. M. Meyer, M. Kircher, M.-T. Gansauge, H. Li, F. Racimo, S. Mallick, J. G. Schraiber, F. Jay, K. Prüfer, C. de Filippo, P. H. Sudmant, C. Alkan, Q. Fu, R. Do, N. Rohland, A. Tandon, M. Siebauer, R. E. Green, K. Bryc, A. W. Briggs, U. Stenzel, J. Dabney, J. Shendure, N. J. Kitzman, M. F. Hammer, M. V. Shunkov, A. P. Derevianko, N. Patterson, A. M. Andrés, E. E. Eichler, M. Slatkin, D. Reich, J. Kelso, S. Pääbo, A high-coverage genome sequence from an archaic Denisovan individual. *Science* **338**, 222–226 (2012). [doi:10.1126/science.1224344](https://doi.org/10.1126/science.1224344) [Medline](#)
14. M. Kirin, R. McQuillan, C. S. Franklin, H. Campbell, P. M. McKeigue, J. F. Wilson, Genomic runs of homozygosity record population history and consanguinity. *PLOS ONE* **5**, e13996 (2010). [doi:10.1371/journal.pone.0013996](https://doi.org/10.1371/journal.pone.0013996) [Medline](#)
15. Q. Fu, H. Li, P. Moorjani, F. Jay, S. M. Slepchenko, A. A. Bondarev, P. L. F. Johnson, A. Aximu-Petri, K. Prüfer, C. de Filippo, M. Meyer, N. Zwyns, D. C. Salazar-García, Y. V. Kuzmin, S. G. Keates, P. A. Kosintsev, D. I. Razhev, M. P. Richards, N. V. Peristov, M. Lachmann, K. Douka, T. F. G. Higham, M. Slatkin, J.-J. Hublin, D. Reich, J. Kelso, T. B. Viola, S. Pääbo, Genome sequence of a 45,000-year-old modern human from western Siberia. *Nature* **514**, 445–449 (2014). [doi:10.1038/nature13810](https://doi.org/10.1038/nature13810) [Medline](#)
16. B. Vernot, J. M. Akey, Resurrecting surviving Neandertal lineages from modern human genomes. *Science* **343**, 1017–1021 (2014). [doi:10.1126/science.1245938](https://doi.org/10.1126/science.1245938) [Medline](#)
17. I. Juric, S. Aeschbacher, G. Coop, The strength of selection against Neanderthal introgression. *PLOS Genet.* **12**, e1006340 (2016). [doi:10.1371/journal.pgen.1006340](https://doi.org/10.1371/journal.pgen.1006340) [Medline](#)
18. K. Harris, R. Nielsen, The genetic cost of Neanderthal introgression. *Genetics* **203**, 881–891 (2016). [doi:10.1534/genetics.116.186890](https://doi.org/10.1534/genetics.116.186890) [Medline](#)
19. J. N. Fenner, Cross-cultural estimation of the human generation interval for use in genetics-based population divergence studies. *Am. J. Phys. Anthropol.* **128**, 415–423 (2005). [doi:10.1002/ajpa.20188](https://doi.org/10.1002/ajpa.20188) [Medline](#)
20. K. R. Hill, R. S. Walker, M. Bozicević, J. Eder, T. Headland, B. Hewlett, A. M. Hurtado, F. Marlowe, P. Wiessner, B. Wood, Co-residence patterns in hunter-gatherer societies show unique human social structure. *Science* **331**, 1286–1289 (2011). [doi:10.1126/science.1199071](https://doi.org/10.1126/science.1199071) [Medline](#)
21. M. Dyble, G. D. Salali, N. Chaudhary, A. Page, D. Smith, J. Thompson, L. Vinicius, R. Mace, A. B. Migliano, Sex equality can explain the unique social structure of hunter-gatherer bands. *Science* **348**, 796–798 (2015). [doi:10.1126/science.aaa5139](https://doi.org/10.1126/science.aaa5139) [Medline](#)
22. H. Floss, Rohmaterialversorgung im Paläolithikum des Mittelrheingebietes. *Archäol. Inform.* **14**, 113–117 (1991). [doi:10.11588/ai.1991.1.21379](https://doi.org/10.11588/ai.1991.1.21379)
23. R. L. Kelly, *The Lifeways of Hunter-Gatherers: The Foraging Spectrum* (Cambridge Univ. Press, 2013).
24. R. Boyd, R. H. Schonmann, R. Vicente, Hunter-gatherer population structure and the evolution of contingent cooperation. *Evol. Hum. Behav.* **35**, 219–227 (2014). [doi:10.1016/j.evolhumbehav.2014.02.002](https://doi.org/10.1016/j.evolhumbehav.2014.02.002)
25. A. B. Migliano, A. E. Page, J. Gómez-Gardeñes, G. D. Salali, S. Viguier, M. Dyble, J. Thompson, N. Chaudhary, D. Smith, J. Strods, R. Mace, M. G. Thomas, V. Latorra, L. Vinicius, Characterization of hunter-gatherer networks and implications for cumulative culture. *Nat. Hum. Behav.* **1**, 0043 (2017). [doi:10.1038/s41562-016-0043](https://doi.org/10.1038/s41562-016-0043)
26. N. O. Bader, *Sungir': An Upper Palaeolithic Site* (Nauka, 1978). [In Russian]
27. T. I. Alexeeva, N. O. Bader, Eds., *Homo sungirensis. Upper Palaeolithic Man: Ecological and Evolutionary Aspects of the Investigation* (Scientific World, Moscow, 2000).
28. N. O. Bader, N. O. Bader, in *Homo sungirensis. Upper Palaeolithic Man: Ecological and Evolutionary Aspects of the Investigation*, T. I. Alexeeva, N. O. Bader, Eds. (Scientific World, Moscow, 2000), pp. 21–29.
29. P. B. Pettitt, N. O. Bader, Direct AMS radiocarbon dates for the Sungir mid Upper Palaeolithic burials. *Antiquity* **74**, 269–270 (2000). [doi:10.1017/S0003598X00059196](https://doi.org/10.1017/S0003598X00059196)
30. A. A. Zubov, V. M. Kharitonov, *Sungir Anthropological Investigations* (Scientific World, Moscow, 1984).
31. N. O. Bader, *Upper Palaeolithic Site Sungir (Graves and Environment)* (Scientific World, Moscow, 1998).
32. P. J. Reimer, E. Bard, A. Bayliss, J. W. Beck, P. G. Blackwell, C. B. Ramsey, C. E. Buck, H. Cheng, R. L. Edwards, M. Friedrich, P. M. Grootes, T. P. Guilderson, H. Hafflidason, I. Hajdas, C. Hatté, T. J. Heaton, D. L. Hoffmann, A. G. Hogg, K. A. Hughen, K. F. Kaiser, B. Kromer, S. W. Manning, M. Niu, R. W. Reimer, D. A. Richards, E. M. Scott, J. R. Southon, R. A. Staff, C. S. M. Turney, J. van der Plicht, IntCal13 and Marine13 radiocarbon age calibration curves 0–50,000 years cal BP. *Radiocarbon* **55**, 1869–1887 (2013). [doi:10.2458/azu_js_rc.55.16947](https://doi.org/10.2458/azu_js_rc.55.16947)
33. C. B. Ramsey, Bayesian analysis of radiocarbon dates. *Radiocarbon* **51**, 337–360 (2009). [doi:10.1017/s0033822200033865](https://doi.org/10.1017/s0033822200033865)
34. A. P. Buzhilova, The environment and health condition of the upper palaeolithic sungir people of Russia. *J. Physiol. Anthropol. Appl. Human Sci.* **24**, 413–418 (2005). [doi:10.2114/jpa.24.413](https://doi.org/10.2114/jpa.24.413) [Medline](#)
35. E. Trinkaus, A. P. Buzhilova, The death and burial of Sungir 1. *Int. J. Osteoarchaeol.* **22**, 655–666 (2012). [doi:10.1002/oa.1227](https://doi.org/10.1002/oa.1227)
36. R. White, in *Before Lascaux: The Complex Record of the Early Upper Paleolithic*, H. Knecht, A. Pike-Tay, R. White, Eds. (CRC Press, 1993), pp. 277–299.
37. L. W. Cowgill, M. B. Mednikova, A. P. Buzhilova, E. Trinkaus, The Sungir 3 Upper Paleolithic juvenile: Pathology versus persistence in the Paleolithic. *Int. J. Osteoarchaeol.* **25**, 176–187 (2015). [doi:10.1002/oa.2273](https://doi.org/10.1002/oa.2273)

38. D. Guatelli-Steinberg, A. P. Buzhilova, E. Trinkaus, Developmental stress and survival among the Mid Upper Paleolithic Sungir children: Dental enamel hypoplasias of Sungir 2 and 3. *Int. J. Osteoarchaeol.* **23**, 421–431 (2013). [doi:10.1002/oa.1263](https://doi.org/10.1002/oa.1263)
39. B. Pinilla, E. Trinkaus, Buccal dental microwear and diet of the Sungir Upper Paleolithic modern humans. *Archaeol. Ethnol. Anthropol. Eurasia* **42**, 131–142 (2014). [doi:10.1016/j.aear.2015.01.013](https://doi.org/10.1016/j.aear.2015.01.013)
40. A. P. Buzhilova, in *Homo sungirensis. Upper Palaeolithic Man: Ecological and Evolutionary Aspects of the Investigation*, T. I. Alexeeva, N. O. Bader, Eds. (Scientific World, Moscow, 2000), pp. 302–314.
41. V. Formicola, A. P. Buzhilova, Double child burial from Sungir (Russia): Pathology and inferences for upper paleolithic funerary practices. *Am. J. Phys. Anthropol.* **124**, 189–198 (2004). [doi:10.1002/ajpa.10273](https://doi.org/10.1002/ajpa.10273) [Medline](#)
42. V. Formicola, From the Sungir children to the Romito dwarf. *Curr. Anthropol.* **48**, 446–453 (2007). [doi:10.1086/517592](https://doi.org/10.1086/517592)
43. J. Riel-Salvatore, C. Gravel-Miguel, in *The Oxford Handbook of the Archaeology of Death and Burial* (Oxford Univ. Press, 2013), pp. 303–346.
44. P. Pettitt, *The Palaeolithic Origins of Human Burial* (Routledge, 2011).
45. P. Mellars, Neanderthals and the modern human colonization of Europe. *Nature* **432**, 461–465 (2004). [doi:10.1038/nature03103](https://doi.org/10.1038/nature03103) [Medline](#)
46. R. G. Klein, Out of Africa and the evolution of human behavior. *Evol. Anthropol.* **17**, 267–281 (2008). [doi:10.1002/evan.20181](https://doi.org/10.1002/evan.20181)
47. J. A. Svoboda, O. Bar-Yosef, *Stránská skála. Origins of the Upper Paleolithic in the Brno Basin, Moravia, Czech Republic* (Peabody Museum of Archaeology and Ethnology, Harvard University, 2003).
48. G. B. Tostevin, *Seeing Lithics: A Middle-Range Theory for Testing for Cultural Transmission in the Pleistocene* (Oxbow, 2012).
49. P. R. Nigst, in *Living in the Landscape: Essays in Honour of Graeme Barker*, K. Boyle, R. J. Rabett, C. O. Hunt, Eds. (McDonald Institute for Archaeological Research, Cambridge, 2014), pp. 35–47.
50. P. R. Nigst, P. Haesaerts, F. Damblon, C. Frank-Fellner, C. Mallol, B. Viola, M. Götzinger, L. Niven, G. Trnka, J.-J. Hublin, Early modern human settlement of Europe north of the Alps occurred 43,500 years ago in a cold steppe-type environment. *Proc. Natl. Acad. Sci. U.S.A.* **111**, 14394–14399 (2014). [doi:10.1073/pnas.1412201111](https://doi.org/10.1073/pnas.1412201111) [Medline](#)
51. M. D. Bosch, M. A. Mannino, A. L. Prendergast, T. C. O'Connell, B. Demarchi, S. M. Taylor, L. Niven, J. van der Plicht, J.-J. Hublin, New chronology for Ksar 'Akil (Lebanon) supports Levantine route of modern human dispersal into Europe. *Proc. Natl. Acad. Sci. U.S.A.* **112**, 7683–7688 (2015). [doi:10.1073/pnas.1501529112](https://doi.org/10.1073/pnas.1501529112) [Medline](#)
52. J. Zilhão, Neandertals and moderns mixed, and it matters. *Evol. Anthropol.* **15**, 183–195 (2006). [doi:10.1002/evan.20110](https://doi.org/10.1002/evan.20110)
53. N. Teyssandier, Revolution or evolution: The emergence of the Upper Paleolithic in Europe. *World Archaeol.* **40**, 493–519 (2008). [doi:10.1080/00438240802452676](https://doi.org/10.1080/00438240802452676)
54. A. A. Sinitsyn, in *The Chronology of the Aurignacian and of the Transitional Technocomplexes: Dating, Stratigraphies, Cultural Implications*, J. Zilhão, F. d'Errico, Eds. (Instituto Português de Arqueologia, Lisboa, 2003), pp. 89–107.
55. E. Trinkaus, O. Moldovan, S. Milota, A. Bilgär, L. Sarcina, S. Athreya, S. E. Bailey, R. Rodrigo, G. Mircea, T. Higham, C. B. Ramsey, J. van der Plicht, An early modern human from the Peștera cu Oase, Romania. *Proc. Natl. Acad. Sci. U.S.A.* **100**, 11231–11236 (2003). [doi:10.1073/pnas.2035108100](https://doi.org/10.1073/pnas.2035108100) [Medline](#)
56. J. Svoboda, The depositional context of the early upper paleolithic human fossils from the Koneprusy (Zlatý kůň) and Mladec caves, Czech republic. *J. Hum. Evol.* **38**, 523–536 (2000). [doi:10.1006/jhev.1999.0361](https://doi.org/10.1006/jhev.1999.0361) [Medline](#)
57. M. White, P. Pettitt, Ancient digs and modern myths: The age and context of the Kent's Cavern 4 maxilla and the earliest *Homo sapiens* specimens in Europe. *Eur. J. Archaeol.* **15**, 392–420 (2012). [doi:10.1179/1461957112Y.0000000019](https://doi.org/10.1179/1461957112Y.0000000019)
58. T. Higham, T. Compton, C. Stringer, R. Jacobi, B. Shapiro, E. Trinkaus, B. Chandler, F. Gröning, C. Collins, S. Hillson, P. O'Higgins, C. FitzGerald, M. Fagan, The earliest evidence for anatomically modern humans in northwestern Europe. *Nature* **479**, 521–524 (2011). [doi:10.1038/nature10484](https://doi.org/10.1038/nature10484) [Medline](#)
59. C. Proctor, K. Douka, J. W. Proctor, T. Higham, The age and context of the KC4 maxilla, Kent's Cavern, UK. *Eur. J. Archaeol.* **20**, 74–97 (2017). [doi:10.1017/ear.2016.1](https://doi.org/10.1017/ear.2016.1)
60. S. Benazzi, K. Douka, C. Fornai, C. C. Bauer, O. Kullmer, J. Svoboda, I. Pap, F. Mallegni, P. Bayle, M. Coquerelle, S. Condemi, A. Ronchitelli, K. Harvati, G. W. Weber, Early dispersal of modern humans in Europe and implications for Neanderthal behaviour. *Nature* **479**, 525–528 (2011). [doi:10.1038/nature10617](https://doi.org/10.1038/nature10617) [Medline](#)
61. W. E. Banks, F. d'Errico, J. Zilhão, Human-climate interaction during the Early Upper Paleolithic: Testing the hypothesis of an adaptive shift between the Proto-Aurignacian and the Early Aurignacian. *J. Hum. Evol.* **64**, 39–55 (2013). [doi:10.1016/j.jhevol.2012.10.001](https://doi.org/10.1016/j.jhevol.2012.10.001) [Medline](#)
62. A. Ronchitelli, S. Benazzi, P. Boscatto, K. Douka, A. Moroni, Comments on "Human-climate interaction during the Early Upper Paleolithic: Testing the hypothesis of an adaptive shift between the Proto-Aurignacian and the Early Aurignacian" by William E. Banks, Francesco d'Errico, João Zilhão. *J. Hum. Evol.* **73**, 107–111 (2014). [doi:10.1016/j.jhevol.2013.12.010](https://doi.org/10.1016/j.jhevol.2013.12.010) [Medline](#)
63. J. Zilhão, W. E. Banks, F. d'Errico, P. Gioia, Analysis of site formation and assemblage integrity does not support attribution of the Uluzzian to modern humans at Grotta del Cavallo. *PLOS ONE* **10**, e0131181 (2015). [doi:10.1371/journal.pone.0131181](https://doi.org/10.1371/journal.pone.0131181) [Medline](#)
64. J. A. Svoboda, V. Loek, E. Vlček, *Hunters Between East and West. The Paleolithic of Moravia* (Plenum, 1996).
65. E. Trinkaus, J. Svoboda, *Early Modern Human Evolution in Central Europe: The People of Dolní Věstonice and Pavlov* (Oxford Univ. Press, 2006).
66. A. A. Sinitsyn, in *La spiritualité (Etudes et Recherches Archeologiques de l'Université de Liege)*, M. Otte, Ed. (2004), pp. 237–244.
67. V. Formicola, in *Hominidae: Proceedings of the 2nd International Congress of Human Paleontology* (1989), pp. 483–486.
68. M. Mussi, On the chronology of the burials found in the Grimaldi Caves. *Antropologia Contemporanea* **9**, 95–104 (1986).
69. P. B. Pettitt, M. Richards, R. Maggi, V. Formicola, The Gravettian burial known as the Prince ("Il Principe"): New evidence for his age and diet. *Antiquity* **77**, 15–19 (2003). [doi:10.1017/S0003598X00061305](https://doi.org/10.1017/S0003598X00061305)
70. J. Zilhão, E. Trinkaus, *Portrait of the Artist as a Child. The Gravettian Human Skeleton from the Abrigo do Lagar Velho and its Archaeological Context* (Instituto Português de Arqueologia, Lisboa, 2002).
71. B. Klima, *Dolní Věstonice II: Ein Mammutjägerplatz und seine Bestattungen (Etudes et Recherches Archeologiques de l'Université de Liege)* (1995).
72. T. Einwögerer, H. Friesinger, M. Händel, C. Neugebauer-Maresch, U. Simon, M. Teschler-Nicola, Upper Palaeolithic infant burials. *Nature* **444**, 285 (2006). [doi:10.1038/444285a](https://doi.org/10.1038/444285a) [Medline](#)
73. U. Simon, M. Händel, T. Einwögerer, C. Neugebauer-Maresch, The archaeological record of the Gravettian open air site Krems-Wachtberg. *Quat. Int.* **351**, 5–13 (2014). [doi:10.1016/j.quaint.2013.08.009](https://doi.org/10.1016/j.quaint.2013.08.009)
74. J. A. Svoboda, The upper paleolithic burial area at Predmostí: Ritual and

- taphonomy. *J. Hum. Evol.* **54**, 15–33 (2008). [doi:10.1016/j.jhevol.2007.05.016](https://doi.org/10.1016/j.jhevol.2007.05.016) [Medline](#)
75. W. Antl-Weiser, M. Teschler-Nicola, Die menschlichen Zahnfunde von der Gravettienfundstelle Grub/Kranawetberg bei Stillfried an der March, Niederösterreich. *Archaeol. Austriaca* **84–85**, 201–212 (2000).
76. M. E. Teschler-Nicola, W. Antl-Weiser, H. Prossinger, Two Gravettian human deciduous teeth from Grub/Kranawetberg, lower Austria. *Homo* **54**, 229–239 (2004). [doi:10.1078/0018-442X-00074](https://doi.org/10.1078/0018-442X-00074) [Medline](#)
77. C. Vercoutère, G. Giacobini, M. Patou-Mathis, Une dent humaine perforée découverte en contexte Gravettien ancien à l'abri Pataud (Dordogne, France). *Anthropologie* **112**, 273–283 (2008). [doi:10.1016/j.anthro.2008.02.002](https://doi.org/10.1016/j.anthro.2008.02.002)
78. P. B. Damgaard, A. Margaryan, H. Schroeder, L. Orlando, E. Willerslev, M. E. Allentoft, Improving access to endogenous DNA in ancient bones and teeth. *Sci. Rep.* **5**, 11184 (2015). [doi:10.1038/srep11184](https://doi.org/10.1038/srep11184) [Medline](#)
79. J. Dabney, M. Knapp, I. Glocke, M.-T. Gansauge, A. Weihmann, B. Nickel, C. Valdiosera, N. García, S. Pääbo, J.-L. Arsuaga, M. Meyer, Complete mitochondrial genome sequence of a Middle Pleistocene cave bear reconstructed from ultrashort DNA fragments. *Proc. Natl. Acad. Sci. U.S.A.* **110**, 15758–15763 (2013). [doi:10.1073/pnas.1314445110](https://doi.org/10.1073/pnas.1314445110) [Medline](#)
80. D. Y. Yang, B. Eng, J. S. Wayne, J. C. Dudar, S. R. Saunders, Improved DNA extraction from ancient bones using silica-based spin columns. *Am. J. Phys. Anthropol.* **105**, 539–543 (1998). [doi:10.1002/\(SICI\)1096-8644\(199804\)105:4<539::AID-AJPA10>3.0.CO;2-1](https://doi.org/10.1002/(SICI)1096-8644(199804)105:4<539::AID-AJPA10>3.0.CO;2-1) [Medline](#)
81. C. Gamba, E. R. Jones, M. D. Teasdale, R. L. McLaughlin, G. Gonzalez-Fortes, V. Mattiangeli, L. Domboróczki, I. Kóvári, I. Pap, A. Anders, A. Whittle, J. Dani, P. Raczky, T. F. G. Higham, M. Hofreiter, D. G. Bradley, R. Pinhasi, Genome flux and stasis in a five millennium transect of European prehistory. *Nat. Commun.* **5**, 5257 (2014). [doi:10.1038/ncomms6257](https://doi.org/10.1038/ncomms6257) [Medline](#)
82. M. E. Allentoft, M. Sikora, K.-G. Sjögren, S. Rasmussen, M. Rasmussen, J. Stenderup, P. B. Damgaard, H. Schroeder, T. Ahlström, L. Vinner, A.-S. Malaspinas, A. Margaryan, T. Higham, D. Chival, N. Lynnerup, L. Harvig, J. Baron, P. Della Casa, P. Dąbrowski, P. R. Duffy, A. V. Ebel, A. Epimakhov, K. Frei, M. Furmanek, T. Gralak, A. Gromov, S. Gronkiewicz, G. Grupe, T. Hajdu, R. Jarysz, V. Khartanovich, A. Khokhlov, V. Kiss, J. Kolář, A. Kriiska, I. Lasak, C. Longhi, G. McGlynn, A. Merkevicius, I. Merkyte, M. Metspalu, R. Mkrtychyan, V. Moiseyev, L. Paja, G. Pálfi, D. Pokutta, Ł. Pospieszny, T. D. Price, L. Saag, M. Sablin, N. Shishlina, V. Smrčka, V. I. Soenov, V. Szeverényi, G. Tóth, S. V. Trifanova, L. Varul, M. Vicze, L. Yepiskoposyan, V. Zhitenev, L. Orlando, T. Sicheritz-Pontén, S. Brunak, R. Nielsen, K. Kristiansen, E. Willerslev, Population genomics of Bronze Age Eurasia. *Nature* **522**, 167–172 (2015). [doi:10.1038/nature14507](https://doi.org/10.1038/nature14507) [Medline](#)
83. M. Meyer, M. Kircher, Illumina sequencing library preparation for highly multiplexed target capture and sequencing. *Cold Spring Harb. Protoc.* (2010). [doi:10.1101/pdb.prot5448](https://doi.org/10.1101/pdb.prot5448)
84. A. Seguin-Orlando, M. Schubert, J. Clary, J. Stagegaard, M. T. Alberdi, J. L. Prado, A. Prieto, E. Willerslev, L. Orlando, Ligation bias in Illumina next-generation DNA libraries: Implications for sequencing ancient genomes. *PLOS ONE* **8**, e78575 (2013). [doi:10.1371/journal.pone.0078575](https://doi.org/10.1371/journal.pone.0078575) [Medline](#)
85. A. W. Briggs, U. Stenzel, P. L. F. Johnson, R. E. Green, J. Kelso, K. Prüfer, M. Meyer, J. Krause, M. T. Ronan, M. Lachmann, S. Pääbo, Patterns of damage in genomic DNA sequences from a Neandertal. *Proc. Natl. Acad. Sci. U.S.A.* **104**, 14616–14621 (2007). [doi:10.1073/pnas.0704665104](https://doi.org/10.1073/pnas.0704665104) [Medline](#)
86. A. W. Briggs, U. Stenzel, M. Meyer, J. Krause, M. Kircher, S. Pääbo, Removal of deaminated cytosines and detection of in vivo methylation in ancient DNA. *Nucleic Acids Res.* **38**, e87 (2010). [doi:10.1093/nar/gkp1163](https://doi.org/10.1093/nar/gkp1163) [Medline](#)
87. M. Schubert, L. Ermini, C. Der Sarkissian, H. Jónsson, A. Ginolhac, R. Schaefer, M. D. Martin, R. Fernández, M. Kircher, M. McCue, E. Willerslev, L. Orlando, Characterization of ancient and modern genomes by SNP detection and phylogenomic and metagenomic analysis using PALEOMIX. *Nat. Protoc.* **9**, 1056–1082 (2014). [doi:10.1038/nprot.2014.063](https://doi.org/10.1038/nprot.2014.063) [Medline](#)
88. J. T. Vilstrup, A. Seguin-Orlando, M. Stiller, A. Ginolhac, M. Raghavan, S. C. A. Nielsen, J. Weinstock, D. Froese, S. K. Vasiliev, N. D. Ovodov, J. Clary, K. M. Helgen, R. C. Fleischer, A. Cooper, B. Shapiro, L. Orlando, Mitochondrial phylogenomics of modern and ancient equids. *PLOS ONE* **8**, e55950 (2013). [doi:10.1371/journal.pone.0055950](https://doi.org/10.1371/journal.pone.0055950) [Medline](#)
89. M. Schubert, A. Ginolhac, S. Lindgreen, J. F. Thompson, K. A. S. Al-Rasheid, E. Willerslev, A. Krogh, L. Orlando, Improving ancient DNA read mapping against modern reference genomes. *BMC Genomics* **13**, 178 (2012). [doi:10.1186/1471-2164-13-178](https://doi.org/10.1186/1471-2164-13-178) [Medline](#)
90. S. Lindgreen, AdapterRemoval: Easy cleaning of next-generation sequencing reads. *BMC Res. Notes* **5**, 337 (2012). [doi:10.1186/1756-0500-5-337](https://doi.org/10.1186/1756-0500-5-337) [Medline](#)
91. H. Li, R. Durbin, Fast and accurate short read alignment with Burrows-Wheeler transform. *Bioinformatics* **25**, 1754–1760 (2009). [doi:10.1093/bioinformatics/btp324](https://doi.org/10.1093/bioinformatics/btp324) [Medline](#)
92. A. McKenna, M. Hanna, E. Banks, A. Sivachenko, K. Cibulskis, A. Kernysky, K. Garimella, D. Altshuler, S. Gabriel, M. Daly, M. A. DePristo, The Genome Analysis Toolkit: A MapReduce framework for analyzing next-generation DNA sequencing data. *Genome Res.* **20**, 1297–1303 (2010). [doi:10.1101/gr.107524.110](https://doi.org/10.1101/gr.107524.110) [Medline](#)
93. H. Jónsson, A. Ginolhac, M. Schubert, P. L. F. Johnson, L. Orlando, mapDamage2.0: Fast approximate Bayesian estimates of ancient DNA damage parameters. *Bioinformatics* **29**, 1682–1684 (2013). [doi:10.1093/bioinformatics/btt193](https://doi.org/10.1093/bioinformatics/btt193) [Medline](#)
94. P. Skoglund, J. Storå, A. Götherström, M. Jakobsson, Accurate sex identification of ancient human remains using DNA shotgun sequencing. *J. Archaeol. Sci.* **40**, 4477–4482 (2013). [doi:10.1016/j.jas.2013.07.004](https://doi.org/10.1016/j.jas.2013.07.004)
95. T. S. Korneliussen, A. Albrechtsen, R. Nielsen, ANGSD: Analysis of Next Generation Sequencing Data. *BMC Bioinformatics* **15**, 356 (2014). [doi:10.1186/s12859-014-0356-4](https://doi.org/10.1186/s12859-014-0356-4) [Medline](#)
96. M. Rasmussen, X. Guo, Y. Wang, K. E. Lohmueller, S. Rasmussen, A. Albrechtsen, L. Skotte, S. Lindgreen, M. Metspalu, T. Jombart, T. Kivisild, W. Zhai, A. Eriksson, A. Manica, L. Orlando, F. M. De La Vega, S. Tridico, E. Metspalu, K. Nielsen, M. C. Ávila-Arcos, J. V. Moreno-Mayar, C. Muller, J. Dortch, M. T. P. Gilbert, O. Lund, A. Wesolowska, M. Karmin, L. A. Weinert, B. Wang, J. Li, S. Tai, F. Xiao, T. Hanihara, G. van Driem, A. R. Jha, F.-X. Ricaut, P. de Knijff, A. B. Migliano, I. Gallego Romero, K. Kristiansen, D. M. Lambert, S. Brunak, P. Forster, B. Brinkmann, O. Nehlich, M. Bunce, M. Richards, R. Gupta, C. D. Bustamante, A. Krogh, R. A. Foley, M. M. Lahr, F. Balloux, T. Sicheritz-Pontén, R. Villems, R. Nielsen, J. Wang, E. Willerslev, An Aboriginal Australian genome reveals separate human dispersals into Asia. *Science* **334**, 94–98 (2011). [doi:10.1126/science.1211177](https://doi.org/10.1126/science.1211177) [Medline](#)
97. 1000 Genomes Project Consortium, An integrated map of genetic variation from 1,092 human genomes. *Nature* **491**, 56–65 (2012). [doi:10.1038/nature11632](https://doi.org/10.1038/nature11632) [Medline](#)
98. M. Stuiver, H. A. Polach, Discussion reporting of ^{14}C data. *Radiocarbon* **19**, 355–363 (1977). [doi:10.1017/S0033822200003672](https://doi.org/10.1017/S0033822200003672)
99. F. Brock, T. Higham, P. Ditchfield, C. B. Ramsey, Current pretreatment methods for AMS radiocarbon dating at the Oxford Radiocarbon Accelerator Unit (ORAU). *Radiocarbon* **52**, 103–112 (2010). [doi:10.1017/S0033822200045069](https://doi.org/10.1017/S0033822200045069)
100. P. J. Reimer, M. G. L. Baillie, E. Bard, A. Bayliss, J. W. Beck, P. G. Blackwell, C. Bronk Ramsey, C. E. Buck, G. S. Burr, R. L. Edwards, M. Friedrich, P. M. Grootes, T. P. Guilderson, I. Hajdas, T. J. Heaton, A. G. Hogg, K. A. Hughes, K. F. Kaiser, B. Kromer, F. G. McCormac, S. W. Manning, R. W. Reimer, D. A. Richards, J. R. Southon, S. Talamo, C. S. M. Turney, J. van der Plicht, C. E. Weyhenmeyer, IntCal09 and Marine09 radiocarbon age calibration curves, 0–50,000 years cal BP. *Radiocarbon* **51**, 1111–1150 (2009). [doi:10.1017/S0033822200034202](https://doi.org/10.1017/S0033822200034202)

101. S. Nalawade-Chavan, J. McCullagh, R. Hedges, C. Bonsall, A. Boroneanț, C. B. Ramsey, T. Higham, Compound-specific radiocarbon dating of essential and non-essential amino acids: Towards determination of dietary reservoir effects in humans. *Radiocarbon* **55**, 709–719 (2013). [doi:10.1017/S0033822200057866](https://doi.org/10.1017/S0033822200057866)
102. H. Li, B. Handsaker, A. Wysoker, T. Fennell, J. Ruan, N. Homer, G. Marth, G. Abecasis, R. Durbin, The Sequence Alignment/Map format and SAMtools. *Bioinformatics* **25**, 2078–2079 (2009). [doi:10.1093/bioinformatics/btp352](https://doi.org/10.1093/bioinformatics/btp352) [Medline](#)
103. H. Li, A statistical framework for SNP calling, mutation discovery, association mapping and population genetical parameter estimation from sequencing data. *Bioinformatics* **27**, 2987–2993 (2011). [doi:10.1093/bioinformatics/btr509](https://doi.org/10.1093/bioinformatics/btr509) [Medline](#)
104. W. Haak, I. Lazaridis, N. Patterson, N. Rohland, S. Mallick, B. Llamas, G. Brandt, S. Nordenfelt, E. Harney, K. Stewardson, Q. Fu, A. Mittnik, E. Bánffy, C. Economou, M. Francken, S. Friederich, R. G. Pena, F. Hallgren, V. Khartanovich, A. Khokhlov, M. Kunst, P. Kuznetsov, H. Meller, O. Mochalov, V. Moiseyev, N. Nicklisch, S. L. Pichler, R. Risch, M. A. Rojo Guerra, C. Roth, A. Szécsényi-Nagy, J. Wahl, M. Meyer, J. Krause, D. Brown, D. Anthony, A. Cooper, K. W. Alt, D. Reich, Massive migration from the steppe was a source for Indo-European languages in Europe. *Nature* **522**, 207–211 (2015). [doi:10.1038/nature14317](https://doi.org/10.1038/nature14317) [Medline](#)
105. Q. Fu, M. Hajdinjak, O. T. Moldovan, S. Constantin, S. Mallick, P. Skoglund, N. Patterson, N. Rohland, I. Lazaridis, B. Nickel, B. Viola, K. Prüfer, M. Meyer, J. Kelso, D. Reich, S. Pääbo, An early modern human from Romania with a recent Neanderthal ancestor. *Nature* **524**, 216–219 (2015). [doi:10.1038/nature14558](https://doi.org/10.1038/nature14558) [Medline](#)
106. M. Raghavan, P. Skoglund, K. E. Graf, M. Metspalu, A. Albrechtsen, I. Moltke, S. Rasmussen, T. W. Stafford Jr., L. Orlando, E. Metspalu, M. Karmin, K. Tambets, S. Rootsi, R. Mägi, P. F. Campos, E. Balanovska, O. Balanovsky, E. Khusnutdinova, S. Litvinov, L. P. Osipova, S. A. Fedorova, M. I. Voevoda, M. DeGiorgio, T. Sicheritz-Ponten, S. Brunak, S. Demeshchenko, T. Kivisild, R. Villems, R. Nielsen, M. Jakobsson, E. Willerslev, Upper Palaeolithic Siberian genome reveals dual ancestry of Native Americans. *Nature* **505**, 87–91 (2014). [doi:10.1038/nature12736](https://doi.org/10.1038/nature12736) [Medline](#)
107. P. Skoglund, H. Malmström, A. Omrak, M. Raghavan, C. Valdiosera, T. Günther, P. Hall, K. Tambets, J. Parik, K.-G. Sjögren, J. Apel, E. Willerslev, J. Storå, A. Götherström, M. Jakobsson, Genomic diversity and admixture differs for Stone-Age Scandinavian foragers and farmers. *Science* **344**, 747–750 (2014). [doi:10.1126/science.1253448](https://doi.org/10.1126/science.1253448) [Medline](#)
108. E. R. Jones, G. Gonzalez-Fortes, S. Connell, V. Siska, A. Eriksson, R. Martiniano, R. L. McLaughlin, M. Gallego Llorente, L. M. Cassidy, C. Gamba, T. Meshveliani, O. Bar-Yosef, W. Müller, A. Belfer-Cohen, Z. Matskevich, N. Jakeli, T. F. G. Higham, M. Currat, D. Lordkipanidze, M. Hofreiter, A. Manica, R. Pinhasi, D. G. Bradley, Upper Palaeolithic genomes reveal deep roots of modern Eurasians. *Nat. Commun.* **6**, 8912 (2015). [doi:10.1038/ncomms9912](https://doi.org/10.1038/ncomms9912) [Medline](#)
109. I. Mathieson, I. Lazaridis, N. Rohland, S. Mallick, N. Patterson, S. A. Roodenberg, E. Harney, K. Stewardson, D. Fernandes, M. Novak, K. Sirak, C. Gamba, E. R. Jones, B. Llamas, S. Dryomov, J. Pickrell, J. L. Arsuaga, J. M. B. de Castro, E. Carbonell, F. Gerritsen, A. Khokhlov, P. Kuznetsov, M. Lozano, H. Meller, O. Mochalov, V. Moiseyev, M. A. R. Guerra, J. Roodenberg, J. M. Vergès, J. Krause, A. Cooper, K. W. Alt, D. Brown, D. Anthony, C. Lalucza-Fox, W. Haak, R. Pinhasi, D. Reich, Genome-wide patterns of selection in 230 ancient Eurasians. *Nature* **528**, 499–503 (2015). [doi:10.1038/nature16152](https://doi.org/10.1038/nature16152) [Medline](#)
110. I. Olalde, H. Schroeder, M. Sandoval-Velasco, L. Vinner, I. Lobón, O. Ramirez, S. Civit, P. García Borja, D. C. Salazar-García, S. Talamo, J. María Fullola, F. Xavier Oms, M. Pedro, P. Martínez, M. Sanz, J. Daura, J. Zilhão, T. Marquès-Bonet, M. T. Gilbert, C. Lalucza-Fox, A common genetic origin for early farmers from Mediterranean Cardial and Central European LBK cultures. *Mol. Biol. Evol.* **32**, 3132–3142 (2015). [doi:10.1093/molbev/msv181](https://doi.org/10.1093/molbev/msv181) [Medline](#)
111. I. Lazaridis, D. Nadel, G. Rollefson, D. C. Merrett, N. Rohland, S. Mallick, D. Fernandes, M. Novak, B. Gamarra, K. Sirak, S. Connell, K. Stewardson, E. Harney, Q. Fu, G. Gonzalez-Fortes, E. R. Jones, S. A. Roodenberg, G. Lengyel, F. Bocquentin, B. Gasparian, J. M. Monge, M. Gregg, V. Eshed, A.-S. Mizrahi, C. Meiklejohn, F. Gerritsen, L. Bejenaru, M. Blüher, A. Campbell, G. Cavalleri, D. Comas, P. Froguel, E. Gilbert, S. M. Kerr, P. Kovacs, J. Krause, D. McGettigan, M. Merrigan, D. A. Merriwether, S. O'Reilly, M. B. Richards, O. Semino, M. Shamoon-Pour, G. Stefanescu, M. Stumvoll, A. Tönjes, A. Torroni, J. F. Wilson, L. Yengo, N. A. Hovhannisyán, N. Patterson, R. Pinhasi, D. Reich, Genomic insights into the origin of farming in the ancient Near East. *Nature* **536**, 419–424 (2016). [doi:10.1038/nature19310](https://doi.org/10.1038/nature19310) [Medline](#)
112. F. Broushaki, M. G. Thomas, V. Link, S. López, L. van Dorp, K. Kirsanow, Z. Hofmanová, Y. Diekmann, L. M. Cassidy, D. Díez-Del-Molino, A. Kousathanas, C. Sell, H. K. Robson, R. Martiniano, J. Blöcher, A. Scheu, S. Kreutzer, R. Bollongio, D. Bobo, H. Davudi, O. Munoz, M. Currat, K. Abdi, F. Biglari, O. E. Craig, D. G. Bradley, S. Shennan, K. Veeramah, M. Mashkour, D. Wegmann, G. Hellenthal, J. Burger, Early Neolithic genomes from the eastern Fertile Crescent. *Science* **353**, 499–503 (2016). [doi:10.1126/science.aaf7943](https://doi.org/10.1126/science.aaf7943) [Medline](#)
113. Z. Hofmanová, S. Kreutzer, G. Hellenthal, C. Sell, Y. Diekmann, D. Díez-Del-Molino, L. van Dorp, S. López, A. Kousathanas, V. Link, K. Kirsanow, L. M. Cassidy, R. Martiniano, M. Strobel, A. Scheu, K. Kotsakis, P. Halstead, S. Triantaphyllou, N. Kyparissi-Apostolika, D. Urem-Kotsou, C. Ziota, F. Adaktylou, S. Gopalan, D. M. Bobo, L. Winkelbach, J. Blöcher, M. Unterländer, C. Leuenberger, Ç. Çilingiroğlu, B. Horejs, F. Gerritsen, S. J. Shennan, D. G. Bradley, M. Currat, K. R. Veeramah, D. Wegmann, M. G. Thomas, C. Papageorgopoulou, J. Burger, Early farmers from across Europe directly descended from Neolithic Aegeans. *Proc. Natl. Acad. Sci. U.S.A.* **113**, 6886–6891 (2016). [doi:10.1073/pnas.1523951113](https://doi.org/10.1073/pnas.1523951113) [Medline](#)
114. G. M. Kiliç, A. Omrak, F. Özer, T. Günther, A. M. Büyükkarakaya, E. Bıçakçı, D. Baird, H. M. Dönertaş, A. Ghalichi, R. Yaka, D. Koptekin, S. C. A. Acan, P. Parvizi, M. Krzewińska, E. A. Daskalaki, E. Yüncü, N. D. Dağtaş, A. Fairbairn, J. Pearson, G. Mustafaoglu, Y. S. Erdal, Y. G. Çakan, İ. Togan, M. Somel, J. Storå, M. Jakobsson, A. Götherström, The demographic development of the first farmers in Anatolia. *Curr. Biol.* **26**, 2659–2666 (2016). [doi:10.1016/j.cub.2016.07.057](https://doi.org/10.1016/j.cub.2016.07.057) [Medline](#)
115. S. Mallick, H. Li, M. Lipson, I. Mathieson, M. Gymrek, F. Racimo, M. Zhao, N. Chennagiri, S. Nordenfelt, A. Tandon, P. Skoglund, I. Lazaridis, S. Sankararaman, Q. Fu, N. Rohland, G. Renaud, Y. Erlich, T. Willems, C. Gallo, J. P. Spence, Y. S. Song, G. Poletti, F. Balloux, G. van Driem, P. de Knijff, I. G. Romero, A. R. Jha, D. M. Behar, C. M. Bravi, C. Capelli, T. Hervig, A. Moreno-Estrada, O. L. Posukh, E. Balanovska, O. Balanovsky, S. Karachanak-Yankova, H. Sahakyan, D. Toncheva, L. Yepiskoposyan, C. Tyler-Smith, Y. Xue, M. S. Abdullah, A. Ruiz-Linares, C. M. Beall, A. Di Rienzo, C. Jeong, E. B. Starikovskaya, E. Metspalu, J. Parik, R. Villems, B. M. Henn, U. Hodoglugil, R. Mahley, A. Sajantila, G. Stamatoyannopoulos, J. T. S. Wee, R. Khusainova, E. Khusnutdinova, S. Litvinov, G. Ayodo, D. Comas, M. F. Hammer, T. Kivisild, W. Klitz, C. A. Winkler, D. Labuda, M. Bamshad, L. B. Jorde, S. A. Tishkoff, W. S. Watkins, M. Metspalu, S. Dryomov, R. Sukernik, L. Singh, K. Thangaraj, S. Pääbo, J. Kelso, N. Patterson, D. Reich, The Simons Genome Diversity Project: 300 genomes from 142 diverse populations. *Nature* **538**, 201–206 (2016). [doi:10.1038/nature18964](https://doi.org/10.1038/nature18964) [Medline](#)
116. A.-S. Malaspinas, M. C. Westaway, C. Muller, V. C. Sousa, O. Lao, I. Alves, A. Bergström, G. Athanasiadis, J. Y. Cheng, J. E. Crawford, T. H. Heupink, E. Macholdt, S. Peischl, S. Rasmussen, S. Schiffels, S. Subramanian, J. L. Wright, A. Albrechtsen, C. Barbieri, I. Dupanloup, A. Eriksson, A. Margaryan, I. Moltke, I. Pugach, T. S. Korneliussen, I. P. Levkivskyi, J. V. Moreno-Mayar, S. Ni, F. Racimo, M. Sikora, Y. Xue, F. A. Aghakhanian, N. Brucato, S. Brunak, P. F. Campos, W. Clark, S. Ellingvåg, G. Fourmile, P. Gerbault, D. Injie, G. Koki, M. Leavesley, B. Logan, A. Lynch, E. A. Matisoo-Smith, P. J. McAllister, A. J. Mentzer, M. Metspalu, A. B. Miglino, L. Murgha, M. E. Phipps, W. Pomat, D. Reynolds, F.-X. Ricaut, P. Siba, M. G. Thomas, T. Wales, C. M. Wall, S. J. Oppenheimer, C. Tyler-Smith, R. Durbin, J. Dorch, A. Manica, M. H. Schierup, R. A. Foley, M. M. Lahr, C. Bowern, J. D. Wall, T. Mailund, M. Stoneking, R. Nielsen, M. S. Sandhu, L. Excoffier, D. M. Lambert, E. Willerslev, A genomic history of Aboriginal Australia. *Nature* **538**, 207–214 (2016). [doi:10.1038/nature18299](https://doi.org/10.1038/nature18299) [Medline](#)

117. M. Mondal, F. Casals, T. Xu, G. M. Dall'Olio, M. Pybus, M. G. Netea, D. Comas, H. Laayouni, Q. Li, P. P. Majumder, J. Bertranpetit, Genomic analysis of Andamanese provides insights into ancient human migration into Asia and adaptation. *Nat. Genet.* **48**, 1066–1070 (2016). [doi:10.1038/ng.3621](https://doi.org/10.1038/ng.3621) [Medline](#)
118. M. Raghavan, M. DeGiorgio, A. Albrechtsen, I. Moltke, P. Skoglund, T. S. Korneliussen, B. Grønnow, M. Appelt, H. C. Gulløv, T. M. Friesen, W. Fitzhugh, H. Malmström, S. Rasmussen, J. Olsen, L. Melchior, B. T. Fuller, S. M. Fahrni, T. Stafford Jr., V. Grimes, M. A. P. Renouf, J. Cyburski, N. Lynnerup, M. M. Lahr, K. Britton, R. Knecht, J. Arneborg, M. Metspalu, O. E. Cornejo, A.-S. Malaspinas, Y. Wang, M. Rasmussen, V. Raghavan, T. V. O. Hansen, E. Khusnutdinova, T. Pierre, K. Dneprovsky, C. Andreassen, H. Lange, M. G. Hayes, J. Coltrain, V. A. Spitsyn, A. Götherström, L. Orlando, T. Kivisild, R. Villems, M. H. Crawford, F. C. Nielsen, J. Dissing, J. Heinemeier, M. Meldgaard, C. Bustamante, D. H. O'Rourke, M. Jakobsson, M. T. P. Gilbert, R. Nielsen, E. Willerslev, The genetic prehistory of the New World Arctic. *Science* **345**, 1255832 (2014). [doi:10.1126/science.1255832](https://doi.org/10.1126/science.1255832) [Medline](#)
119. M. Raghavan, M. Steinrücken, K. Harris, S. Schiffels, S. Rasmussen, M. DeGiorgio, A. Albrechtsen, C. Valdiosera, M. C. Ávila-Arcos, A.-S. Malaspinas, A. Eriksson, I. Moltke, M. Metspalu, J. R. Homburger, J. Wall, O. E. Cornejo, J. V. Moreno-Mayar, T. S. Korneliussen, T. Pierre, M. Rasmussen, P. F. Campos, P. de Barros Damgaard, M. E. Allentoft, J. Lindo, E. Metspalu, R. Rodríguez-Varela, J. Mansilla, C. Henrickson, A. Seguin-Orlando, H. Malmström, T. Stafford Jr., S. S. Shringarpure, A. Moreno-Estrada, M. Karmin, K. Tambets, A. Bergström, Y. Xue, V. Warmuth, A. D. Friend, J. Singarayer, P. Valdes, F. Balloux, I. Lebreiro, J. L. Vera, H. Rangel-Villalobos, D. Pettener, D. Luiselli, L. G. Davis, E. Heyer, C. P. E. Zollikofer, M. S. Ponce de León, C. I. Smith, V. Grimes, K.-A. Pike, M. Deal, B. T. Fuller, B. Arriaza, V. Standen, M. F. Luz, F. Ricaut, N. Guidon, L. Osipova, M. I. Voevoda, O. L. Posukh, O. Balanovsky, M. Lavryashina, Y. Bogunov, E. Khusnutdinova, M. Gubina, E. Balanovska, S. Fedorova, S. Litvinov, B. Malyarchuk, M. Derenko, M. J. Mosher, D. Archer, J. Cyburski, B. Petzelt, J. Mitchell, R. Worl, P. J. Norman, P. Parham, B. M. Kemp, T. Kivisild, C. Tyler-Smith, M. S. Sandhu, M. Crawford, R. Villems, D. G. Smith, M. R. Waters, T. Goebel, J. R. Johnson, R. S. Malhi, M. Jakobsson, D. J. Meltzer, A. Manica, R. Durbin, C. D. Bustamante, Y. S. Song, R. Nielsen, E. Willerslev, Genomic evidence for the Pleistocene and recent population history of Native Americans. *Science* **349**, aab3884 (2015). [doi:10.1126/science.aab3884](https://doi.org/10.1126/science.aab3884) [Medline](#)
120. I. Lazaridis, N. Patterson, A. Mittnik, G. Renaud, S. Mallick, K. Kirsanov, P. H. Sudmant, J. G. Schraiber, S. Castellano, M. Lipson, B. Berger, C. Economou, R. Bollongino, Q. Fu, K. I. Bos, S. Nordenfält, H. Li, C. de Filippo, K. Prüfer, S. Sawyer, C. Posth, W. Haak, F. Hallgren, E. Fornander, N. Rohland, D. Delsate, M. Francken, J.-M. Guinet, J. Wahl, G. Ayodo, H. A. Babiker, G. Bailliet, E. Balanovska, O. Balanovsky, R. Barrantes, G. Bedoya, H. Ben-Ami, J. Bene, F. Berrada, C. M. Bravi, F. Brisighelli, G. B. J. Busby, F. Cali, M. Churnosov, D. E. C. Cole, D. Corach, L. Damba, G. van Driem, S. Dryomov, J.-M. Dugoujon, S. A. Fedorova, I. Gallego Romero, M. Gubina, M. Hammer, B. M. Henn, T. Hervig, U. Hodoglugil, A. R. Jha, S. Karachanak-Yankova, R. Khusainova, E. Khusnutdinova, R. Kittles, T. Kivisild, W. Klitz, V. Kučinskas, A. Kushniarevich, L. Laredj, S. Litvinov, T. Loukidis, R. W. Mahley, B. Melegh, E. Metspalu, J. Molina, J. Mountain, K. Näkkäläjärvi, D. Nesheva, T. Nyambo, L. Osipova, J. Parik, F. Platonov, O. Posukh, V. Romano, F. Rothhammer, I. Rudan, R. Ruizbakiev, H. Sahakyan, A. Sajantila, A. Salas, E. B. Starikovskaya, A. Tarekegn, D. Toncheva, S. Turdikulova, I. Uktveryte, O. Utevska, R. Vasquez, M. Villena, M. Voevoda, C. A. Winkler, L. Yepiskoposyan, P. Zalloua, T. Zemunik, A. Cooper, C. Capelli, M. G. Thomas, A. Ruiz-Linares, S. A. Tishkoff, L. Singh, K. Thangaraj, R. Villems, D. Comas, R. Sukernik, M. Metspalu, M. Meyer, E. E. Eichler, J. Burger, M. Slatkin, S. Pääbo, J. Kelso, D. Reich, J. Krause, Ancient human genomes suggest three ancestral populations for present-day Europeans. *Nature* **513**, 409–413 (2014). [doi:10.1038/nature13673](https://doi.org/10.1038/nature13673) [Medline](#)
121. R. E. Green, J. Krause, A. W. Briggs, T. Maricic, U. Stenzel, M. Kircher, N. Patterson, H. Li, W. Zhai, M. H. Y. Fritz, N. F. Hansen, E. Y. Durand, A. S. Malaspinas, J. D. Jensen, T. Marques-Bonet, C. Alkan, K. Prüfer, M. Meyer, H. A. Burbano, J. M. Good, R. Schultz, A. Aximu-Petri, A. Butthof, B. Höber, B. Höffner, M. Siegemund, A. Weihmann, C. Nusbaum, E. S. Lander, C. Russ, N. Novod, J. Affourtit, M. Egholm, C. Verna, P. Rudan, D. Brajkovic, Ž. Kucan, I. Gušić, V. B. Doronichev, L. V. Golovanova, C. Lalueza-Fox, M. de la Rasilla, J. Fortea, A. Rosas, R. W. Schmitz, P. L. F. Johnson, E. E. Eichler, D. Falush, E. Birney, J. C. Mullikin, M. Slatkin, R. Nielsen, J. Kelso, M. Lachmann, D. Reich, S. Pääbo, A draft sequence of the Neandertal genome. *Science* **328**, 710–722 (2010). [doi:10.1126/science.1188021](https://doi.org/10.1126/science.1188021) [Medline](#)
122. G. Renaud, V. Slon, A. T. Duggan, J. Kelso, Schmutzi: Estimation of contamination and endogenous mitochondrial consensus calling for ancient DNA. *Genome Biol.* **16**, 224 (2015). [doi:10.1186/s13059-015-0776-0](https://doi.org/10.1186/s13059-015-0776-0) [Medline](#)
123. H. Weissensteiner, D. Pacher, A. Kloss-Brandstätter, L. Forer, G. Specht, H.-J. Bandelt, F. Kronenberg, A. Salas, S. Schönherr, HaploGrep 2: Mitochondrial haplogroup classification in the era of high-throughput sequencing. *Nucleic Acids Res.* **44**, W58–W63 (2016). [doi:10.1093/nar/gkw233](https://doi.org/10.1093/nar/gkw233) [Medline](#)
124. A. Löytynoja, N. Goldman, Phylogeny-aware gap placement prevents errors in sequence alignment and evolutionary analysis. *Science* **320**, 1632–1635 (2008). [doi:10.1126/science.1158395](https://doi.org/10.1126/science.1158395) [Medline](#)
125. A. Stamatakis, RAxML version 8: A tool for phylogenetic analysis and post-analysis of large phylogenies. *Bioinformatics* **30**, 1312–1313 (2014). [doi:10.1093/bioinformatics/btu033](https://doi.org/10.1093/bioinformatics/btu033) [Medline](#)
126. I. Olalde, M. E. Allentoft, F. Sánchez-Quinto, G. Santpere, C. W. K. Chiang, M. DeGiorgio, J. Prado-Martinez, J. A. Rodríguez, S. Rasmussen, J. Quilez, O. Ramírez, U. M. Marigorta, M. Fernández-Callejo, M. E. Prada, J. M. V. Encinas, R. Nielsen, M. G. Netea, J. Novembre, R. A. Sturm, P. Sabeti, T. Marquès-Bonet, A. Navarro, E. Willerslev, C. Lalueza-Fox, Derived immune and ancestral pigmentation alleles in a 7,000-year-old Mesolithic European. *Nature* **507**, 225–228 (2014). [doi:10.1038/nature12960](https://doi.org/10.1038/nature12960) [Medline](#)
127. P. Hallast, C. Batini, D. Zadik, P. Maisano Delser, J. H. Wetton, E. Arroyo-Pardo, G. L. Cavalleri, P. de Knijff, G. Destro Bisol, B. M. Dupuy, H. A. Eriksen, L. B. Jorde, T. E. King, M. H. Larmuseau, A. López de Munain, A. M. López-Parra, A. Loutradi, J. Milasin, A. Novelletto, H. Pamjav, A. Sajantila, W. Schempp, M. Sears, A. Tolun, C. Tyler-Smith, A. Van Geystelen, S. Watkins, B. Winney, M. A. Jobling, The Y-chromosome tree bursts into leaf: 13,000 high-confidence SNPs covering the majority of known clades. *Mol. Biol. Evol.* **32**, 661–673 (2015). [doi:10.1093/molbev/msu327](https://doi.org/10.1093/molbev/msu327) [Medline](#)
128. K. Tamura, G. Stecher, D. Peterson, A. Filipski, S. Kumar, MEGA6: Molecular Evolutionary Genetics Analysis version 6.0. *Mol. Biol. Evol.* **30**, 2725–2729 (2013). [doi:10.1093/molbev/mst197](https://doi.org/10.1093/molbev/mst197) [Medline](#)
129. T. S. Korneliussen, I. Moltke, NgsRelate: A software tool for estimating pairwise relatedness from next-generation sequencing data. *Bioinformatics* **31**, 4009–4011 (2015). [doi:10.1093/bioinformatics/btv509](https://doi.org/10.1093/bioinformatics/btv509) [Medline](#)
130. A. Albrechtsen, T. Sand Korneliussen, I. Moltke, T. van Overseem Hansen, F. C. Nielsen, R. Nielsen, Relatedness mapping and tracts of relatedness for genome-wide data in the presence of linkage disequilibrium. *Genet. Epidemiol.* **33**, 266–274 (2009). [doi:10.1002/gepi.20378](https://doi.org/10.1002/gepi.20378) [Medline](#)
131. A. Manichaikul, J. C. Mychaleckyj, S. S. Rich, K. Daly, M. Sale, W.-M. Chen, Robust relationship inference in genome-wide association studies. *Bioinformatics* **26**, 2867–2873 (2010). [doi:10.1093/bioinformatics/btq559](https://doi.org/10.1093/bioinformatics/btq559) [Medline](#)
132. A. Seguin-Orlando, C. Gamba, C. Der Sarkissian, L. Ermini, G. Louvel, E. Boulygina, A. Sokolov, A. Nedoluzhko, E. D. Lorenzen, P. Lopez, H. G. McDonald, E. Scott, A. Tikhonov, T. W. Stafford Jr., A. H. Alfarchan, S. A. Alquraishi, K. A. S. Al-Rasheid, B. Shapiro, E. Willerslev, E. Prokhorchouk, L. Orlando, Pros and cons of methylation-based enrichment methods for ancient DNA. *Sci. Rep.* **5**, 11826 (2015). [doi:10.1038/srep11826](https://doi.org/10.1038/srep11826) [Medline](#)
133. A. Ko, R. Nielsen, Composite likelihood method for inferring local pedigrees. *PLOS Genet.* **13**, e1006963 (2017). [doi:10.1371/journal.pgen.1006963](https://doi.org/10.1371/journal.pgen.1006963)
134. S. Purcell, B. Neale, K. Todd-Brown, L. Thomas, M. A. R. Ferreira, D. Bender, J.

- Maller, P. Sklar, P. I. W. de Bakker, M. J. Daly, P. C. Sham, PLINK: A tool set for whole-genome association and population-based linkage analyses. *Am. J. Hum. Genet.* **81**, 559–575 (2007). [doi:10.1086/519795](https://doi.org/10.1086/519795) [Medline](#)
135. 1000 Genomes Project Consortium, A global reference for human genetic variation. *Nature* **526**, 68–74 (2015). [doi:10.1038/nature15393](https://doi.org/10.1038/nature15393) [Medline](#)
136. J. M. M. Kuhn, M. Jakobsson, T. Günther, Estimating genetic kin relationships in prehistoric populations. [bioRxiv:100297](https://doi.org/10.1101/100297) (2017).
137. International HapMap 3 Consortium, Integrating common and rare genetic variation in diverse human populations. *Nature* **467**, 52–58 (2010). [doi:10.1038/nature09298](https://doi.org/10.1038/nature09298) [Medline](#)
138. A. Scally, R. Durbin, Revising the human mutation rate: Implications for understanding human evolution. *Nat. Rev. Genet.* **13**, 745–753 (2012). [doi:10.1038/nrg3295](https://doi.org/10.1038/nrg3295) [Medline](#)
139. B. L. Browning, S. R. Browning, Detecting identity by descent and estimating genotype error rates in sequence data. *Am. J. Hum. Genet.* **93**, 840–851 (2013). [doi:10.1016/j.ajhg.2013.09.014](https://doi.org/10.1016/j.ajhg.2013.09.014) [Medline](#)
140. P. F. Palamara, T. Lencz, A. Darvasi, I. Pe'er, Length distributions of identity by descent reveal fine-scale demographic history. *Am. J. Hum. Genet.* **91**, 809–822 (2012). [doi:10.1016/j.ajhg.2012.08.030](https://doi.org/10.1016/j.ajhg.2012.08.030) [Medline](#)
141. N. Patterson, P. Moorjani, Y. Luo, S. Mallick, N. Rohland, Y. Zhan, T. Genschoreck, T. Webster, D. Reich, Ancient admixture in human history. *Genetics* **192**, 1065–1093 (2012). [doi:10.1534/genetics.112.145037](https://doi.org/10.1534/genetics.112.145037) [Medline](#)
142. N. Patterson, A. L. Price, D. Reich, Population structure and eigenanalysis. *PLOS Genet.* **2**, e190 (2006). [doi:10.1371/journal.pgen.0020190](https://doi.org/10.1371/journal.pgen.0020190) [Medline](#)
143. R Project for Statistical Computing: www.r-project.org/.
144. M. Rasmussen, S. L. Anzick, M. R. Waters, P. Skoglund, M. DeGiorgio, T. W. Stafford Jr., S. Rasmussen, I. Moltke, A. Albrechtsen, S. M. Doyle, G. D. Poznik, V. Gudmundsdottir, R. Yadav, A.-S. Malaspinas, S. S. White 5th, M. E. Allentoft, O. E. Cornejo, K. Tambets, A. Eriksson, P. D. Heintzman, M. Karmin, T. S. Korneliusen, D. J. Meltzer, T. L. Pierre, J. Stenderup, L. Saag, V. M. Warmuth, M. C. Lopes, R. S. Malhi, S. Brunak, T. Sicheritz-Ponten, I. Barnes, M. Collins, L. Orlando, F. Balloux, A. Manica, R. Gupta, M. Metspalu, C. D. Bustamante, M. Jakobsson, R. Nielsen, E. Willerslev, The genome of a Late Pleistocene human from a Clovis burial site in western Montana. *Nature* **506**, 225–229 (2014). [doi:10.1038/nature13025](https://doi.org/10.1038/nature13025) [Medline](#)
145. R. Nielsen, T. Korneliusen, A. Albrechtsen, Y. Li, J. Wang, SNP calling, genotype calling, and sample allele frequency estimation from new-generation sequencing data. *PLOS ONE* **7**, e37558 (2012). [doi:10.1371/journal.pone.0037558](https://doi.org/10.1371/journal.pone.0037558) [Medline](#)
146. J. C. Nash, R. Varadhan, Unifying optimization algorithms to aid software system users: optimx for R. *J. Stat. Softw.* **43**, www.jstatsoft.org/article/view/v043i09/ (2011).
147. A. M. Adams, R. R. Hudson, Maximum-likelihood estimation of demographic parameters using the frequency spectrum of unlinked single-nucleotide polymorphisms. *Genetics* **168**, 1699–1712 (2004). [doi:10.1534/genetics.104.030171](https://doi.org/10.1534/genetics.104.030171) [Medline](#)
148. R. Nielsen, Estimation of population parameters and recombination rates from single nucleotide polymorphisms. *Genetics* **154**, 931–942 (2000). [Medline](#)
149. L. Excoffier, I. Dupanloup, E. Huerta-Sánchez, V. C. Sousa, M. Foll, Robust demographic inference from genomic and SNP data. *PLOS Genet.* **9**, e1003905 (2013). [doi:10.1371/journal.pgen.1003905](https://doi.org/10.1371/journal.pgen.1003905) [Medline](#)
150. X.-L. Meng, D. B. Rubin, Maximum likelihood estimation via the ECM algorithm: A general framework. *Biometrika* **80**, 267–278 (1993). [doi:10.1093/biomet/80.2.267](https://doi.org/10.1093/biomet/80.2.267)
151. R. Brent, *Algorithms for Minimization Without Derivatives* (Prentice-Hall, 1973).
152. F. Cunningham, M. R. Amode, D. Barrell, K. Beal, K. Billis, S. Brent, D. Carvalho-Silva, P. Clapham, G. Coates, S. Fitzgerald, L. Gil, C. G. Girón, L. Gordon, T. Hourlier, S. E. Hunt, S. H. Janacek, N. Johnson, T. Juettemann, A. K. Kähäri, S. Keenan, F. J. Martin, T. Maurel, W. McLaren, D. N. Murphy, R. Nag, B. Overduin, A. Parker, M. Patricio, E. Perry, M. Pignatelli, H. S. Riat, D. Sheppard, K. Taylor, A. Thormann, A. Vullo, S. P. Wilder, A. Zadissa, B. L. Aken, E. Birney, J. Harrow, R. Kinsella, M. Muffato, M. Ruffier, S. M. J. Searle, G. Spudich, S. J. Trevanion, A. Yates, D. R. Zerbino, P. Flicek, Ensembl 2015. *Nucleic Acids Res.* **43**, D662–D669 (2015). [doi:10.1093/nar/gku1010](https://doi.org/10.1093/nar/gku1010) [Medline](#)
153. K. R. Rosenbloom, J. Armstrong, G. P. Barber, J. Casper, H. Clawson, M. Diekhans, T. R. Dreszer, P. A. Fujita, L. Guruvadoo, M. Haeussler, R. A. Harte, S. Heitner, G. Hickey, A. S. Hinrichs, R. Hubley, D. Karolchik, K. Learned, B. T. Lee, C. H. Li, K. H. Miga, N. Nguyen, B. Paten, B. J. Raney, A. F. A. Smit, M. L. Speir, A. S. Zweig, D. Haussler, R. M. Kuhn, W. J. Kent, The UCSC Genome Browser database: 2015 update. *Nucleic Acids Res.* **43**, D670–D681 (2015). [doi:10.1093/nar/gku1177](https://doi.org/10.1093/nar/gku1177) [Medline](#)
154. P. Flicek, M. R. Amode, D. Barrell, K. Beal, S. Brent, Y. Chen, P. Clapham, G. Coates, S. Fairley, S. Fitzgerald, L. Gordon, M. Hendrix, T. Hourlier, N. Johnson, A. Kähäri, D. Keefe, S. Keenan, R. Kinsella, F. Kokocinski, E. Kulesha, P. Larsson, I. Longden, W. McLaren, B. Overduin, B. Pritchard, H. S. Riat, D. Rios, G. R. S. Ritchie, M. Ruffier, M. Schuster, D. Sobral, G. Spudich, Y. A. Tang, S. Trevanion, J. Vandrovicova, A. J. Vilella, S. White, S. P. Wilder, A. Zadissa, J. Zamora, B. L. Aken, E. Birney, F. Cunningham, I. Dunham, R. Durbin, X. M. Fernández-Suarez, J. Herrero, T. J. P. Hubbard, A. Parker, G. Proctor, J. Vogel, S. M. J. Searle, Ensembl 2011. *Nucleic Acids Res.* **39**, D800–D806 (2011). [doi:10.1093/nar/gkq1064](https://doi.org/10.1093/nar/gkq1064) [Medline](#)
155. R. N. Gutenkunst, R. D. Hernandez, S. H. Williamson, C. D. Bustamante, Inferring the joint demographic history of multiple populations from multidimensional SNP frequency data. *PLOS Genet.* **5**, e1000695 (2009). [doi:10.1371/journal.pgen.1000695](https://doi.org/10.1371/journal.pgen.1000695) [Medline](#)
156. A. C. Davison, D. V. Hinkley, *Bootstrap Methods and Their Application* (Cambridge Univ. Press, 2013).
157. P. W. Messer, SLiM: Simulating evolution with selection and linkage. *Genetics* **194**, 1037–1039 (2013). [doi:10.1534/genetics.113.152181](https://doi.org/10.1534/genetics.113.152181) [Medline](#)
158. A. Marom, J. S. O. McCullagh, T. F. G. Higham, R. E. M. Hedges, Hydroxyproline dating: Experiments on the ^{14}C analysis of contaminated and low-collagen bones. *Radiocarbon* **55**, 698–708 (2013). [doi:10.1017/S0033822200057854](https://doi.org/10.1017/S0033822200057854)
159. T. B. Coplen, Reporting of stable hydrogen, carbon, and oxygen isotopic abundances. *Geothermics* **24**, 707–712 (1995). [doi:10.1016/0375-6505\(95\)00024-0](https://doi.org/10.1016/0375-6505(95)00024-0)

ACKNOWLEDGMENTS

P.R.N.'s research was funded by the FP7 Marie Curie program (CIG Nr 322261), Isaac Newton Trust, Leakey Foundation, and McDonald Grants and Awards Fund. DMB's research was funded by the H2020 Marie Skłodowska Curie program (EF Nr 656325). ID and VS were supported by a Swiss NSF grant 31003A-143393 to L.E. GeoGenetics is supported by the Lundbeck Foundation and the Danish National Research Foundation (Grant DNRF94), and KU2016. V.V.P., E.Y.P., and P.A.N. are supported by Russian Science Foundation project N 16-18-10265-RNF. AM was supported by ERC Consolidator Grant 647787-LocalAdaptation. Thanks to L. Moreau, A. Sinistyn for helpful discussions. We thank the staff of the Danish National High-Throughput DNA Sequencing Centre and the laboratory technicians of the Centre for GeoGenetics for technical assistance. Genomic data are available for download at the ENA (European Nucleotide Archive) with the accession number PRJEB22592

SUPPLEMENTARY MATERIALS

www.sciencemag.org/cgi/content/full/science.aao1807/DC1

Supplementary Text

Figs. S1 to S37

Tables S1 to S29

References (26–159)

22 June 2017; accepted 25 September 2017

Published online 5 October 2017

10.1126/science.aao1807

Fig. 1. Relatedness among ancient Eurasians. Kinship coefficients and R1 ratios inferred from IBS ratios for (A) Pairs of UP individuals, using 1000 Genomes Phase 3 SNP sites. (B) Pairs of ancient Eurasians, using 1240K capture SNP sites. Within-group pairs of Sunghir are highlighted.

Fig. 2. Identity-by-descent and recent effective population sizes. (A and B) Distributions of the number and total length of HBD and IBD segments in modern, ancient and archaic humans (Altai Neanderthal and Denisovan). Ellipses indicate 95th and 99th percentile of the distributions inferred from simulated data of various N_e values. Individuals with previously described close relatedness and their degree are indicated in (B). (C) Distributions of inferred recent effective population sizes for modern and ancient HGs with a minimum of three individuals, as well as simulated datasets of randomly mating populations with a range of N_e values. For each population, sizes inferred from HBD and IBD tracts are on the left and right side, respectively.

Fig. 3. Genetic affinities of the Sunghir individuals. (A) Geographic locations of ancient Eurasian individuals used in the analysis. (B) Multi-dimensional scaling of ancient individuals based on pairwise shared genetic drift (outgroup f_3 statistics $f_3(\text{Mbuti}; \text{Ancient}_1, \text{Ancient}_2)$). (C) Admixture graph showing the best fit of Sunghir with other early Eurasians.

Fig. 4. Modelling of early Eurasian population history. Best-fit demographic models for early Eurasian admixture including (A) SIII and (B) Ust'-Ishim. Point estimates are shown in bold, and 95% confidence intervals are shown within square brackets. Times of divergence in years are obtained assuming a generation time of 29 years and a mutation rate of 1.25×10^{-8} /gen/site. N.R.E.: Altai Neanderthal-related ghost population contributing to Eurasians. N.R.A.: Altai Neanderthal-related ghost population contributing to ancient modern humans. Divergence of SIII from proto-Europeans was supported in 100/100 bootstrap replicates, whereas divergence of Ust'-Ishim from proto-Asians was supported in 99/100 bootstrap replicates.

Ancient genomes show social and reproductive behavior of early Upper Paleolithic foragers

Martin Sikora, Andaine Seguin-Orlando, Vitor C. Sousa, Anders Albrechtsen, Thorfinn Korneliussen, Amy Ko, Simon Rasmussen, Isabelle Dupanloup, Philip R. Nigst, Marjolein D. Bosch, Gabriel Renaud, Morten E. Allentoft, Ashot Margaryan, Sergey V. Vasilyev, Elizaveta V. Veselovskaya, Svetlana B. Borutskaya, Thibaut Deviese, Dan Comeskey, Tom Higham, Andrea Manica, Robert Foley, David J. Meltzer, Rasmus Nielsen, Laurent Excoffier, Marta Mirazon Lahr, Ludovic Orlando and Eske Willerslev

published online October 5, 2017

ARTICLE TOOLS

<http://science.sciencemag.org/content/early/2017/10/04/science.aao1807>

SUPPLEMENTARY MATERIALS

<http://science.sciencemag.org/content/suppl/2017/10/04/science.aao1807.DC1>

RELATED CONTENT

<http://science.sciencemag.org/content/sci/358/6363/586.full>
<http://science.sciencemag.org/content/sci/358/6363/655.full>

REFERENCES

This article cites 131 articles, 26 of which you can access for free
<http://science.sciencemag.org/content/early/2017/10/04/science.aao1807#BIBL>

PERMISSIONS

<http://www.sciencemag.org/help/reprints-and-permissions>

Use of this article is subject to the [Terms of Service](#)