



Time-resolved X-ray Absorption Spectroscopy of Copper Zinc Tin Sulfide Nanoparticles

Rein, Christian; Lucas, Mariana Mar; Haldrup, Kristoffer; Moltke, Asbjørn; Uhlig, Jens; Andreasen, Jens Wenzel

Publication date:
2018

Document Version
Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

Citation (APA):
Rein, C., Lucas, M. M., Haldrup, K., Moltke, A., Uhlig, J., & Andreasen, J. W. (2018). *Time-resolved X-ray Absorption Spectroscopy of Copper Zinc Tin Sulfide Nanoparticles*. Poster session presented at DESY Photon Science Users' Meeting 2018, Hamburg, Hamburg, Germany.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Time-resolved X-ray Absorption Spectroscopy of Copper Zinc Tin Sulfide Nanoparticles

Christian Rein¹, Mariana Mar Lucas¹, Kristoffer Haldrup², Asbjørn Moltke², Jens Uhlig³, Jens Wenzel Andreasen¹

1 - DTU Energy, Technical University of Denmark, Risø, Denmark.
2 - DTU Physics, Technical University of Denmark, Lyngby, Denmark.
3 - Lund University, Lund, Sweden.

Introduction

Photovoltaic processes of the earth abundant and non-toxic $\text{Cu}_2\text{ZnSnS}_4$ (CZTS) absorber material in 3. generation solar cells can be investigated by time resolved X-ray absorption spectroscopy (TR-XAS) using a synchrotron-based X-ray source and synchronized laser excitation (pump-probe method). Such experiments require high quality CZTS [1] stabilized as a nanoparticle (NP) ink as a model system, which is also applicable for low-cost up-scalable roll-to-roll (R2R) printing.

CZTS

Kesterite structured CZTS has the best performance when the composition is Cu-poor and Zn-rich [2] within a small region on the phase diagram (figure 1), which reduces the probability for detrimental secondary phases [3]. Theoretical work has also shown that absorber materials with this composition will contain Cu-vacancies responsible for a p-doping of the semiconducting CZTS [2].

Upscaling solar cell fabrication using CZTS requires the material to be synthesized as inks for R2R printing. Oleylamine (OLA) is commonly used as ligands during hot inject synthesis to stabilize CZTS NPs (figure 2-4) [4].




Figure 5: Band diagram of CZTS (kesterite) [9].




Figure 1: The pseudoternary phase diagram with the kesterite phase and other secondary phases along with their crystal structures [8].




Figure 2: left – Raman spectroscopy data for OLA-coated CZTS NPs. Peaks indicate kesterite structure with no detectable signs of secondary phases. Right – TEM image.




Figure 3: X-ray diffraction data showing the 112-peak for OLA-coated CZTS NPs. Using the Scherrer equation on the FWHM of the 112-peak we estimate the size of the CZTS crystals to be 13-17 nm.




Figure 4: EDX data for OLA-coated CZTS NPs. Insert – SEM image of the samples areas on a dropcasted sample.

Probing photoexcited CZTS with TR-XAS

Upon absorbing a photon ($E_{\text{photon}} > 1.5$ eV) an electron is excited from the Cu-3d/S-3p* state (valence band) to the Sn-5s/S-3p* state (conduction band, Fig. 5), and photocarrier generation, localization and recombination occurs on the fs-, ps- and ns-scale, respectively [5-7]. Localization reduces mobility of charges and it is therefore important to know on what atoms these localizations occur in order to improve the efficiency of the CZTS absorber. By using TR-XAS (Fig. 6) the fate of the charge carriers in the photoexcited CZTS is interrogated at both the Cu and Zn K-edges. We have modelled the expected change in XAS near the Cu-edge for both hole and electron trapping, and is currently comparing it to experimental data (Fig 7).




Figure 6: Schematic representation of the pump-probe scenario for the time-resolved x-ray absorption spectroscopy (TR-XAS).




Figure 7: Models of Cu-edge XAS change upon photoexcitation.

REFERENCES:

- (1) Ahmad, R., et al., *Cryst. Eng. Comm.*, 17, 6972–6984, 2015.
- (2) Bourdais, S. et al., *Adv. Energy Mater.*, 1502276, 2016.
- (3) Jung, H. R. et al., *Electron Mater. Lett.*, 12, 139–146, 2016.
- (4) Guo, Q., *J. Aa. Chem. Soc.* 2009, 131, 11672–11673, 2009.
- (5) Phuong, L. Q. et al., *Appl. Phys. Lett.*, 231902, 2014.
- (6) Hempel, H. et al., *J. Appl. Phys.*, 120, 175302, 2016.
- (7) Okano, M. et al., *Phys. Status Solidi B*, 252, 219–224, 2015.
- (8) Du, H., et al., *J. Appl. Phys.* 115, 173502, 2014.
- (9) Paier J. et al., *Phys. Rev. B*, 79, 115126, 2009.