Perceptual weighting of elevation localization cues across frequency

Ahrens, Axel; Brimijoin, Owen

Publication date:
2019

Document Version
Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

Citation (APA):
Ahrens, A., & Brimijoin, O. (2019). *Perceptual weighting of elevation localization cues across frequency*. Poster session presented at 177th Meeting of the Acoustical Society of America, Louisville, Kentucky, United States.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Introduction

Much research has been conducted on the integration of information of binaural lateralization cues over frequency. Macpherson and Middlebrooks (2002) showed that listeners weight interaural time differences (ITDs) more strongly at low than at high frequencies, while interaural level differences (ILD) are weighted more strongly at high frequencies. These findings were coherent with the proposed duplex theory of Lord Rayleigh (1907). Other studies have confirmed that binaural information is integrated over frequencies in the binaural system to lateralize sounds (Buell and Hafter, 1991; Woods and Colburn, 1992) using a spectral weighting function (Ahrens et al., 2015). While these studies investigated the weighting of information over frequency in horizontal plane, no such weighting exists for vertical (elevation) localization.

In this study, we aimed to investigate if certain frequency areas are perceptually weighted higher than others. Furthermore, predictors of perceptual weights in the head-related transfer functions (HRTFs) were investigated.

Methods

Fig. 1: A) The listeners were instructed to rate if a test stimulus was perceived above/below a reference stimulus. B) The test stimulus contained seven 1 ERB wide noise bands with randomly permuted individual HRTFs from seven elevations. The reference stimulus contained the same frequency bands but all with an elevation of $\phi=0^\circ$. An example test stimulus is shown in light grey and the reference stimulus in dark grey.

Each stimulus was 300ms in duration. The procedure was repeated 245 times for each condition.

- 1I-2AFC (above/below decision task)
- 7 individual elevation HRTFs ($\phi=-60^\circ:20^\circ:60^\circ$)
- Azimuth angles (θ) at 15° and 45° (left)
- Wide and narrow frequency range (0.95-15.5kHz, 3.2-12.4 kHz)
- Stimuli presented via equalized open headphones (Sony PFR-V1)
- 11 normal-hearing participants

Perceptual elevation weighting

Fig. 2: Perceptual weights calculated from a multinomial regression analysis for the wide frequency range condition. The grey lines represent the individual results from the 11 listeners and the blue line the mean over the listeners.

A) Azimuth angle of 15° to the left. B) Azimuth angle of 45° to the left.

Fig. 3: Perceptual weights calculated from a multinomial regression analysis for the narrow frequency range condition. The grey lines represent the individual results from the 11 listeners and the blue line the mean over the listeners.

A) Azimuth angle of 15° to the left. B) Azimuth angle of 45° to the left.

Relation between perception and HRTF features

Fig. 4: A) Magnitude at the ipsi-lateral ear for an azimuth source direction of 45° with respect to the source elevation in two single frequency bands. Each symbol represents a listener.

B) Correlation analysis between the perceptual weight and the correlation coefficient of elevation and magnitude.

Discussion & Conclusions

- The frequency band of 6.4 kHz is perceptually weighted largest with respect to elevation, however the intra-subject variation is large
- The magnitude variation predictability over the elevations of the individual HRTFs correlates with the perceptual weights
- A narrow frequency range seems to lead to less reliable perceptual weighting results
- Results are a perceptual extension to directional/boosted bands (Blauert, 1997)
- Step towards a weighting function for computational models (e.g. Zonooz et al., 2019)

Acknowledgments

We would like to thank the complete Audio Team from the Facebook Reality Labs, particularly Ravish Mehra, Philip Robinson and Henrik Hassager.

Thank you to Isaac Engel for the headphone equalization software.

Icons: Head by Yorlmar Campos from the Noun Project, loudspeaker by Symbolon from the Noun Project, finger by Adrien Coquet from the Noun Project.

References

- Ahrens, A., Joshi, S.N. & Epp, B. (2015). Spectral Weighting of Binaural Cues: Effect of Bandwidth and Stream Segregation. 38th MidWinter Meeting of the Association for Research in Otolaryngology, Baltimore, USA.
- Blauert, J. (1997). Spatial hearing: the psychophysics of human sound localization. MIT Press.
- Buell, T. N. & Hafter, E. R. (1991). Combination of binaural information across frequency bands. The Journal of the Acoustical Society of America 90 (4), 1894-1900.
- Macpherson, E.A. & Middlebrooks, J.C. (2002). Listener weighting of cues for lateral angle: The duplex theory of sound localization revisited. The Journal of the Acoustical Society of America 111 (5), 2219-2236.
- Lord Rayleigh (1907). On our Perception of Sound Direction. Philosophical Magazine 13, 214-232.
- Woods, W. S. & Colburn, H. S. (1992). Test of a model of auditory object formation using intensity and interaural time difference discrimination. The Journal of the Acoustical Society of America 91 (5), 2894-2902.
- Zonooz, B., Arani, E., Kording, K.P., Remco Aalber, P.A.T., Celikel, T., Van Opstal, A.J. (2019). Spectral Weighting Underlies Perceived Sound Elevation. Scientific Reports 9:1642.