



Pumping for life in the ocean - sealless sponges

Walther, Jens Honore; Asadzadeh, Seyed Saeed; Kirboe, Thomas; Larsen, Poul Scheel; P. Leys, Sally; Yahel, Gitai

Publication date: 2020

Document Version
Peer reviewed version

Link back to DTU Orbit

Citation (APA):

Walther, J. H., Asadzadeh, S. S., Kirboe, T., Larsen, P. S., P. Leys, S., & Yahel, G. (2020). *Pumping for life in the ocean - sealless sponges*. Abstract from 73rd Annual Meeting of the American Physical Society, Division of Fluid Dynamics (APS DFD 2020), Chicago, Illinois, United States.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Abstract Submitted for the DFD20 Meeting of The American Physical Society

Pumping for life in the ocean - sealless sponges JENS HONORE WALTHER, SEYED SAEED ASADZADEH, THOMAS KIRBOE, POUL SCHEEL LARSEN, Technical University of Denmark, SALLY P. LEYS, University of Alberta, GITAI YAHEL, Ruppin Academic Center — Sponges in the ocean are suspension feeders that filter vast amounts of water. Pumping is carried out by flagellated chambers that are connected to an inhalant and exhalant canal system. In "leucon" sponges with relatively high-pressure resistance due to a complex canal system, pumping is only possible owing to the presence of a sealing, gasket-like solid structure (forming a canopy above the collar filters) that also forces the inflow through the collar filter ensuring efficient filtration of prey particles. Here we combine numerical and experimental work, and demonstrate how sponges that lack such sealing elements, e.g., calcareous sponges, are able to efficiently pump and force water through their collar filter, thanks to the formation of a "hydrodynamic gasket" above the collar. The position of this hydrodynamic gasket is determined by hydrodynamic interactions between the part of the flagellum confined inside the filter and the part extending beyond and the pressure resistance of the canal system. Our findings link the architecture of flagellated chambers to that of canal system, and lend support to the current view that the sponge aquiferous system evolved from an open-type filtration system, and that the first metazoans were filter feeders.

¹Danish Council for independent Research (7014-00033B); The Villum Foundation (9278); NSERC Discovery (2016-05446). The Centre for Ocean Life is supported by the Villum Foundation.

Jens Walther Technical University of Denmark

Date submitted: 03 Aug 2020 Electronic form version 1.4