

#### Remote sensing methods for identification of blockage effects

Hasager, Charlotte Bay; Badger, Merete

Publication date: 2020

Document Version Publisher's PDF, also known as Version of record

Link back to DTU Orbit

*Citation (APA):* Hasager, C. B. (Author), & Badger, M. (Author). (2020). Remote sensing methods for identification of blockage effects. Sound/Visual production (digital)

#### **General rights**

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

• Users may download and print one copy of any publication from the public portal for the purpose of private study or research.

- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.



#### Remote sensing methods for identification of blockage effects

Charlotte Hasager, Merete Badger

VindKraftNet, 29 October 2021, online workshop



Date DTU

#### Content

- Where to find the SAR data
- Image examples from wind farms offshore
- Published examples
- Ideas for systematic analysis

# Browse quick-looks: <u>https://ovl.oceandatalab.com/</u>



Scene from October 27, 2020: <u>https://odl.bzh/vYJ0j\_R0</u>

DTU

3

DTU

# Browse wind maps: <a href="https://satwinds.windenergy.dtu.dk">https://satwinds.windenergy.dtu.dk</a>





## Examples



### October 1<sup>st</sup> 2020



Source: ESA Ocean Virtual Laboratory, https://ovl.oceandatalab.com

6





Technical University of Denmark Processe

mark Processed at DTU Wind Energy 2020 Oct 01 14:02:37 UTC



## June 2, 2019



Source: ESA Ocean Virtual Laboratory, https://ovl.oceandatalab.com

8





DTU



of Denmark Processed of DT

mark Processed at DTU Wind Energy 2019 Jun 02 23:42:15 UTC



#### **Published results**



Ground-based Doppler Radar 10-m wind speed



Ahsbahs, T., Badger, M., Volker, P., Hansen, K.S., Hasager, C.B. 2018 Applications of satellite winds for the offshore wind farm site Anholt. *Wind Energy Science* <u>https://doi.org/10.5194/wes-2018-2</u>

# Anholt wind farm



Ahsbahs, T., Badger, M., Volker, P., Hansen, K.S., Hasager, C.B. 2018 Applications of satellite winds for the offshore wind farm site Anholt. *Wind Energy Science* <u>https://doi.org/10.5194/wes-2018-2</u>

#### Djath et al. 2018, Satellite SAR analysis

Citation 1 from the paper:

"One unexpected behaviour of  $\sigma_0$  that is found in about one quarter of the wake scenes was studied in more detail. In stable conditions, the radar cross section is typically increased with respect to the background values within a downstream distance of about 10km. In more unstable conditions, the cross section shows a rapid drop in the cross section immediately downstream the OWF, which is more in accordance with the expectations. "

Citation 2 from the paper:

"For example, offshore turbines are an obstacle for the airflow and hence one can expect a "blockage" effect related to mass conservation, which can lead to acceleration of the air below hub height."

<u>Djath<sup>1</sup>, J. Schulz-Stellenfleth<sup>1,a)</sup></u>, and <u>B. Cañadillas<sup>2</sup></u> 2018 Journal of Renewable and Sustainable Energy



#### Ideas for systematic analysis

PhD student at DTU in the ITN Train2Wind project

Study title: SAR for offshore wind farms

Period: 1 November 2020 to 31 October 2023

Supervisors: Merete Badger, Ioanna Karagali (DTU) and Charles Meneveau (JHU)

We expect, the value of SAR will be best in combination with other data