



Improved geomechanically-based fracture models

Welch, Michael; Lüthje, Mikael; Oldfield, Simon

Publication date:
2019

Document Version
Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

Citation (APA):
Welch, M., Lüthje, M., & Oldfield, S. (2019). *Improved geomechanically-based fracture models*. Abstract from Danish Hydrocarbon Research and Technology Centre Technology Conference 2019, Kolding, Denmark.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Danish Hydrocarbon Research and Technology Centre Technology Conference 2019

Improved geomechanically-based fracture models

Michael Welch, Mikael Lüthje, Simon Oldfield DHRTC

Presenting author: Michael Welch

Programme your research belongs to: AWF1

At present fractured reservoirs are typically modelled either by modifying the bulk rock properties to take account of the fracture porosity and permeability, or using stochastically generated Discrete Fracture Network models (DFNs). Both methods tend to give a poor history match because the distribution, orientation, length and connectivity of fractures in the subsurface are not well constrained.

To solve this problem, we have developed a new method of characterising fractured reservoirs and building DFNs by simulating the process of fracture nucleation and propagation based on geomechanical principles. In this presentation, we will show how this model can replicate some of the complex fracture geometries observed in outcrops of chalk and other lithologies. In particular, we will examine the controls on the fracture length distribution, the fracture density and the fracture anisotropy. These are all factors that will influence the fracture permeability.

Finally, we will show how variations in the mechanical properties control the timing of fracture nucleation and the rate of fracture growth. We will show how this can be used to quickly generate multiple fracture models that capture the range of uncertainty in fracture patterns.