

Working Group on Biological Parameters (WGBIOP)

Godiksen, Jane Aanestad; Allegaert, Wim; Basilone, Gualtiero; Beier, Ulrika; Bekaert, Karen; Berg, Florian; Blass, Martina; Canha, Ângela; Carbonara, Pierluigi; Davies, Julie Coad

Total number of authors: 39

Link to article, DOI: 10.17895/ices.pub.9629

Publication date: 2021

Document Version Publisher's PDF, also known as Version of record

Link back to DTU Orbit

Citation (APA):

Godiksen, J. A., Allegaert, W., Basilone, G., Beier, U., Bekaert, K., Berg, F., Blass, M., Canha, Â., Carbonara, P., Davies, J. C., Dubroca, L., Finnbogadóttir, G., Follesa, M. C., Gault, M., Gillespie-Mules, R., Gonçalves, M., Haase, S., Hilvarsson, A., Hüssy, K., ... Vitale, F. (2021). *Working Group on Biological Parameters (WGBIOP)*. International Council for the Exploration of the Sea (ICES). ICES Scientific Report Vol. 3 No. 112 https://doi.org/10.17895/ices.pub.9629

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

• Users may download and print one copy of any publication from the public portal for the purpose of private study or research.

- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.



WORKING GROUP ON BIOLOGICAL PARAMETERS (WGBIOP)

VOLUME 3 | ISSUE 112

ICES SCIENTIFIC REPORTS

RAPPORTS SCIENTIFIQUES DU CIEM



ICESINTERNATIONAL COUNCIL FOR THE EXPLORATION OF THE SEACIEMCONSEIL INTERNATIONAL POUR L'EXPLORATION DE LA MER

International Council for the Exploration of the Sea Conseil International pour l'Exploration de la Mer

H.C. Andersens Boulevard 44-46 DK-1553 Copenhagen V Denmark Telephone (+45) 33 38 67 00 Telefax (+45) 33 93 42 15 www.ices.dk info@ices.dk

ISSN number: 2618-1371

This document has been produced under the auspices of an ICES Expert Group or Committee. The contents therein do not necessarily represent the view of the Council.

© 2020 International Council for the Exploration of the Sea.

This work is licensed under the <u>Creative Commons Attribution 4.0 International License</u> (CC BY 4.0). For citation of datasets or conditions for use of data to be included in other databases, please refer to <u>ICES data policy</u>.



ICES Scientific Reports

Volume 3 | Issue 112

WORKING GROUP ON BIOLOGICAL PARAMETERS (WGBIOP)

Recommended format for purpose of citation:

ICES. 2021. Working Group on Biological Parameters (WGBIOP). ICES Scientific Reports. 3:112. 370 pp. https://doi.org/10.17895/ices.pub.9629

Editors

Maria Cristina Follesa • Annelie Hilvarsson • Sally Songer

Authors

Jane Aanestad Godiksen • Wim Allegaert • Gualtiero Basilone • Ulrika Beier • Karen Bekaert • Florian Berg • Martina Blass • Ângela Canha • Pierluigi Carbonara • Julie Coad Davies • Laurent Dubroca Guðrún Finnbogadóttir • Maria Cristina Follesa • Mandy Gault • Ruadhán Gillespie-Mules • Marta Gonçalves • Stefanie Haase • Annelie Hilvarsson • Karin Hüssy • Marju Kaljuste • Maria Korta • Vasiliki Kousteni • Maria Krüger-Johnsen • Uwe Krumme • Jorge Landa • Louise Lundgaard • Kélig Mahé David Maxwell • Zuzanna Mirny • Gráinne Ní Chonchúir • Cristina Nunes • Alfonso Pérez-Rodríguez Carlos Pinto • Sally Songer • Pedro Torres Cutillas • Jens Ulleweit • Cindy van Damme • Valerio Visconti Francesca Vitale



i ii 1 2

Contents

 Introduction	mes
 Progress report on terms of reference (ToRs) and workplan	mes
 2.1 ToR a. Plan and prioritize validation studies, workshops and exchange sche on stock-related biological variables, and review the results 2.1.1 Progress during WGBIOP 2021 2.1.1.1 Identify and prioritize the need for age validation studies 2.1.1.2 Identify and prioritize the need for maturity validation studies 	emes
on stock-related biological variables, and review the results 2.1.1 Progress during WGBIOP 2021 2.1.1.1 Identify and prioritize the need for age validation studies 2.1.1.2 Identify and prioritize the need for maturity validation studies	
 2.1.1 Progress during WGBIOP 2021 2.1.1.1 Identify and prioritize the need for age validation studies 2.1.1.2 Identify and prioritize the need for maturity validation studies 	
2.1.1.1 Identify and prioritize the need for age validation studies2.1.1.2 Identify and prioritize the need for maturity validation studies	
2.1.1.2 Identify and prioritize the need for maturity validation studies	
2.1.1.3 The Future of the Data Quality Assurance Repository	
2.1.1.4 Stock Information Database – An update	
2.2 Workplan for 2022–2023	
2.3 Deliverables for 2022–2023	
2.4 ToR b. Improve training and quality assurance of age reading and maturity.	
staging, and other biological parameters	
2.4.1 Progress during WGBIOP 2021	
2.4.1.1 Review the current national procedures for guality assurance (with ToR c).	
2.4.1.2 Outline best practice guidelines in cooperation with the RCG	
2.4.1.3 Prepare guidelines for the standardization and implementation in cooperat	tion
with WGSMART and continue the monitoring of them (with ToR f)	
2.4.1.4 Identify stocks specific targets for validations and accuracy of biological	
parameters achieved from exchanges and workshops (with ToB a and c)	
2.4.2 Workplan for 2022–2023	
2 4 3 Deliverables for 2022–2023	
2.5 ToR c Evaluate the quality of biological parameters: Issues and review of q	wality
of biological parameters used in assessments.	laaney
2 5 1 Progress during WGBIOP 2021	
2.5.1.1 Biological parameters of stocks up for benchmark in 2022–2023	
2.5.1.2 Review of SID	
2.5.1.3 Quality Indicator Table	
2.3.1.4 Validation studies	
2.5.2 Workplan for 2022–2023	
2.5.3 Deliverables for 2022–2023	
 ToR d. Investigate and develop data availability. documentation and method 	ods to
improve identified biological parameter estimates, as input to assessment	
models	
2.6.1 Progress during WGBIOP 2021	
2.6.1.1 Implementing age error information in assessments	
2.6.1.2 Roadmap for WGBIOP to work with FishBase	
2.6.1.3 Overview of quality assurance for stomach sampling	
2.6.1.4 Assessment information sheets for ageing events	
2.6.1.5 Links to WKBIOPTIM	
2.7 Workplan for 2022–2023	
2.8 Deliverables for 2022–2023	
2.9 ToR e. Across database developments combining biological parameter data	a
collection and quality assurance of these data. Address requests for technic	cal
and statistical recommendations/advice related to biological parameters a	nd
indicators	
2.9.1 Progress during WGBIOP 2021	
2.9.2 Workplan for 2022–2023	

	2.9.3	Deliverables for 2022–2023	16
	2.10	ToR f. Provide feedback and guidance on updating and development of tools for	
		exchanges and workshops on biological parameters	16
	2.10.1	Progress during WGBIOP 2021	16
	2.10.1.1	Compile comments and feedback from WGBIOP workshop and exchanges and	
		provide feedback for WGSMART	17
	2.10.1.2	Annual presentation of the new SmartDots release	18
	2.10.1.3	Bevaluation of the tutorial videos on the SmartDots YouTube channel	18
	2.10.1.4	Running a live tutorial for event coordinators at WGBIOP 2021	19
	2.10.1.5	Modal age calculation and SmartDots reporting. Delivery of feedback on the	
		multistage approach to WGSMART and cooperation with WGSMART in the	
		implementation on the R-script	19
	2.10.1.6	5 Funding WGSMART	20
	2.10.2	Workplan for 2022–2023	20
	2.10.3	Deliverables for 2022–2023	20
	2.11	Other achievements	21
	2.11.1	ICES library	21
	2.11.2	Update from RCGs	21
	2.11.3	CRR Handbook on maturity staging of marine species	21
	2.11.4	Scientific presentation	22
	2.11.5	New modules in SmartDots	22
	2.11.6	Cooperation with other working groups	22
3	Next W	GBIOP meeting	23
4	Referer	ices	24
Annex 1	L:	List of participants	25
Annex 2	2:	Resolutions	28
Annex 3	3:	Exchanges and workshops (ToR a)	33
	Exchan	ges completed in 2020–2021	33
	Wester	n Baltic Cod cod.27.22-24 (Gadus morhua) otolith exchange (SmartDots events:	
	292 and	1 294)	33
	2021 N	EA mackerel (Scomber scombrus) otolith exchange (SmartDots event: 280)	33
	Megrim	8.c, 9.a exchange (SmartDots event: 277)	34
	Baltic s	orat (Sprattus sprattus balticus) otolith exchange (SmartDots event: 323)	34
	Worksh	ops completed in 2020—2021	35
	WKARB	LUE3 Blue Whiting Age Reading WK	35
	Worksh	op on Age reading of Sea bass (Dicentrarchus labrax) 2 (WKARDL2)	35
	Ongoin	g Work in 2021 Q4	35
	Exchan	ges planned for 2022 onwards	36
	Worksh	ops planned for 2022 onwards	36
	Draft re	esolution for Workshop on Age reading of Norwegian Spring-spawning Herring	
	(Clupea	harengus) (WKARNSSH)	37
	Worksh	ops planned for 2023 onwards	38
	Draft r	esolution for Workshop on Age reading of Chub Mackerel (Scomber Colias)	
	(WKAR	CM2)	38
Annex 4	1:	Validation tables (ToR a)	40
Annex 5	5:	Quality status tables (ToR b)	62
Annex 6	5:	Additional information (ToR c)	. 113
Annex 7	7:	Recommendations & responses (ToR e)	. 368

i Executive summary

Working Group on Biological Parameters

The main objective of the Working Group on Biological Parameters (WGBIOP) is to review the status, issues, developments, and quality assurance of biological parameters used in assessment and management.

WGBIOP (1) plans workshops, exchanges, and validation studies on a range of biological variables to review the quality of information supplied for stock assessment and improve quality assurance and training; (2) investigates data availability and develops documentation and methods to improve communication between data collectors and end-users; (3) delivers new and improved functionality for the SmartDots platform.

Four otolith exchanges and two workshops were completed in 2020–2021 using SmartDots eight further exchanges are ongoing. Proposed future exchanges and workshops were reviewed and approved. The development of the SmartDots platform proceeded with the inclusion of the maturity, eggs, atresia, fecundity, and larval identification modules into the software version. A live SmartDots tutorial for event coordinators was conducted. Work to further develop quality assurance guidelines—and review national applications of these—progressed. Age and maturity validation studies were reviewed and a new method for prioritizing future validation work was proposed. Progress with the Stock Identification Database (SID) was reviewed, and the potential for creating a WGBIOP library collection and active involvement of WGBIOP in updating FishBase.org data were evaluated. The importance of identifying and documenting links between all relevant databases and document repositories was identified, and a task to address this was initiated. Work on improving the feedback loop between data collectors and stock assessors on the usage and quality of biological parameters in stock assessment continued.

Moving forward, WGBIOP aims to continue collaboration with WGALES and WGSMART on the development of the SmartDots platform, encouraging cross-group sharing of skills and experience to optimize results. WGBIOP aims to improve accessibility to its outputs through updates to SID and FishBase.org, and the potential creation of a WGBIOP library collection. WGBIOP hopes to improve two-way communication between data collectors and end-users around the quality and utility of biological parameters used in assessment. WGBIOP also aims to amalgamate all validation activities into one coherent workstream.

| ICES

ii Expert group information

Expert group name	Working Group on Biological Parameters (WGBIOP)		
Expert group cycle	Multiannual fixed term		
Year cycle started	2021		
Reporting year in cycle	1/3		
Chairs Maria Cristina Follesa, Italy			
	Annelie Hilvarsson, Sweden		
	Sally Songer, United Kingdom		
Meeting venue and dates	17 June 2021, online meeting,		
	5–7 October 2021, online meeting, plenary (39 participants)		
	29 October 2021, online meeting,		

1 Introduction

The main objective of the Working Group on Biological Parameters (WGBIOP) is to review the status, issues, developments, and quality assurance of biological parameters used in assessment and management. In this first year of a new term, WGBIOP was held online due to the continuing challenge of COVID-19 measures. As with the 2020 meeting, online plenary and subgroup meetings were spread over the year, with additional intersessional work on deliverables as required.

WGBIOP reported on the exchanges and workshops which had been conducted in the year to date. All of these calibration exercises were coordinated using SmartDots, an online platform for sharing images and facilitating comparisons of interpretation and identification between readers and stagers. Work has continued to develop this platform, feedback from event coordinators has been compiled, and the effectiveness of YouTube video tutorials evaluated. A live tutorial for event coordinators was conducted during the WGBIOP meeting. Development of modal age calculation and SmartDots reporting is progressing and WGBIOP will continue to work closely with WGALES and WGSMART on the egg, atresia, fecundity, and larval identification modules.

WGBIOP reviewed and approved proposed new exchanges and workshops to be held in the coming months, the majority of which correspond to the benchmark list.

Continued low levels of agreement were reported for some stocks, so an in-depth review of validation work both for age and maturity was undertaken and a revised method for identifying and prioritizing new validation studies was proposed. A need for all validation-related tasks to be assigned to one Term of Reference for future meetings was recognized. A new schedule for the completion of the Cooperative Research Report (CRR) handbook on maturity was agreed with the aim of submission by the end of 2022. Guidelines for quality assurance were reviewed and their application in national laboratories was considered.

Future use of the ICES library was discussed, in terms of its potential to replace the data quality assurance repository. Creating a so-called 'collection' within the new library was considered to be a good option for published documents and data moving forward, and would lead to improved accessibility. The potential for shared ownership of a collection or collections with WGCATCH should be investigated further. A progress update for the Stock Identification Database (SID) and the Regional Database & Estimation System (RDBEs) was sought, including a discussion on the addition of biological parameter information. The importance of linking these with any library collection in future was recognized. With this in mind, a first draft was prepared of a table showing which biological parameters and quality indicators are collected in which databases and platforms. It was also agreed that WGBIOP should contribute updated biological information to FishBase.org.

To improve transparency between data collectors and stock assessors about which biological parameters are being used in stock assessment and how the quality of these data has been assured, work continued on the quality indicator table. Response rates to the questionnaire which requests data to populate this table was low, so ways to improve engagement will be a focus for WGBIOP going forward. The inclusion of an age-error matrix in stock assessment was considered, and the results from WKAMEMSA were presented and discussed. The importance of collaboration between stock assessors and event coordinators to ensure that workshops and exchanges provide results in an appropriate input format for these models was recognized. To facilitate the implementation of age-error information in assessments, WGBIOP created project call text for a tender project under the EC-EASME framework in 2020 and will continue to promote the inclusion of the project in the next work program.

2 Progress report on terms of reference (ToRs) and workplan

2.1 ToR a. Plan and prioritize validation studies, workshops and exchange schemes on stock-related biological variables, and review the results

2.1.1 Progress during WGBIOP 2021

This ToR is a generic ToR for the group and forms part of the WGBIOP remit. This year the subgroup working on this ToR worked on the following points:

- The interactive table of workshops and exchanges "WK, Ex, sg History Master Table" was updated for the current year (<u>Data Quality Assurance Repository</u>).
- The subgroup also reported results from workshops and exchanges which took place in 2020 and 2021—summaries of which are available in Annex 3:.
- Drafted resolutions for workshops and exchanges endorsed by WGBIOP, to be approved by ICES, for 2021 and beyond which can be found in Annex 3:.
- Discussed and further improved the criteria for the prioritization of validation studies in collaboration with other ToRs.
- The need for an update on the current status of the Data Quality Assurance Repository and Stock Information Database (SID) upgrades were both discussed in the plenary.

A full list of exchanges has been proposed this year for 2022 and beyond with associated coordinators. Several of these exchanges have a reporting deadline of the first week of October 2022, to ensure the results are available for the benchmark process. The length of time between the benchmark list release and the WGBIOP meeting that proposes specific exchanges and workshops has been discussed as, the current arrangement sometimes means there is not enough time to coordinate events effectively before the benchmark workshop is held. This issue was discussed in plenary, and it was agreed that to mitigate this, a small meeting dedicated to planning exchanges and workshops will be held in March 2022 shortly after the new list of stocks that will be benchmarked in 2023 is published. Exchanges for species that are not up for benchmark should be finished by the end of 2022. Coordinators will be contacted six months after WGBIOP to ensure that exchanges are progressing as scheduled. WGBIOP will receive reports on the progress and the outcomes of these exchanges before its 2022/2023 meetings so that a presentation including all exchanges can be compiled ahead of the WGBIOP meeting (and WGBIOP will critically assess any recommendation for further work at this time).

WGBIOP will also track the progress of proposed workshops, facilitating the agreement of chairs, dates and locations for workshops to convene. Results will be presented to the WGBIOP meeting in 2022/2023 for consideration.

2.1.1.1 Identify and prioritize the need for age validation studies.

The need for validation studies is stressed by the repeated low levels of agreement between readers of some stocks and recurring issues and recommendations to WGBIOP. During WGBIOP 2020 this work was a joint effort by ToR a, b and c—each one tackling the issue from a different perspective. However, the group realized that it was difficult to coordinate the work intersessionally among the three ToRs. Hence WGBIOP 2021 decided that this task is going to fall entirely under ToR a. WGBIOP 2020 initiated this task starting from the compilation of 1) a table (Table 1, Annex 4) with the available state-of-the-art knowledge of validation studies, thus including all the species/stocks where a validation study is already available; 2) a table (Table 2, Annex 4) including a list of key species/stocks in need of an age validation study to which a priority level should be assigned.

WGBIOP 2020 started to compile table 1 using the information available in the Cooperative Research Report (CRR) on age published in 2019 (Vitale et al., 2019). WGBIOP 2021 continued the inclusion of validated species from the CRR and added some new studies carried out by national laboratories. The resulting table includes information on a stock basis about existing validation studies, the method applied, the complete reference and when publicly available, the link to the study. The idea behind this table is to produce a living document that is continually edited and updated by WGBIOP. The plan is to eventually incorporate this information into the Stock Information Database¹ (SID) to make it readily and widely available, or add it to the WGBIOP Library collection to make it more widely accessible.

Concerning the second table (Table 2) on species in need of age validation, WGBIOP 2021 continued the work initiated in 2020, using the issues list associated with each benchmark in the attempt to find recurring questions that could help when setting a priority level. The table includes the year of the planned benchmark, information about the last benchmark and the last calibration and potential identified issue/solutions.

The use of an age-based model in stock assessment was clearly the main criteria for selecting the species to be considered. The rationale behind the assignment of priority level was revisited by WGBIOP 2021 as follows:

- 1. If a stock has no age-based assessment it should be assigned a low priority.
- 2. If a stock has not been recently calibrated, the need of a calibration ahead of a validation should be assessed.
- 3. If the stock has been recently calibrated (from 2015 and onward) the level of priority is assigned based on the combination of Percent of agreement (PA), Coefficient of Variation (CV) and Average Percent Error (APE) values. Also, the report and recommendations from the WK/Ex will be scrutinized to ascertain if the causes behind potential discrepancies between readers have been identified.

WGBIOP members will be asked intersessionally to give feedback on the priority levels assigned for those stocks falling under their own competencies and expertise.

The dialogue with ICES SID developers to include workshop and validation study information in SID, and to make this information available to the wider ICES community, will also continue intersessionally.

2.1.1.2 Identify and prioritize the need for maturity validation studies

Following the new resolutions for WGBIOP 2021–2023, the necessity of identifying species in need of validation studies for both age and maturity was stressed.

This task in relation to age was initiated during WGBIOP 2020 (see WGBIOP 2020 report, Paragraph 4.2.1.5, Tor b) while, during the WGBIOP 2021 meeting, a subgroup of experts met in order to begin to define the steps to be followed for the maturity validation process. Consideration should be given to aligning this process with the process for age validation as much as possible. 3

¹ <u>http://stockdatabase.ices.dk/default.aspx</u>

First, before setting a priority level, species that would benefit from validation need to be identified among those that will be benchmarked in the near future (for the current WGBIOP term, between 2022–2024).

In order to assist with this, the need for a collaboration with the stock coordinators/assessors was deemed highly necessary, in order to acquire knowledge of:

- a) Use of maturity data as input in stock assessment models. For this, ICES stock annexes as well as advice sheets will be reviewed.
- b) If used, which type of maturity data are integrated in the model (% of mature per age, length or age maturity ogives, annual, fixed, average; survey, commercial catches; modelled, etc.).
- c) Whether there are any issues with the maturity data used in the model.
- d) Are the data validated and if yes which type of validation has been adopted?

If no validation has been implemented, then, the feasibility to do a calibration and validation study should be assessed. At this stage the list of issues for upcoming benchmarks, supplied by ToR C should also be checked for known issues with maturity data.

The group decided to test the steps for setting a priority level by starting with a case study and North Sea plaice (*Pleuronectes platessa*) was selected. This stock represented an ideal case study as it will be benchmarked in 2022 and a recent maturity exchange was carried out in 2020.

Information on quality assurance protocols of maturity data collected at national level for the species listed in the upcoming benchmarks and possible validation will be collated, aided by the output of the ToR b subgroup. In addition, these data have to be cross-checked with the results present in the master table of validation studies (Table 2, Annex 4:). Reports from previous ICES Workshops and Exchanges will also be consulted. The work will focus on scrutinizing results from previous maturity calibration exercises in order to detect gaps in the quality assurance of maturity parameters in stocks studies. Also, before deciding on the calibration/validation events to prioritize, check the species for which maturity validation studies/investigations are already currently being conducted, or if this work is being carried out for similar species to these being addressed.

Finally, a priority level (high/medium/low) for calibration/validation studies should be assigned to the selected stocks. Following what has already been decided for age validation studies, the rationale behind the assignment of priority level should be in general as follows:

- If a stock has no maturity-based assessment, it should be assigned a low priority.
- If a stock has not been recently calibrated, the need of a calibration ahead of a validation should be assessed (no priority is assigned).
- If the maturity scale of the stock has been recently calibrated, the report and recommendations from the WK/Ex will be scrutinized in order to establish if the causes behind potential discrepancies between stagers have been identified. The stock will be assigned a priority accordingly.

Besides, setting the ground for future needs, these steps are deemed necessary in order to create awareness of the existence of a maturity data validation within the stock assessment process, and consequently, to advise stock assessors to take validation outcomes into consideration when assessing the different stocks.

2.1.1.3 The Future of the Data Quality Assurance Repository

Currently, the Data Quality Assurance Repository² contains details of the following:

- Guidelines for exchanges and workshops for both age and maturity.
- Exchange and workshop reports
- A very limited number of ageing and maturity manuals.
- Some relevant ICES expert group reports (such as WKPICS, TACADAR, WKFICON etc...)
- PGMED reports 2009 2012.
- And under the heading 'Others' e.g. Guidelines and Tools for Age Reading Comparisons, Eltink et al., October 2000 etc.

While the Repository houses some very important resources for colleagues engaged in ageing and maturity staging, and is publicly available it seems like it is not widely known and used and is therefore underutilized and considered not fit for purpose.

Consequently, the review of the Repository has several aims. First, to promote best practice approaches (through internationally agreed guidelines) to the organization, running and reporting of methodological workshops, using tools such as SmartDots. Second, the aim is to highlight the valuable outputs from these exchanges and workshops to potential end-users such as Stock Coordinators, so that they may be integrated into stock assessments, and data compilation workshops, and in turn influence both the assessment and benchmark processes.

A number of avenues are potentially available to do this. One such avenue is the ICES Stock Identification Database (SID) https://sid.ices.dk . This database holds Meta-information about every stock that ICES provides management advice for, and is currently under development. WGBIOP has been in contact to discuss the feasibility of incorporating details/links to the outputs from relevant age and maturity exchanges and workshops. It is currently not clear if the SID will house just the current years' exchange and workshop reports or whether it will also hold historic reports, however, it is hoped that progress may be made on this during 2022.

Another avenue to disseminate WGBIOP information is the new ICES Library, which is also currently in development. Within the new ICES library, it will be possible to create a collection, which has its own DOI which is searchable and where usage of the collection can be tracked. It will also be possible to 'Follow' a collection within the Library, to get notifications each time the collection is updated. Such a collection could hold links to WGBIOP reports, published exchange and workshop reports, WGBIOP Guidelines (which could be uploaded via the Library Github), and links to other ICES publications such as relevant CRR's, and Expert Group reports. The Collection could also highlight other relevant work, through links to publications by 3rd parties and online websites.

WGCATCH (Working Group on Commercial Catches) are also considering creating a collection within the new ICES Library, so it would be useful to discuss and decide with WGCATCH whether there should be two separate collections i.e. one based on biological parameters and a separate one for statistical approaches to sampling, or whether all aspects of sampling design and implementation could be incorporated into one collection, with outputs from both WBIOP and WGCATCH. This discussion can be held intersessionally during 2022, once developments with both the ICES Library and the Stock Information Database have progressed.

Both avenues will require that clear responsibility is assumed in terms of who is responsible for a collection and how it will be maintained, with an agreed timeline. A suggestion could be that this task is assumed within a WGBIOP subgroup and reports, links etc... are updated annually

² <u>https://www.ices.dk/community/Pages/PGCCDBS-doc-repository.aspx</u>

to coincide with the WGBIOP meeting each year, so that it becomes a rolling tasks on the WGBIOP agenda.

2.1.1.4 Stock Information Database – An update

Prior to the WGBIOP meeting, representatives from ToRs a and c met with Rui Catarino, one of the developers of the Stock Information Database (SID) to discuss including the workshop and validation study information from WGBIOP and making it available to the wider ICES community.

At the moment SID development is not ready but is expected to be complete in early 2022. WGBIOP will follow up on suggestions made from the group in 2019 to ensure that these are included.

In the meantime, the master table with the information on recent workshops and validation studies is being updated in readiness for this information to be available for inclusion in SID.

2.2 Workplan for 2022–2023

Due to the current COVID-19 pandemic, a few exchanges and workshops planned for 2020–2021 have been further delayed or postponed to a later date. The full list of exchanges and workshops for 2021–2022 can be found in Annex 3.

- The Validation Study task force will be coordinated by ToR a (workplan and deliverables) at the 2022 WGBIOP meeting,
- Organize an Exchange and Workshop planning meeting in March 2022 to correspond to the publication of the Benchmark list.
- There are a number of exchanges ongoing or pending analyses and WGBIOP will check on progress and encourage publishing the reports as soon as finished.
- For 2022, seven age calibration exchanges and one maturity staging exchange exercises are planned, see Annex 3 for details.
- There is one workshop planned for 2022 and one for the 2023 see Annex 3.
- Update and restructure the Data Quality Assurance Repository with ICES and WGQUALITY.
- Prepare a work plan for adding outcomes of workshops/exchanges and linking these to SID and/or SmartDots.
- Prepare a work plan for a calendar of planned workshops/exchanges in SmartDots to be provided to WGSMART.
- Work with ICES SID developers to link workshop and validation study information to SID, and to make this information available to the wider ICES community.

2.3 Deliverables for 2022–2023

- Identify priority species and stocks for validation studies.
- Update the annual prioritized overview of planned studies, workshops and exchanges.
- Update and restructure of Data Quality Assurance Repository with WGQUALITY.
- Adding outcomes of, and links to workshops/exchanges to SID and/or SmartDots.
- Prepare a calendar of planned workshops/exchanges in SmartDots to be provided to WGSMART.

2.4 ToR b. Improve training and quality assurance of age reading and maturity staging, and other biological parameters

During the period 2021–2023, the goal of ToR b will be to improve training and quality assurance of age reading and maturity staging, and other biological parameters.

It is important that the biological parameters used in stock assessment are of the highest quality. Concerning this, WGBIOP will gather all the information on quality assurance and accuracy estimates of biological parameter used in order to evaluate if improvements can be achieved.

From the previous WGBIOP exercises, the guidelines for international calibrations on age reading and maturity staging are available from the <u>Data quality assurance repository (ices.dk</u>) but methods, routines, and protocols for monitoring the quality of age and maturity on a national level need to be standardized. Besides, targets of PA and CV by stock or species group for validation and accuracy of delivered biological data that are input data for assessments need to be set.

2.4.1 Progress during WGBIOP 2021

2.4.1.1 Review the current national procedures for quality assurance (with ToR c)

Quality assurances tables for both age reading (Annex 5, table 3) and maturity staging (Annex 5, table 4) were updated. A new column was added to the table asking for the implementation of age quality scores (AQ1, AQ2, AQ3) (https://vocab.ices.dk/?ref=1395) in national laboratories for routine age reading. It was also asked that information about the handling of AQ2 and AQ3 readings. In the case of maturity staging, as there is not a standardized maturity scores vocabulary, it was requested that information on any grading systems to evaluate maturity certainty used in national laboratories and how it is implemented be shared.

The QA files have been sent to national age and maturity coordinators for distribution to laboratories. The feedback from the laboratories will be used to develop the guidelines on quality assurance procedures through WGBIOP 2021–2023 period. They will also be used by ToR a and ToR c for selecting future validations studies.

2.4.1.2 Outline best practice guidelines in cooperation with the RCG

The Regional Data Base and Estimation System (RDBES) already allows quality assurance data to be input for the age biological variable as provided for in the ICES vocabulary (<u>https://vo-cab.ices.dk/?ref=1395</u>).

2.4.1.3 Prepare guidelines for the standardization and implementation in cooperation with WGSMART and continue the monitoring of them (with ToR f)

The goal is to investigate the age reading methods (e.g. whole vs. sectioned otoliths, from the same fish or not) used within an exchange or workshop event to date and come up with a suggestion on which is the best statistical method, then interact with WGSMART to implement it in SmartDots.

During WGBIOP 2021, a revision work on the different preparation methods used in age exchanges was started. Available reports on these exchanges were collected and the information extracted was selected and collated into a table. This is work in progress and will continue next year. Particular progress was made with gathering information on the statistical analysis used in exchanges and this started to be comprehensively collected together with useful data (i.e. the species, the fish length range, date of birth, readers number involved and their experience), for 7

Τ

L

a further development of the best practice guidelines in cooperation with WGSMART to be completed in the WGBIOP 2022–2023 period.

The same process for the development of guidelines for maturity has to be implemented.

2.4.1.4 Identify stocks specific targets for validations and accuracy of biological parameters achieved from exchanges and workshops (with ToR a and c)

It is required to define some threshold values for the validation and accuracy of biological parameters of a stock or group of species coming from WK/Ex results in order to consider them as acceptable or identify the need for improvement.

The work of this task is overlapping with tasks of other ToRs, i.e. tasks 2 and 3 in ToR a and ToR c respectively. Consequently the three ToRs together with ToR d met during WGBIOP 2021 to further define which tasks each ToR is responsible for. It was agreed that it is necessary to update the validation master table with the several statistical estimators that can be used in order to filter stock/species that need validation. This task was carried out by ToR d.

2.4.2 Workplan for 2022–2023

- To standardize all the different national QA procedures in use and decide the best practices in both age reading and maturity assignment.
- To get the list of all the different statistical analysis used to date in age reading method comparison exchanges.
- To compile the statistics of age reading and maturity staging WK/Ex results by stock or group of species.

2.4.3 Deliverables for 2022–2023

- Formalize guidelines to establish age reading and maturity staging QA procedures in national laboratories.
- Suggest any QA improvement detected to be implemented by the RCG.
- A sound statistical comparison on age reading methods implemented in SmartDots.
- Establish target value for high priority stocks.

2.5 ToR c. Evaluate the quality of biological parameters: Issues and review of quality of biological parameters used in assessments

2.5.1 Progress during WGBIOP 2021

The essence of this ToR is the link between WGBIOP and the stock assessment EGs. Annually the issue lists put forward for benchmark assessments are evaluated and, where necessary, action is undertaken by WGBIOP.

In 2021, ToR c prepared various deliverables:

- Compiled responses to the issue lists of stocks that are proposed for a benchmark assessment in 2022 (Annex 6; Table 5)
- Compiled information on each stock to be benchmarked detailing existing age/maturity exchanges/workshops (Annex 6; Table 5);

- E-mailed chairs of WGs dealing with stocks to be benchmarked to inform them about the WGBIOP responses to the issue lists, the results of previous age/maturity exchanges/workshops, and the planned exchanges and workshops.
- Reviewed the use of the Stock information database (SID) in delivering issues for upcoming benchmarks and provision of WGBIOP information to the assessment groups
- Collated and summarized the responses from Stock Coordinators who filled in the Quality Indicator Table for their stocks (Annex 6; Table 7).

2.5.1.1 Biological parameters of stocks up for benchmark in 2022–2023

The issues put forward by the assessment WG's for the upcoming (2022 and some in 2023) benchmark stocks were collated mainly from SID and the issues were discussed. If no issue list was available, biological parameters issues were sought in the Stock Annex. Moreover, the subgroup scrutinized results from previous age and maturity calibration exercises for those stocks. Any necessary response from WGBIOP was recorded in a table (Annex 6; Table 5). Stocks using age or maturity in the assessment, for which age/maturity haven't been recently calibrated, were put as candidates for an age/maturity exchange. This information was shared with the ToR a subgroup dealing with new upcoming workshops and exchanges.

The goal was to inform the WG's chairs and stock coordinators about the outcome of the most recent age and maturity exchanges and workshops, and to detect gaps in the quality assurance of biological parameters. Thus the available information was communicated to stock coordinators via e-mail and also added as a comment to the Stock Rolling Issue Lists on SID. In most cases e-mails were sent to stock coordinators. Only if the SC e-mail address was not accessible (or not valid), chairs of the respective working group were asked to forward the information to their stock coordinators.

Responses from Stock Coordinators received as feedback on WGBIOP 2020 comments to issue lists were followed-up (Annex 6; Table 6).

2.5.1.2 Review of SID

ICES Stock Information Database (SID) holds annual information for all ICES stocks, and is currently under development. Rolling Issues List is one of its modules, which is designed to store all the known issues for each of the stocks in one place. This module is particularly important to ToR C, as it makes all issue lists easy to find and accessible. However, it still needs some improvement, as issue lists are available only for some stocks. Stock coordinators should be strongly encouraged to add issue lists for their stocks to that module. This is particularly important for stocks, which are going to be benchmarked.

Another useful feature of SID Rolling Issues List is the possibility to leave a comment addressed to a stock coordinator under each issue. WGBIOP started to use this function last year (in 2020). Comments were added under respective stocks in SID, as well as sent to the stock coordinator via e-mail. All responses to those comments were received by WGBIOP with an e-mail. There is no evidence that stock coordinators were reading the comments left in SID by WGBIOP, as none of the stock coordinators added their comment on SID. Therefore, a notification for stock coordinators once a comment is added to SID would be beneficial. If the system could send such notifications, e-mail communication with the stock coordinators could be replaced with communication via SID. The main advantage of this solution is that everyone using SID could follow the discussion.

WGBIOP would also benefit from a link to recent age and maturity exchange/workshops being added to SID under each stock. This was discussed with ToR A.

2.5.1.3 Quality Indicator Table

Concerning the task of evaluating the quality indicators of the biological parameters, the Quality Indicator Table questionnaire (41 questions concerning 237 stocks), covering the entire workflow from the data collection to the stock assessment model runs, has been made available on Google Drive. The <u>link</u> to this table has been sent out to chairs of most of ICES stock assessment Working Groups, who were asked to distribute it among the corresponding Stock Coordinators. During WGBIOP 2021 meeting it occurred that stocks assessed by two Working Groups (HAWG and AFWG) and two *Pandalus* stocks (NIPAG) were unintentionally omitted. The missing stocks have now been added. The updated table with a complete list of 264 ICES stocks (double checked with the list on SID) is going to be sent out once more before WGBIOP 2022 to all Working Groups' chairs in order to collect the information for the missing stocks.

In 2021 WGBIOP received responses for 73 out of 237 stocks enquired. All of them were summed up and a qualitative evaluation of biological parameters for available stocks was performed (for details see Annex 6; Table 7.

However, for some stocks, not all questions were answered, as the stock coordinators did not have a comprehensive knowledge of input data for their stocks. It was suggested that some of the questions should be addressed to national data submitters. Not all stocks coordinators who answered the questions were aware of calibration exercises carried out for their stocks.

Although only 31% of the stocks asked were answered, those answers given are useful to have a valuable first approach on the quality indicators of the biological parameters used in the stock assessment process. The answers obtained for the 41 questions (in number and %) and a brief summary, showing the most frequent answers are shown in Annex 6; Table 7.

2.3.1.4 Validation studies

Further work on a list of stocks in need of validation studies (initiated during WGBIOP 2020) was carried out together with ToR a and b. Because it was difficult to coordinate the work intersessionally, during WGBIOP 2021 meeting, it was decided that next year all validation tasks will be moved under one ToR. More details concerning validation can be found in chapters 2.1.1.1 and 2.1.1.2.

2.5.2 Workplan for 2022–2023

- Continue the work with the issue lists on an annual basis and consider the feedback from stock assessment EGs;
- Communication with stock coordinators of stocks up for benchmark in 2023–2024 regarding the results from the latest exchanges/workshops available for their stocks.
- Keep reviewing the use of Stock Information Database (SID).
- Create an overview of quality and accuracy estimates of biological parameters currently used in assessments. A reminder with the Quality Indicator Table is going to be sent out to Working Group chairs in order to collect the information for the missing stocks.

2.5.3 Deliverables for 2022–2023

- Annual review of the benchmark issue lists
- Responses from Stock Coordinators
- Further analysis of the responses from the Quality Indicator Table.

L

2.6 ToR d. Investigate and develop data availability, documentation and methods to improve identified biological parameter estimates, as input to assessment models

2.6.1 Progress during WGBIOP 2021

2.6.1.1 Implementing age error information in assessments

WKAMEMSA

Progress towards implementing age error information in assessments was the focus of the Workshop on use of Ageing and Maturity Staging Error Matrices in Stock Assessment (WKAMEMSA) held just before WGBIOP, on 27–29 September 2021, and chaired by WGBIOP members.

Model developers described how several modern stock assessment methods can model the effects of ageing errors. Therefore, stock assessors should consider models with ageing error as part of sensitivity analyses. The details of implementing ageing errors depends on the model, this is an established feature of stock synthesis (SS) and a recent feature in SAM (state space model). In SAM, ageing error can be fitted within the model or an external estimate of the ageing error matrix used. If error is estimated within-model, the model requires raw ageing data from exchange events as input. The development version of Gadget (v3) has a proposal for transformation functions to apply the effects of age and maturity errors. A review found more evidence available on the effects of ageing errors than maturity staging errors, and maturity staging is not directly included as a process in SS and SAM.

We emphasize the importance of stock assessors and co-ordinators of ageing and maturity staging events collaborating to design age reading events as stock-specific regions and larger sample sizes may be needed to create appropriate inputs to models.

The WKAMEMSA report will propose a list of potential case studies based on the assessment model used and ageing information available, the WGBIOP table of ageing events has been used during WKAMEMSA as a source of this information.

EASME call text

To facilitate the implementation of age error information in assessments, after WGBIOP 2020 the group created project call text for a Tender project under the EC EASME framework. The objectives of the proposed project are:

- 1. Support the development of stock assessment models SAM to be able to incorporate age error information
- 2. Compile data from historic calibration exchanges
- 3. Adaptation of SmartDots
- 4. Workshops to discuss best practice procedures, test beta versions and train end-users

This project call text was presented to DG Mare in late 2020, too late to be included in the work program for 2021. The group is continuing to promote the inclusion of the project in the next work program through various channels and is monitoring relevant call advertisement sites.

2.6.1.2 Roadmap for WGBIOP to work with FishBase

As the result of a gap analysis highlighting missing information, contact has been made with the hosts of FishBase.org in the Philippines, and the potential for collaboration with this Group in order to keep stock information updated was discussed and agreed. The intention is to, where possible, identify colleagues from WGBIOP to take responsibility for updating information by region e.g. Baltic Sea, North Sea, North Atlantic and Eastern Arctic, Bay of Biscay, Mediterranean and Black Sea. The responsible person once identified will be tasked with collecting peer-review literature and data from other relevant sources to update information stored on FishBase.org and fill gaps on biological parameters, for example maturity, fecundity, L50, max Lt, VBL growth parameters, and maximum age. They may need to translate or highlight key information. The responsible person would also be tasked with acting as a bridge between FishBase.org and scientists providing a route for questions and clarifications to flow in both directions. FishBase.org already harvests biological data from ICES Databases. This is done using WORMS (http://marinespecies.org/) or ICES OBIS service (e.g. https://data.ices.dk/obisdata/getOBIS-DATA/0/1000/3) and is based on the biological presence of records.

2.6.1.3 Overview of quality assurance for stomach sampling

WGBIOP discussed progress in the coordinated collection of stomach samples to provide predator-prey relationship data. We understand that a North Sea case study is being planned, with data collection on the North Sea International Bottom Trawl Surveys (NS IBTS). A rolling sampling scheme for this work is being defined through the Regional Coordination Group for North Atlantic, North Sea and Eastern Arctic's (RCG NANSEA) intersessional study group (ISSG) on stomach sampling (<u>https://www.fisheries-rcg.eu/rcg-nansea/#structure</u>). The next meeting date of this ISSG is to be decided as part of the annual cycle for RCGs.

WGBIOP previously proposed the ICES Workshop on Operational Implementation of Stomach Sampling (WKOISS). This had been postponed because of travel restrictions and unavailability of suitable chairs. The need for WKOISS was discussed in view of the work now progressing on the North Sea case study. WKOISS was still considered important, particularly for the Mediterranean and Black Sea regions. For these regions, the STREAM2 project is now running (STREAM = STrengthening REgional cooperation in the Area of fisheries biological data collection in the Mediterranean and Black Sea, MARE/2016/22), which includes a specific task on stomach sampling. WKOISS will provide a common forum, rather than also running the previously discussed Workshop on Stomach Contents 2 (WKSTCON2). Therefore, a useful focus of WKOISS will be reviewing and agreeing data storage and index calculation protocols.

2.6.1.4 Assessment information sheets for ageing events

As referred previously in the group, the collaboration between stock assessors/coordinators and the chairs of ageing/maturity staging events is mutually beneficial, and ought to be promoted. On one side, the issues related to sampling problems and/or uncertainty in the biological data are commonly evaluated and discussed, and recommendations are made, during the calibration exchanges and workshops. Ideally, the events outcomes should subsequently be made available to the stock assessors/coordinators and/or assessment expert working groups. On the other side, the coordinators of calibration events may not be aware of which data (and their format) are required and/or are used in the assessment models or how much effect the uncertainty of the age and maturity data can have in the models fitting and forecasts. Moreover, the acknowledge of these assessment specific information can be a valuable input to assist the events coordinators designing and organizing the samples to be included in the workshops/events (number of samples, period of sampling, fish size/age range, sexes separated or not, etc). A "maturity information sheet" had been proposed by WGBIOP in 2019 (ICES, 2019). During the meeting, the group discussed the possibility of a "species stock assessment information sheet" being elaborated, providing basic information from stock assessment for ageing event coordinators.

The proposed ageing events planned for 2022 can be seen in Annex 3.

The Baltic sprat stock was considered as an example to produce such "SPECIES STOCK ASSESS-MENT Information sheet" (see below). To compile this information, the following documents/links were consulted: i) ICES Stock Information Database (SID) (https://sid.ices.dk/Default.aspx), ii) the corresponding assessment WG reports and stock annex (SA) (cf. links in the sheet below). Difficulties were felt, however, in obtaining information about the current stock coordinator and assessor, and some of the information listed in the table, which could not be found in the aforementioned sources; the former was obtained by e-mail with the help of colleagues members of the WGBIOP and could also possibly be provided contacting the ICES Secretariat staff; the missing information was subsequently completed with the aid of the stock assessor/coordinator, both contacted by e-mail for this purpose. It was not fully established during the meeting whom will be responsible for elaborating/updating these sheets to be shared with the ageing events coordinators, this question being important to bring to the table during the next meeting.

Example:

SPECIES STOCK ASSESSMENT Information sheet			
Species Common Name	Sprat		
Species Scientific Name	Sprattus sprattus		
Stock Key Description	Sprat (Sprattus sprattus) in subdivisions 22–32 (Baltic Sea)		
Ecoregion(s)	Baltic Sea Ecoregion		
Stock Key Label	spr.27.22-32		
Assessment Expert Group	Baltic Fisheries Assessment Working Group (WGBFAS)		
Stock coordinator (2021)	Olavi Kaljuste (Sweden)		
Stock assessor (2021)	Jan Horbowy (Poland)		
ICES Stock category	1		
Assessment model	Age-based analytical assessment, XSA (<u>ICES 2021</u>) that uses catches in the model and in the forecast		
Last assessment	2021 (ICES Advice sheet)		
Last benchmark assessment	Benchmark WKBALT 2013 (<u>ICES 2013</u>); Interbenchmark in March 2020 (<u>ICES</u> 2020)		
Can the assessment model accept AEMs?	??; present assessment does not incorporate AEMs		
Age (+) group?	8 years-old		
Origin of age data for ALK:			
Catches/survey samples	Catches, per quarter and subdivision		
	Surveys: Baltic International Acoustic Survey (BIAS) in autumn in 1991–2020, In- ternational Baltic Acoustic Spring Survey (BASS) in May in 2001–2020		
Period of sampling	Per quarter		

Τ

SPECIES STOCK ASSESSMENT Information sheet			
Countries providing age data	Denmark, Estonia Finland, Germany, Latvia, Lithuania, Poland, Russia, Sweden		
ALK included in the model (fixed, annual, multiannual)	ALKs are produced every year, generally per quarter, as quarter age distribution is needed for multispecies assessment (now with SMS)		
(include reference)			

2.6.1.5 Links to WKBIOPTIM

WGBIOP briefly considered the report of Workshop on Optimization of Biological Sampling (WKBIOPTIM 3)(ICES, 2019b). Although the names of these groups are similar they have distinct areas of work and complementary skill sets. WKBIOPTIM's focus is on sampling levels for biological parameters, and WGBIOP's on the quality of the processes producing biological parameters. WKBIOPTIM is developing and testing R tools for exploring and optimizing fisheries sampling for biological parameters. Section 4.1 of the WKBIOPTIM3 report is a useful summary of which parameters each tool addresses (from the list of mean length, length distribution, mean age at length, age distribution, sex ratio, and maturity-at-age), how stratification and concurrent sampling are included, the input data and outputs produced. The majority of methods use simulation, they subsample from the observed data to assess if parameter estimates or their precision would have been very different with less sampling.

No recommendations to WKBIOPTIM were proposed by WGBIOP. Questions raised at WGBIOP on the effects of ageing error and the number of samples required for ageing and maturity staging events could be areas for future development though. As WKBIOPTIM4 will take place after WGBIOP (15–19 November 2021, ICES resolution 2019/2/EOSG13), WGBIOP proposed inviting the chairs of WKBIOPTIM4 to present a summary of the latest progress at the next WGBIOP meeting to disseminate the work.

2.7 Workplan for 2022–2023

For the following workplan and deliverables we note that work under several of WGBIOP's ToRs can converge and overlap. Therefore, the tasks, workplan and deliverables will be reviewed intersessionally.

- SmartDots reporting: SmartDots is providing a key resource for exchange events, however currently only very few people are familiar with the code used to run the analyses and provide output reports of SmartDots events. This leaves the system somewhat vulnerable. To ameliorate this, a group of people from ToRs d and f, together with ICES representatives will collaborate to scrutinize and streamline the coding where possible/necessary.
- Implementing age error information in assessments: WGBIOP will provide information that it holds about age reading exchanges, to any case studies proposed by WKAMEMSA. WGBIOP will also support and monitor the EASME call text proposal on this topic.
- Roadmap for WGBIOP to work with FishBase.org: WGBIOP will trial collecting peerreview literature and data from other relevant sources to update information stored on FishBase.org and fill gaps on biological parameters. WGBIOP members have volunteered to act as contacts with FishBase for the Baltic Sea and Mediterranean Sea, so additional volunteers are required for other regions.
- Overview of quality assurance for stomach sampling: Cristina Follesa and Pierluigi Carbonara of WGBIOP will contact the chairs of the ISSG on stomach sampling, Matthias Bernreuther and Pierre Cresson (copying in <u>secretariat@fisheries-rcg.eu</u>) regarding

WKOISS. The aim is to resolve if suitable chairs, date and location can be found for the workshop. Also related to the overview of QA for stomach sampling, ToR d will follow the progress of the FishPi2 follow-up project proposal, and update WGBIOP on it.

- WGBIOP will share the example information sheet for ageing events on Baltic sprat with the event co-ordinator, review the usefulness of this information and the best way to compile this for the other events scheduled.
- WGBIOP will consider the outputs of WKBIOPTIM4 and any implications and recommendations for WGBIOP. We will invite the chairs of WKBIOPTIM4 to present the group's work to the next WGBIOP meeting.

2.8 Deliverables for 2022–2023

WGBIOP ToR d) will continue to investigate and develop data availability, documentation and methods to improve identified biological parameter estimates, as input to assessment models.

First, WGBIOP will seek a full list of stock co-ordinators and stock assessors for the next meeting, as the deliverables across several WGBIOP ToRs involve cooperation with stock coordinators and stock assessors.

Specific deliverables may be updated intersessionally depending on the review of ToRs and tasks, but proposed outputs are:

- Scrutiny and streamlining, where possible, of SmartDots reporting code.
- Updates on progress towards implementing age error information in assessments.
- Trial of collecting and providing information on biological parameters to FishBase.org
- Example information sheet for ageing events provided for Baltic sprat.
- Continued overview of quality assurance for stomach sampling, in particular resolving if and how WKOISS will take place.

2.9 ToR e. Across database developments combining biological parameter data collection and quality assurance of these data. Address requests for technical and statistical recommendations/advice related to biological parameters and indicators

2.9.1 Progress during WGBIOP 2021

During the meeting it was discussed with the chairs how to deal with the recommendations that were sent to WGBIOP. As the chairs get the information from EG's that send recommendations to WGBIOP, it was agreed that it will be easier for the chairs to deal with the requests rather than the ToR E subgroup going forward.

Details of recent or recommendations received and responses agreed can be seen in annex 6.

During 2021 a first draft was prepared of a table showing which biological parameters and quality indicators are collected in which database and platform. Some issues arose while working on this:

• In 2019 WGBIOP had contact with the Stock Information Database (SID) developer at ICES and recommended to add biological parameter information to SID (see chapter 2.5.1 WGBIOP 2019 report) For the overview it is necessary to have these parameters added to SID.

• At the moment the RDBES is still under development and catch data for assessments is still retrieved from the Intercatch database. For the time-being it is assumed that the same biological parameters will be stored in RDBES as are currently in Intercatch.

2.9.2 Workplan for 2022–2023

- Contact RCG's to get information on the status of Intercatch and development of RDBES, including when RDBES will be in use.
- Provide overview where biological parameters data and quality indicators from SmartDots and RDBES(Intercatch)/TAF/DATRAS/SID can be combined.
- Overview of which institute provides which data in the various databases.
- Provide overview of data and outputs from SmartDots and RDBES(Intercatch)/TAF/DATRAS/SID to WGQUALITY, DIG, DSTSG and RCGs and cooperate with these groups to prepare a workplan to implement connection possibilities between these databases and platforms.
- Inform stock coordinators and assessors of the available biological parameter data, quality indicators and outputs from the various databases and platforms and where they link.

2.9.3 Deliverables for 2022–2023

- Diagram of where biological parameters data, quality indictors and outputs from SmartDots and RDBES(Intercatch)/TAF/DATRAS/SID can be linked.
- Develop workplan with WGQUALITY, DIG, DSTSG and RCGs to implement connection possibilities between SmartDots and RDBES(Intercatch)/TAF/DATRAS/SID were necessary.

2.10 ToR f. Provide feedback and guidance on updating and development of tools for exchanges and workshops on biological parameters

Under this ToR WGBIOP is focusing on the development of the SmartDots platform <u>http://ices.dk/data/tools/Pages/smartdots.aspx</u> to make it suitable for both age reading, maturity staging, egg and larvae identification and fecundity exchanges and workshops. In cooperation with the Working Group on SmartDots Governance (WGSMART) feedback from the users (mostly members of WGBIOP) are received, reviewed and prioritized to continuously improve and develop the platform. Funding opportunities for development of SmartDots and the development of the reporting module was also part of our focus.

2.10.1 Progress during WGBIOP 2021

During WGBIOP 2021 the subgroup has focused on:

- Compiling comments and feedback from WGBIOP exchanges and workshops and list requirements for the coming years.
- Providing feedback for WGSMART.
- A new release of SmartDots came in March 2021 and was presented at WGBIOP 2021.
- Evaluation of the tutorial videos on the SmartDots YouTube channel
- Running a live tutorial for event coordinators at WGBIOP 2021

- Modal age calculation and SmartDots reporting. Delivery of feedback on the multistage approach to WGSMART and cooperation with WGSMART on the implementation of the R-script.
- Funding request to support development of maturity, egg and larval modules in the web application of SmartDots.

2.10.1.1 Compile comments and feedback from WGBIOP workshop and exchanges and provide feedback for WGSMART

For the period September 2020 – September 2021 23 age reading events, 3 larvae events and 1 maturity event took place in SmartDots (see <u>https://smartdots.ices.dk/ViewListEvents</u>) with 6 published.

A request was sent out to coordinators of exchanges and workshops since the last WGBIOP asking for feedback on the use of SmartDots by the users and for workshop purposes. Issues reported to WGSMART through the feedback website (<u>https://smartdots.ices.dk/Userfeedback</u>) were included in WGSMART GitHub (<u>https://github.com/ices-eg/SmartDots/issues</u>), for evaluation by WGSMART. The input was categorized into general feedback, where coordinator and users participating in the exchange prior to WKAMDEEP3 addressed issues specific to long-lived species. Feedback from both the co-ordinator and participants of the WKIDCLUP2 (The ICES Workshop 2 on the Identification of Clupeid Larvae) were also received and included in the WGSMART GitHub.

General feedback

It was commented that for several species, image quality is crucial. All parts of the otoliths need to be clear. For long lived species (exchange prior to WKARDEEP3) the resolution was often not good enough and including several images caused other problems. Uploading high resolution images takes time, and it would be time efficient if the event manager could start adding reading lines before all images are uploaded. There was also a wish to be able to download preliminary results before a workshop/exchange is completed. Because of the difficulties reading the age of some long-lived species from images, there was a desire to have a sheet for ageing results when using a combination of a stereomicroscope with the image.

Other general issues were to a large extent caused by readers not being aware of the functions already existing and event coordinators not providing information to the readers before the exchange or workshop (or the reader not reading the information). It is evident that clear and event-specific instructions to participants are needed, for example; regarding what should be annotated (should non-counting marks be used and how), why a reading line is included, etc. In connection to the communication, it was requested to provide an interface in languages other than English.

Feedback from WKIDCLUP2 (Workshop 2 on the Identification of Clupeid Larvae)

WKIDCLUP took place online due to Covid-19, and a SmartDots module was developed in order to see this workshop through. All participants were pleased with the application and based on their feedback, SmartDots was further developed and adapted for larvae identification events.

Apart from the mandatory naming of the species in the annotation window, all participants were able to measure different features, such as total and standard lengths of the larvae, as well as counting myotomes. The annotations, in particular those for counting myotomes, were subsequently used for identifying sources of identification errors. Particularly after the first round, inspection of the downloaded myotome counts by species helped to analyse these counts as the major source of error in discriminating between sprat and sardine.

The feedback from the participants was generally good, but the module does not have all the features available in the software-based age reading module. Several participants were missing

L

relevant features, such as being able to remove and easily reorder annotations plus the ability to measure with precision. Developmental suggestions included an automated calculation of the relationship between head length and body length plus the addition of a quality assurance score. Technical issues were quickly solved by ICES during the workshop.

Feedback on SmartDots maturity module

The first SmartDots maturity exchange was successfully run in the SmartDots Web application in 2020 (Event no. 282) generating results to develop a code to handle data, calculate statistics and producing a standardized SmartDots report template for maturity workshops and exchanges.

Two approaches were used in the analysis of data; the standard traditional approach used in age reading analysis and a multistage approach. The former posed some challenges compared with age reading exchange reporting in that histological samples verifying sex and maturity of individual fish may be available in the output dataset thus making the calculation of the modal maturity non-essential. The latter approach requires a weighting of the stagers based on their experience, and deciding on which approach is the more useful for future reporting requires several more maturity exchanges before any conclusive answer can be given. Maturity calibration exercises to further test these approaches will take place in November 2021 and spring 2022 using elasmobranch spp. and North Sea sole respectively, as case studies. The maturity reporting module is to be integrated into the SmartDots platform in 2022.

Feedback from the first maturity exchange has been placed on the SmartDots GitHub site (<u>https://github.com/ices-eg/SmartDots/issues</u>). One of the general observations from the exchange was poor image quality. In the past, images of fresh gonads across institutes have generally only been taken for workshop calibration exercises on few species and therefore particular effort is needed to improve image quality for future maturity events on SmartDots.

To better identify macroscopic stages in an exchange the maturity sampling guidelines have been updated (<u>http://ices.dk/community/Pages/PGCCDBS-doc-repository.aspx</u>). Two SmartDots maturity manuals have been developed for readers and coordinators, respectively (<u>https://www.ices.dk/publications/library/Pages/default.aspx?#k=Ti-</u>

<u>tle%3Asmartdots%2C%20owstaxIdPublicationType%3AUser%20handbooks</u>) as well as a tutorial video on maturity on the SmartDots You Tube channel (<u>https://www.youtube.com/channel/UCa4bjXo-eBDfW0cm10ElWeQ</u>).

2.10.1.2 Annual presentation of the new SmartDots release

A new SmartDots software version (v2.3) was released in March of 2021. This new version had one new functionality: an extra setting 'RequireAQForApproval' was integrated into the SmartDots software. If this setting is set to 'true', annotations can only be approved if an AQ-code is assigned to them. This setting can be defined through the Web API, the setting is 'false' by default. More info at: <u>https://github.com/ices-eg/SmartDots/issues/170</u>

The SmartDots web application has been further expanded for the management of the maturity, egg, larvae and fecundity events. The management of the reader expertise data has been extended for maturity readers.

2.10.1.3 Evaluation of the tutorial videos on the SmartDots YouTube channel

In 2020, 16 tutorial/training videos were created an added to the SmartDots YouTube channel (<u>https://www.youtube.com/channel/UCa4bjXo-eBDfW0cm1oElWeQ</u>). There are 11 videos about the SmartDots software, 3 videos about the SmartDots web application and 1 video about maturity staging.

The SmartDots channel is definitely not the most popular YouTube channel but the target group is of course very specific. During the last 365 days we had in total 506 views, for a total watch time of almost 9 hours. It certainly makes sense that "Download SmartDots application from the website" and "SmartDots Software Setup" are the most popular videos.

2.10.1.4 Running a live tutorial for event coordinators at WGBIOP 2021

Following WGBIOP 2020 a request was made to WGSMART to provide further training for event coordinators in the form of a workshop or online training events. After an evaluation of the request and looking into the various approaches that could be taken in consideration of both COVID-19 and practicalities, WGSMART decided that online tutorials were the best approach and that these tutorials could be made available on the SmartDots YouTube channel. Many age and maturity stager national coordinators attend WGBIOP and thus a tutorial session was planned for the WGBIOP 2021 online meeting, where all national coordinators (including non WGBIOP members) were invited to attend. The tutorial covered 3 themes; set up an event, report on an event and an explanation of the report. Steps outlined included; how to download the handbook, propose an event, complete and verify the sample upload file, upload samples and images, add readers, set image scale, defining what properties should be shown in the software, defining strata and readers for the report, report extraction and how to publish an event. The report content and relevant statistics were explained in detail. The tutorial was recorded via Microsoft Teams, will be edited to ensure all GDPR regulations are followed and will be posted on the SmartDots YouTube channel. A link will be sent to all age and maturity stager national coordinators listed in the SmartDots database and feedback will be requested via the feedback website.

2.10.1.5 Modal age calculation and SmartDots reporting. Delivery of feedback on the multistage approach to WGSMART and cooperation with WGSMART in the implementation on the R-script

During the WGBIOP meeting in 2019 a solution to the problem of multiple modal ages was proposed. This approach is called multistage approach for the definition of the modal age, and follows a three steps process, where the expertise of the age readers is used for those otoliths for which, when using the standard approach to define the modal age, multiple modes are identified. The implementation of this approach required 1) the definition of a protocol to rank the readers by their experience, and 2) introducing the necessary changes in the SmartDots reporting R code. The first task was accomplished via a series of meetings with event coordinator experts in ageing otoliths and maturity staging, where a set of variables to inform on the reader's experience were identified based on a trade-off between the information contained on those variables and the difficulty to collect that information for each reader participating in the exchange event. An excel table with the algorithms to combine the values of those variables and assign an experience rank number to each reader was created. The second task was accomplished by modifying different R files necessary to produce the reports of the exchange event, while maintaining the TAF format. This resulted in the capacity of producing reports without multiple modes cases. In addition, the new reporting code was modified to correct some errors in the calculation of the CV, allowing a more detailed analysis of results by strata and comparisons and several other corrections and modifications. The new R code has not yet been updated in the icestaf/SmartDotsReport_template GitHub repository since it was agreed that this code would go through a testing period. During this period the code has been tested with a number of exchange events, and multiple small corrections have been implemented.

2.10.1.6 Funding WGSMART

The SmartDots software supports the age reading module which facilitates age reading based on otolith images. The software allows the age readers to participate in ICES age reading workshops and exchanges by annotating a set of otolith images within an event, annotations and final age estimations can be compared to other readers in other laboratories, either remotely or in a workshop setting. The web application allows the workshop or exchange manager to manage all users and meta data related to the SmartDots events.

In 2019, a web application module for maturity staging was initiated and test events were organized for three stocks. In 2020, a larvae identification module was developed, also in the web application. In 2021, the development of an egg identification module was initiated, also in the web application. Major short-comings exist by these three modules not being available in the software and will continue to lead to a waste of valuable resources, will slow down development progress and detract from the user friendliness of the tool.

WGSMART are in the process of establishing contact with EU (DGMARE) and selected Member Countries outside EU (Norway, Iceland, UK) to get support for development of:

- Software module for maturity.
- Software module for egg identification.
- Software module for larvae identification.
- Offline version of SmartDots.
- Training sessions for users.

2.10.2 Workplan for 2022–2023

- Compile comments and feedback from WGBIOP exchanges and workshops and list requirements for the coming years.
- Provide feedback for WGSMART.
- Delivery of feedback on the multimodal age approach to WGSMART.
- Development of the SmartDots reporting module in cooperation with Tor D and implementation of the R-script in cooperation with WGSMART.
- Based on an evaluation of the tutorial videos on the SmartDots YouTube channel a live tutorial for maturity event coordinators at WGBIOP 2022 will be considered.
- The support required for development of software-based maturity and ichthyoplankton modules depends on the success of the current funding request. Tasks to be planned accordingly.

2.10.3 Deliverables for 2022–2023

- List of requirements for the coming year will be evaluated and provided to WGSMART.
- An annual presentation of the new SmartDots release.
- Delivery of feedback on the reporting module to WGSMART.
- Evaluation of the tutorial videos on the SmartDots YouTube channel. Based on this evaluation, future training requirements to be proposed.

2.11 Other achievements

2.11.1 ICES library

A brief live demonstration of the 'collections' planned for the new ICES library was given by ICES. The particular relevance of this development to WGBIOP is described in more detail above in paragraph 2.1.1.3. When the new library is ready for launch further information will be made available and colleagues will be invited to join more in-depth presentations and demonstrations of its full functionality.

2.11.2 Update from RCGs

In 2020/21 the RCGs supported development of the new EU-MAP and Work Plans (incl. templates) 2022pp. (incl. FISHN'CO project).

'Other data collection activities' have been inserted into the template for the new work plans, to make sure these activities are captured if they are not covered by ICES.

RCG Intersessional Subgroups (ISSGs) are productive and generating output for example

- Support of ICES work (e.g. WGBFAS).
- Draft Regional Work Plans (e.g. Regional Sampling Plan for small pelagics in the Baltic).

Collaboration between RCGs and end-user (ICES) was very productive, there was also direct contact between the ISSG chair and the ICES WGs.

RCGs support the development of SmartDots however for funding this will need to go through DGMARE.

With regard to stomach sampling – ISSG support a case study which will begin on the North Sea IBTS survey

An RCG secretariat is being formed and this and the website (SECWEB project) have showed added value. The secretariat will be a more structured way of getting participants, with clear questions and requirements and the ability to allocate relevant experts.

RBD catch, effort and sampling overviews are displaying and analysing national fisheries census data and offer valuable information for ICES WGs and the ICES annual fisheries overview. The overviews have been updated and adjusted according to the feedback of RCGs and end-users. Work has been reviewed by SCRDB. Three separate overviews produced for Baltic, NANSEA, they are Multiannual overviews: HTML format, R script for automatic generation of the overviews prepared.

2.11.3 CRR Handbook on maturity staging of marine species

During the WGBIOP 2021 the latest overview of the CRR: Handbook on maturity staging of marine species was presented by the editors. The re-submission of the new resolutions for the CRR as well as the drafting of the different chapters were delayed due to the COVID-19 situation. Therefore, it was decided to focus mainly on those species that are assessed within ICES and/or FAO GFCM framework.

A plan for 2021–2022 was presented in order to finalize and submit the CRR by the end of 2022 as follows:

- 30th November 2021: First draft from chapter leaders to editors
- Editors submit resolution to SCICOM

- Editors compile and review species covered
- 31st Mar 2022: Editors return comments to co-authors
- 30th June 2022: Co-authors submit revisions
- Further discussions between editors, chapter leaders and authors
- October 2022: Final full draft
- Present final full draft for WGBIOP comments
- November 2022: Address WGBIOP comments and final submission to ICES

2.11.4 Scientific presentation

A scientific presentation about innovative techniques, using Fourier transform near infrared spectroscopy (FT-NIRS) to age fish, was given by Thomas Helser (NOAA). The presentation included background information about the technology and how it works and also examples of applications. It was appreciated by the attendees of the meeting and it raised a lot of questions and discussion. This type of technology has the potential to have a big effect on age estimation in future although it is currently under development. It is important that WGBIOP keeps up to date with progress in this field and contributes where possible by lending skills and experience to ensure that any data used to train the software is as accurate and representative as possible. We will have an important role in further development of new methods with machine learning and artificial intelligence.

2.11.5 New modules in SmartDots

WGSMART has received a request to accommodate three new types of events: Eggs identification, larvae identification, fecundity and atresia identification. The new modules were presented during WGBIOP 2021. Three larvae events have already been run in SmartDots and it has worked well during WKIDCLUP2 The egg identification module has been used during WKMACHIS. Both these modules are planned to move into the software, once the funds are available. The fecundity and atresia identification modules are still under development but will be ready for use during the WKEPM2.

2.11.6 Cooperation with other working groups

There has been a meeting between the chairs of WGBIOP, WGSMART and WGALES to discuss future collaboration. This collaboration may lead to some members of WGALES joining WGBIOP to increase the number of members working with ichthyoplankton with the aim of strengthening our knowledge in this field to be able to improve the quality assurance. Members from WGALES will be invited to WGBIOP 2022 to present their work and the work of WGBIOP will be presented at WGALES 2022.

3 Next WGBIOP meeting

The next full WGBIOP meeting will be held in the w/c October 3rd 2022 in Gothenburg, Sweden. The intention is that this will be a hybrid meeting.

4 References

- Eltink, A.T.G.W. 2000. Age reading comparisons. (MS Excel workbook version 1.0 October 2000) Internet: http://www.efan.no
- Follesa M.C., Carbonara P. (Eds) 2019. Atlas of the maturity stages of Mediterranean fishery resources. Studies and Reviews n. 99. Rome FAO. 268 pp. http://www.fao.org/3/ca2740en/ca2740en.pdf
- ICES. 2020a. Workshop on Better Coordinated Stomach Sampling (WKBECOSS). ICES Scientific Reports. 2:26. 73 pp. http://doi.org/10.17895/ices.pub.5991
- ICES. 2020b. ICES Workshop on age validation studies of small pelagic species (WKVALPEL). ICES Scientific Reports. 2:15. 76 pp. http://doi.org/10.17895/ices.pub.5966
- ICES. 2020. Working Group on Biological Parameters (WGBIOP). ICES Scientific Reports. ICES Scientific Reports. 2:117. 150 pp. http://doi.org/10.17895/ices.pub.7651
- ICES. 2019. Working Group on Biological Parameters (WGBIOP). ICES Scientific Reports. 1:85. 93 pp. http://doi.org/10.17895/ices.pub.5682
- ICES. 2018a. Working Group on Biological Parameters (WGBIOP), 1–5 October 2018. Ghent, Belgium. ICES CM 2018/EOSG:07. 186pp.
- ICES. 2018b. Report of the Workshop on Mackerel biological parameter Quality Indicators (WKMACQI), 15–17 May 2018, IJmuiden, The Netherlands. ICES CM 2018/EOSG 34. 42 pp.
- ICES. 2018c. Report of the Working Group on Commercial Catches (WGCATCH), 6–10 November 2017, Kavala, Greece. ICES CM 2017/SSGIEOM:09. 132 pp.
- Kader, G. D., and M. Perry. 2007. Variability for Categorical Variables. Journal of Statistics Education 15
- Vitale, F., Worsøe Clausen, L., and Ní Chonchúir, G. (Eds.) 2019. Handbook of fish age estimation protocols and validation methods. ICES Cooperative Research Report. No. 346. 180 pp. http://doi.org/10.17895/ices.pub.5221
- https://vlab.ncep.noaa.gov/documents/259399/3406930/SS3.30.10_User_Manual.pdf
- WKSTCON, 2019. Workshop on sampling, processing and analysing the stomach contents (WKSTCON). Palma de Mallorca, Spain 24–27 April 2018. 46 pp.

Annex 1: List of participants

Name	Institute	Country (of institute)	E-mail	
Jane Aanestad Godiksen	Institute of Marine Research (IMR)	Norway	jane.godiksen@hi.no	
Wim Allegaert	Institute for Agricultural and Fish- eries Research (ILVO)	Belgium	wim.allegaert@ilvo.vlaanderen.be	
Gualtiero Basilone	National Research Council (CNR)	Italy	gualtiero.basilone@cnr.it	
Ulrika Beier	Wageningen Marine Research (WUR)	Netherlands	ulrika.beier@wur.nl	
Karen Bekaert	Institute for Agricultural and Fish- eries Research (ILVO)	Belgium	karen.bekaert@ilvo.vlaanderen.be	
Florian Berg	Institute of Marine Research (IMR)	Norway	florian.berg@hi.no	
Martina Blass	Swedish University of Agricultural Sciences	Sweden	martina.blass@slu.se	
Ângela Canha	Regional Directorate for Fisheries in the Azores (DRP/RAA)	Portugal	angela.ml.canha@azores.gov.pt	
Pierluigi Carbonara	COISPA Tecnologia & Ricerca	Italy	carbonara@coispa.it	
Julie Coad Davies	DTU Aqua	Denmark	joco@aqua.dtu.dk	
Laurent Dubroca	lfremer	France	laurent.dubroca@ifremer.fr	
Guðrún Finnbogadóttir	Marine and Freshwater Research Institute (MFRI)	Iceland	gunna@hafogvatn.is	
Maria Cristina Follesa (chair)	University of Cagliari	Italy	follesac@unica.it	
Mandy Gault	Marine Scotland Science	United Kingdom	m.gault@marlab.ac.uk	
Ruadhán Gillespie- Mules	Marine Scotland Science	United Kingdom	ruadhan.gillespie-mules@gov.scot	
Marta Gonçalves	Portuguese Institute for the Sea and Atmosphere (IPMA)	Portugal	mgoncalves@ipma.pt	
Stefanie Haase	Thünen-Institute of Baltic Sea Fisheries	Germany	stefanie.haase@thuenen.de	
Annelie Hilvarsson (chair)	Swedish University of Agricultural Sciences	Sweden	annelie.hilvarsson@slu.se	
Karin Hüssy	DTU Aqua	Denmark	kh@aqua.dtu.dk	
Marju Kaljuste	Swedish University of Agricultural Sciences	Sweden	marju.kaljuste@slu.se	

I

Name	Institute	Country (of institute)	E-mail
Maria Korta	AZTI	Spain	mkorta@azti.es
Vasiliki Kousteni	Hellenic Agricultural Organization (Demeter)–Fisheries Research In- stitute (FRI)	Greece	kousteni@inale.gr
Maria Krüger-Johnsen	DTU Aqua	Denmark	mkru@aqua.dtu.dk
Uwe Krumme	Thünen-Institute of Baltic Sea Fisheries	Germany	uwe.krumme@thuenen.de
Jorge Landa	Instituto Español de Oceanografía (IEO	Spain	jorge.landa@ieo.es
Louise Lundgaard	DTU Aqua	Denmark	lslu@aqua.dtu.dk
Kélig Mahé	lfremer	France	kelig.mahe@ifremer.fr
David Maxwell	Cefas	United Kingdom	david.maxwell@cefas.co.uk
Zuzanna Mirny	National Marine Fisheries Re- search Institute	Poland	zuzanna.mirny@mir.gdynia.pl
Gráinne Ní Chonchúir	Marine Institute	Ireland	grainne.nichonchuir@marine.ie
Cristina Nunes	Portuguese Institute for the Sea and Atmosphere (IPMA)	Portugal	cnunes@ipma.pt
Alfonso Pérez- Rodríguez	Institute of Marine Research (IMR)	Norway	alfonso.perez-rodriguez@hi.no
Carlos Pinto	ICES	Denmark	carlos@ices.dk
Sally Songer (chair)	Cefas	United Kingdom	sally.songer@cefas.co.uk
Pedro Torres Cutillas	Instituto Español de Oceanografía (IEO)	Spain	pedro.torres@ieo.es
Jens Ulleweit	Thünen-Institute of Baltic Sea Fisheries	Germany	jens.ulleweit@thuenen.de
Cindy van Damme	Wageningen Marine Research (WUR)	Netherlands	cindy.vandamme@wur.nl
Valerio Visconti	Cefas	United Kingdom	valerio.visconti@cefas.co.uk
Francesca Vitale	Swedish University of Agricultural Sciences	Sweden	francesca.vitale@slu.se



Annex 2: Resolutions

2020/FT/DSTSG10 The **Working Group on Biological Parameters** (WGBIOP), chaired by Annelie Hilvarsson, Sweden, Maria Cristina Follesa, Italy, and Sally Songer, United Kingdom, will work on the ToRs and generate deliverables as listed in the tables below.

	Meeting dates	Venue	Reporting details	Comments (change in chair, etc.)
Year 2021	5–7 October	Online meeting	Interim report by 15 November to DSTSG	Was turned into online meetings di- vided over the year with intersessional work sessions and meeting by sub- groups to complete the work for WGBIOP 2021.
Year 2022	3–7 October	Gothenburg, Swe- den	Interim report by TBD to DSTSG	
Year 2023	To be determined	To be determined	Final report by TBD to DSTSG	

ToR descriptors

ToR	Description	Background	<u>Science</u> <u>plan</u> <u>codes</u>	Dura- tion	Expected deliverables
a	Plan and prioritize vali- dation studies, work- shops, and exchange schemes on stock-re- lated biological varia- bles, and review the re- sults.	Reviewing and prioriti- zation of the many in- coming suggestions for workshops and ex- changes from EGs, WKs, and other ICES related groups (e.g. planned benchmarks). It is essen- tial to streamline this work with the ICES benchmark schedule.	3.1 and 3.2	Ge- neric	Annual prioritized over- view of planned studies, workshops, and ex- changes. Update and restructure the Data Quality Assur- ance Repository (with ICES and WGQUAL- ITY). Work with SID (Stock Information Database) developers to include workshop and valida- tion study information in SID, to make this in- formation available to the wider ICES commu- nity.
b	Improve training and quality assurance of age reading and maturity staging, and other bio- logical parameters.	Guidelines for interna- tional calibrations are available, but methods, routines, and protocols for monitoring the	3.1 and 3.2	Ge- neric	Review the current na- tional procedures for quality assurance.
ToR	Description	Background	<u>Science</u> <u>plan</u> <u>codes</u>	Dura- tion	Expected deliverables
-----	---	---	---	---------------	---
		quality of age and ma- turity on national levels needs to be standard- ized. International agreed to advice on tar-			Outline best practice guidelines in coopera- tion with the RCGs. Preparing guidelines for method standardization
		gets (by stock) for accu- racy of delivered biolog- ical data as input for as-			and implementation in cooperation with WGSMART.
		sessments. If target is not met, validation should be prioritized.			Continuous monitoring of the implemented standardized guide- lines.
					Stock-specific targets for validation and accuracy of biological parameters achieved from ex- changes and workshops. Liaise with WGALES on requirements for egg and larvae quality as-
					surance.
c	Evaluate the quality of biological parameters: Issues and review of quality of biological pa- rameters used in assess- ments.	It is essential that the time-series of biological parameters used in stock assessments are of the highest quality. Guidelines for quality assurance of biological parameters have been developed in WGBIOP's previous terms. WGBIOP will collate in- formation on quality as- surance and accuracy estimates of biological parameters used, to evaluate if improve- ments can be achieved.	3.1, 3.2, and 5.1	3 years	Evaluation of issues put forward by the assess- ment WGs for bench- mark species in 2021– 2023. Review use of SID in de- livering issue lists for upcoming benchmarks and provision of WGBIOP information to the assessment groups. Interactive quality indi- cator form for biological parameters used in as- sessments. Evaluate quality and accuracy es- timates of biological pa- rameters currently used in assessments.
d	Investigate and develop data availability, docu- mentation, and methods to improve identified bi- ological parameter esti- mates as input to assess- ment models.	Life-history parameters are required by expert groups on assessment, multispecies modelling, ecosystem modelling, and data-limited stocks. Therefore, recent data from quality assured sources is essential.	3.1, 5.2, and 6.6	3 years	Document current sources of life-history parameter estimates identified by ICES/GFCM expert groups as critical com- ponents relevant to the improvement of

ToR	Description	Background	<u>Science</u> <u>plan</u> <u>codes</u>	Dura- tion	Expected deliverables
		WGBIOP provides guidelines for collecting high-quality data and provides links between data providers and end- users. There is a need to assess the availability and use of biological pa- rameters, and to sup- port incorporating age error matrices and other biological parameter quality information into assessments.			assessment for ICES/GFCM stocks. Identify where biologi- cal information can be updated, provide input for improving reference points. Overview of quality as- surance for stomach sampling. Facilitate closer links be- tween data providers and end-users. Liaise with WGQUAL- ITY, benchmark groups, and developers on providing and imple- menting age error infor- mation in assessments.
e	Across database devel- opments combining bio- logical parameter data collection and quality assurance of these data. Address requests for technical and statistical recommendations/ad- vice related to biological parameters and indica- tors.	WGBIOP regularly re- ceives requests related to (quality of) biological parameters from EGs and other related groups. Filled templates for requests sent to WGBIOP before a speci- fied deadline will be the basis for this ToR. Requests often deal with provision of information or data on the quality of biological parameters which are not easily ac- cessible. To improve the accessibility of the data and the efficiency of the quality assurance pro- cesses, cross-database developments are essen- tial. This will allow for combining data from different sources, facili- tating the work of WGBIOP and also sup- porting the ICES quality management system	3.1, 3.2, and 3.3	Ge- neric	Each received request for technical and statisti- cal recommendations re- lated to biological pa- rameters and indicators will be addressed and included in the WGBIOP work plan where appropriate. Provide input for cur- rent and developing data storage and tools. Provide a flow diagram, combining outputs from SmartDots and RDBES/TAF/DATRAS to WGQUALITY, DIG and DSTSG. This will give an overview of countries/institutes col- lecting biological pa- rameter data as input for quality assurance of biological parameters.
f	Provide feedback and guidance on updating	Based on feedback from users of these tools and	3.1 and 4.1	Ge- neric	Annual updates and de- velopments of tools will

I

ToR	Description	Background	<u>Science</u> <u>plan</u> codes	Dura- tion	Expected deliverables
	and developing tools for exchanges and work- shops on biological pa- rameters.	end-users of results of workshops and ex- changes, improvements and alterations will be suggested and evalu- ated.			be evaluated based on end-user needs. Annual overview of suggested improve- ments based on the needs of users will be provided to governance groups (e.g. WGSMART)

Summary of the work plan

Year 1	Investigation of data availability and quality of life-history parameters and provid- ing links between data providers and end-users. Evaluating the quality of biological parameters used in assessments. Improving quality assurance of biological parame- ters provided for assessments and management processes. Providing feedback and guidance on the development of tools for calibration workshops of biological param- eters. Scheduling of exchanges, workshops, and validation studies aligned with the benchmark cycle.
Year 2	Investigation of data availability and quality of life-history parameters and provid- ing links between data providers and end-users. Evaluating the quality of biological parameters used in assessments. Improving quality assurance of biological parame- ters provided for assessments and management processes. Providing feedback and guidance on the development of tools for calibration workshops of biological param- eters. Scheduling of exchanges, workshops, and validation studies aligned with the benchmark cycle.
Year 3	Reviewing the status of issues, achievements, and developments concerning biologi- cal parameters and quality assurance of life-history parameters provided for assess- ment and management processes. Reviewing tools and database developments for providing and accessing biological parameters information. Identify future needs in line with ICES objectives, the ICES Science Plan, and the wider marine environmen- tal monitoring and management within Europe, and propose a future/alternative work plan improving quality assurance of biological parameters.

Supporting information

Priority	The main objective of WGBIOP is to support the development and quality assurance of regional and national provision of biological parameters as reliable input data to integrated ecosystem stock assessment and advice, while making the most efficient use of expert resources. As biological parameters are among the main input data for most stock assessments and mixed fishery modelling, these activities are considered to have very high priority.
Resource require- ments	None.
Participants	All National Age Reader/Maturity Stager Coordinators (ICES and GFCM) will be invited. Experts relevant to the current benchmarks of the year of WGBIOP will be invited as well as relevant external experts such as statisticians or specific EG mem- bers.
Secretariat facilities	None.

Financial	No financial implications.
Linkages to advisory and science commit- tees	WGBIOP supports ACOM and SCICOM by promoting improvements in the quality of biological parameters from fishery and survey data underpinning the integrated ecosystem assessment approach.
Linkages to other groups	WGBIOP links with the SCICOM/ACOM Steering Groups: Data Science and Tech- nology Steering Group (DSTSG) and Ecosystem Observation Steering Group (EOSG), and the Working Group on the Governance of Quality Management of Data and Advice (WGQuality). It links to stock assessment EGs and benchmark as- sessment groups by providing input on the data quality. WGBIOP also has links to the Regional Database Steering Group (SCRDB). WGBIOP also has links with WGSMART for the development of SmartDots and WGALES for quality assurance of ichthyoplankton parameters.
Linkages to other organizations	Regional Coordination Groups (RCGs).

L

Annex 3: Exchanges and workshops (ToR a)

Exchanges completed in 2020–2021

Western Baltic Cod cod.27.22-24 (*Gadus morhua*) otolith exchange (SmartDots events: 292 and 294)

The 2020 Western Baltic cod (cod.27.22-24) exchange was held via the ICES SmartDots platform <u>https://www.ices.dk/data/tools/Pages/smartdots.aspx</u> (ID no.'s 292 and 294). Nine readers from Denmark, Germany and Sweden took part; reading otoliths from 186 fish collected from ICES SD's 22 and 23 on the 2017, 2018 and 2019 Danish BITS Q1 and Q4 surveys, aged 1 – 6 years. Otoliths were selected after WGBFAS 2020 identified mismatches in age–length compositions. From each fish, a photograph of a broken and sectioned otolith were provided for reader annotation as not all labs follow the same routine procedures for Western Baltic cod otolith preparation.

For broken otoliths, an overall weighted average percentage agreement of 84% was reached with a weighted average CV of 22% based on all seven readers, and an overall weighted average percentage agreement of 88% with a weighted average CV of 18% based on three advanced readers. For the sectioned otoliths, an overall weighted average percentage agreement of 83% was reached with a weighted average CV of 22% based on all seven readers, and an overall weighted average gercentage agreement of 83% was reached with a weighted average CV of 22% based on all seven readers, and an overall weighted average percentage agreement of 91% with a weighted average CV of 17% based on four advanced readers. In addition, a comparison of the modal ages for each fish and each method (broken vs. sectioned) was included and this resulted in agreement on 87% of the samples with a CV of 8.5%.

The age reading issues apparent are consistent with previous exchanges, namely the inclusion of a translucent zone at the edge in the later part of the year, leading to overestimation of age. In addition, the correct identification of the first TZ is problematic for some readers, mostly with the broken otoliths and inexperienced readers. For Western Baltic cod (age 0 to 3), recent age validation studies using tetracycline marked recaptures showed that the translucent zones are formed during summer, contrary to the assumption that TZ's are formed during winter (McQueen et al., 2019, Krumme et al., 2020, Plonus et al. 2021). This means that readers need to adjust their interpretations of the TZ's for this stock. An age reader guide (ages 0 to 3) with image examples was compiled in 2019 and readers are strongly advised to follow this when reading, especially for training purposes.

A comparison of the weighed modal age from the sectioned otoliths (determined by the advanced readers) to the original age estimations in DATRAS showed the discrepancies reflected the reader bias observed in this exchange. Close cooperation between age reading labs, stock assessor and coordinator in recent years has resulted in an overall improvement in the age data quality. Ages were corrected in DATRAS, thus improving the cod.27.22-24 stock assessment.

2021 NEA mackerel (Scomber scombrus) otolith exchange (SmartDots event: 280)

An otolith exchange on age reading of mackerel took place in the 1st half of 2021 with 37 readers from 13 laboratories (12 countries) coordinated by Charo Navarro (IEO Spain) and Jens Ulleweit (TI-SF Germany).

The exchange of otoliths took place online via SmartDots (Event 280). The overall result of the exchange shows an agreement between readers of 64.7% (34.3% CV), and for the advanced readers 67.8% (24.1% CV). Therefore, the percentage of agreement is slightly lower than in the

L

previous workshop (2018) and exchange (2014). This is discussed in connection to the increased overall number of readers and especially with regards to the inclusions of 10 new (basic) readers.

The problem of previous WKs and Exs persists: Agreement for otoliths with modal age 6 and older remains quite low. The solution for this issue remains difficult. A new workshop which was already recommended by WKARMAC2 2018 and should be scheduled for late 2022/early 2023.

Megrim 8.c, 9.a exchange (SmartDots event: 277)

An otolith exchange (EX) from the Iberian Atlantic stock (Div. 8.c, 9.a) of megrim was performed for **the first time**. A total of 120 whole otoliths and images were analysed, representative of the whole range of specimens commercially captured. The "multistage modal age approach" was used, and the percentage of multiple mode cases was reduced from 14% (traditional approach) to 0% (multistage approach).

For all readers, the overall agreement (PA) was 68%, CV was 14%, APE was 9% and relative bias (RB) was -0.07. For the readers involved in the assessment of this stock, better results were obtained: overall PA of 82%, CV of 11%, APE of 6% and RB of -0.10. Strata semester was analysed showing better results for all readers in the first semester compared to the second one: PA (74% vs. 62%), CV (12% vs. 16%), RB (-0.02 vs. -0.12). As usual, the overall PA decreases with increasing age (from age 5) but the overall CV was stable with age (from age 3). RB increases from age 7 (ages with low samples and low landings). Three readers (basic-intermediate experience) showed higher RB and lower PA, mainly in ages ≥ 6 .

No noticeable general concerns related to the age estimation in that stock were found, except the usual increasing difficulty of interpretation in older megrim due to increased otolith opacity. Similar or better results in present EX than in previous megrim EXs and WKs (almost all based on stock 7.b-k, 8.abd). A reference collection, training in older ages and continue calibration EXs for all readers are recommended. Considering the good results of the readers providing readings for stock assessment, no specific recommendation are suggested for them. Coordinator: Jorge Landa (Spain). The report is in preparation and will be uploaded to SmartDots when finished.

Baltic sprat (Sprattus sprattus balticus) otolith exchange (SmartDots event: 323)

An otolith exchange on age reading of Baltic sprat was held during late 2020- early 2021. This was the first Baltic sprat exchange since 2004–2005 and the latest workshop was held in 2008. Eleven readers from eight countries participated. A total of 122 whole otoliths from three different subdivisions (SDs 25–27) in the Baltic Sea were used.

The average percent agreement (PA) for all readers was 59% with a coefficient of variance (CV) of 32% and average percentage error (APE) of 23%. When only including advanced readers in the analysis the results improved to a PA of 67% with a CV of 26% and an APE of 15%.

There were some differences between the different subdivisions with the highest agreement in SD 27, this was probably due to the quality of the photos rather than different difficulty between SDs. Because only transmitted light was used when taking photos it was a problem for some readers (who are used to reflected light) to read the age. The PA was similar to the PA from the exchange in 2004–2005. Compared to the results from the workshop in 2008 the PA decreased from 76% to 59%.

There is a plan to organize a new exchange in 2022. Photos of otoliths both with transmitted and reflected light will be used and photos of otoliths will be provided by almost all readers. The sampled area will be bigger, and otoliths will be from ICES SDs 24–29 (28.1 excluded).

Coordinators: Julita Gutkowska (Poland) and Annelie Hilvarsson (Sweden). The report is in preparation and will be uploaded to SmartDots when finished.

L

Workshops completed in 2020–2021

WKARBLUE3 Blue Whiting Age Reading WK

The workshop on age reading of Blue whiting (WKARBLUE3) took place online from the 31st of May to the 4th of June 2021. The meeting was chaired by Patrícia Gonçalves (IPMA) and Jane A Godiksen (IMR) and included 23 readers from 10 institutes.

This workshop was proceeded by an otolith exchange, which was undertaken using SmartDots in the year prior to the workshop. Only images were used in the exchange. The exchanged otolith collection included 407 images. 17 advanced and 10 basic readers participated in the pre-workshop exchange. The overall agreement with modal age of the pre-workshop exercise was 66% for all readers and 70% for advanced readers. During the workshop, the results interpretation of the zones was discussed, and the guidelines evaluated and improved.

Blue whiting has a wide spatial distribution and growth structure varies between areas (north or south of the British Iles). The northern component of the stock has a slower growth than the more southern component. Readers of one component are prone to be off in interpreting the age of the other component compared to the readers normally reading this part of the stock. It was clear that future exchanges should be divided into the two different components, and readers shall only read otoliths of the component they are used to read.

The main issues during this workshop were identification of the position of the first annual growth ring, false/double rings and interpretation of the edge. These issues are the same as has been mentioned in previous reports, and thus a reoccurring problem among age readers. Reoccurring exchanges and workshops are important to ensure uniform interpretation of the growth zones.

Workshop on Age reading of Sea bass (Dicentrarchus labrax) 2 (WKARDL2)

The Workshop on Age reading of Sea bass (Dicentrarchus labrax) 2 (WKARDL2) focused on ageing criteria for this species after the first meeting in 2015 (WKARDL). Ten scientists from Cefas, ILVO and Ifremer institutes, participated in this workshop. The aim of the workshop was to collate information on existing ageing protocols and the used calcified pieces to better standardize the interpretation of annual growth rings and then the ageing of sea bass. The first step was to review information on sea bass age estimations, otolith exchanges, workshops and validation work done so far. For sea bass, the used calcified structures was not always the same; there are scale, whole otolith and stained section of otolith. During the last exchange in 2020 (100 images from Eastern English Channel; 27.7d), the results showed some differences between scales and sectioned and stained otolith. From the discussion around the interpreted images, the guidelines for scale and stained otolith interpretation and common issues were realized. After several discussion around the ageing criteria on both calcified structures, the new ageing exercise was achieved on 42 images using the SmartDots platform. For the scales, the average percentage agreement (PA) was 80% with an average Coefficient of Variation (CV) of 7%. For sectioned and stained otoliths, the average percentage agreement (PA) was 88% with an average Coefficient of Variation (CV) of 6%. The results of the workshop showed that stained otoliths give a better agreement between readers than scales but scales are much easier to sample than the otoliths for various reasons. Consequently, this group recommended that the ageing of sea bass in routine will be carried out from the scales and where possible, otoliths could be collected to help determine the age.

Ongoing Work in 2021 Q4

 The Second Workshop on Age Reading of North Sea Plaice (*Pleuronectes platessa*) (WKARP2) chaired by Ulrika Beier, the Netherlands and Julie Coad Davies, Denmark, will meet online, 6–10 December 2021.

- Horse Mackerel, Mediterranean Horse Mackerel and Blue Jack Mackerel (*T. Trachurus, T. mediterraneus* and *T. picturatus*) otolith exchange. Coordinators: Andrea Massaro (Italy) and Alba Jurado-Ruzafa (Spain). The events (ID 362, 387 and 388) are ongoing.
- Megrim (*Lepidorhombus whiffiagonis*) Areas 7.b-k, 8.a,b,d otolith exchange. Coordinator: Jorge Landa (Spain) The event (ID 355) started in 2021 and will be finished in 2022 and presented at WGBIOP 2022.
- Golden Redfish (*Sebastes norvegicus*), area 27.1–2 and 27.561214 otolith exchange.
- Coordinator: Lise Heggebakken (Norway). The event (ID 296) is ongoing, delayed due to COVID-19.
- Beaked Redfish (*Sebastes mentella*), area 21 and 27 otolith exchange. Coordinator: Lise
- Heggebakken (Norway). The event (ID 298) is ongoing, delayed due to COVID-19.
- Baltic Salmon (*Salmo salar*) scale exchange. Coordinator: Zuzanna Mirny and Adam Lejk
- (Poland). The event (ID 357) is ongoing.
- Deep water spp. otolith exchanges. Coordinator: Torfinn Erling Larsen and Lise Heggebakken (Norway). The events (ID 315-321) are ongoing but delayed.
- Raja spp Maturity staging exchange. Coordinators: Maria Cristina Follesa (Italy) and Karen Baekert (Belgium). This exchange will follow up on recommendations by WKMSEL. The event (ID 398) is ongoing.
- Red mullet and striped red mullet (*Mullus barbatus* and *Mullus surmuletus*) otolith exchange. Coordinator: Pierluigi Carbonara (Italy). The events will start during 2021 Q4.

Exchanges planned for 2022 onwards

- Chub Mackerel (*Scomber colias*) Otolith Exchange will take place in 2022. Coordinators: Carmen Hernández (Spain) and Andreia V. Silva (Portugal).
- Baltic Sprat (*Sprattus sprattus*) Otolith exchange from Baltic Sea (SD 24–29, 28.1 excluded) Coordinators: Julita Gutkowska (Poland) and Stefanie Haase (Germany).
- Central Baltic Herring (*Clupea harengus*) Otolith exchange from Central Baltic Sea (SD 25–29, 28.1 excluded) Coordinators: Julie Coad Davies (Denmark) and TBD.
- Cod (*Gadus morhua*) Otolith exchange from North Sea (Subarea 4), eastern English Channel (7d) and Skagerrak (3a.20) Coordinators: Valerio Visconti (UK) and TBD.
- Norwegian Spring-spawning Herring (*Clupea harengus*) Otolith exchange Coordinator: Florian Berg (Norway).
- Four spotted megrim (*Lepidorhombus boscii*) Otolith exchange Areas 7.b-k, 8.a,b,d Coordinator: Jorge Landa (Spain).
- Sole maturity staging exchange. Area North Sea. Coordinators: Karen Bekaert (Belgium) and Maria Krüger Johnson (Denmark). Postponed from 2021.
- Elasmobranch vertebrae exchange in Mediterranean and Atlantic. Coordinators: Karen Bekaert (Belgium) and Kelig Mahe (France). Postponed from 2021.
- Sole (*Solea solea*) otolith exchange, in subdivisions 20–24 (Skagerrak and Kattegat, western Baltic Sea). Coordinator: Julie Coad Davies (Denmark). The basis for this exchange is Danish EMFF project "Improvement of the biological advice for Common Sole in Danish Waters", to be expanded upon to include addition samples sol.27.20–24. This event has been postponed because of the benchmark being postponed and will take place once the benchmark year is decided.

Workshops planned for 2022 onwards

• Workshop on Age reading of Norwegian Spring-spawning Herring (*Clupea harengus*) (WKARNSSH) – Chaired by Florian Berg, Norway, will be established and will meet at the Institute of Marine Research, Bergen, Norway, 17–21 April 2023. A pre-workshop exchange needed.

- **2022/ WKARNNSH/DSTSGXX** The **Workshop on Age reading of Norwegian Spring Spawing Herring (***Clupea harengus***) (**WKARNSSH**)**, chaired by Florian Berg, Norway, will be established and will meet at the Institute of Marine Research, Bergen, Norway, 17–21 April 2023.
 - a) Present and analyse issues described by WGWIDE;
 - b) Analyse the problematic structures (otoliths/scales) from the IESNS-surveys (Maysurveys) described by WGWIDE;
 - c) Clarify the interpretation of annual growth rings using otoliths and scales from the same fish (<u>Science Plan codes</u>: 3.1, 3.2 and 5.2);
 - d) Improve the protocol of the guideline on age estimation and the applied structure (otolith or scale) (<u>Science Plan codes</u>: 3.1, 3.2 and 5.2);
 - e) Develop existing reference collections of otoliths/scales and improve the existing database of scales images (<u>Science Plan codes</u>: 3.1, 3.2 and 5.2);
 - f) Address the generic ToRs adopted for workshops on age calibration (see '<u>WGBIOP</u> 2019 Guidelines for Exchanges And Workshops on Age Reading') (<u>Science Plan</u> <u>codes</u>: 3.1, 3.2 and 5.2).

WKARNNSH will report by date for the attention of WGWIDE, WGIPS, ACOM.

C	• •	c
Summort	1no 1n	tormation
Juppon		rormation

Priority	Age determination is an essential feature in fish stock assessment to estimate the rates of moralities and growth. In order to arrive at appropriate management advice ageing procedures must be reliable. Otolith/scale processing methods and age reading methods might differ considerably between countries. Therefore, otolith/scale exchanges should be carried out on a regular basis, and if serious problems exist age reading workshops should be organized to solve these problems.
Scientific justification	The aim of the mini-workshop is to review the technical problems regarding age-reading of Norwegian Spring-spawning herring between Denmark, Norway, Iceland and Faroe Islands regarding the extra growth added in May-samples. Otoliths and scales from the May-July surveys will be brought to the WK and discussed.
Resource requirements	No specific resource requirements beyond the need for members to prepare for and participate in the meeting.
Participants	In view of its relevance to the EU Data Collection Framework (DCF), the Workshop is expected to attract interest from ICES Member States.
Secretariat facilities	None
Secretariat facilities Financial	None Additional funding will be required for facilitate the attendance of the scientists and technicians.
Secretariat facilities Financial Linkages to advisory committees	None Additional funding will be required for facilitate the attendance of the scientists and technicians. ACOM
Secretariat facilities Financial Linkages to advisory committees Linkages to other committees or groups	None Additional funding will be required for facilitate the attendance of the scientists and technicians. ACOM WGBIOP, WGWIDE, ACOM, RCM, all WKACs (Age Calibration Workshops)

Workshops planned for 2023 onwards

• Workshop on Age reading of Chub Mackerel (*Scomber Colias*)(WKARCM2), chaired by Andreia Silva, Portugal, and Carmen Hernández, Spain, will be held in June 2023 (Venue: TBD).

Draft resolution for Workshop on Age reading of Chub Mackerel (Scomber Colias) (WKARCM2)

2023/WKARCM2 Workshop on Age reading of Chub Mackerel (*Scomber Colias*) [WKARCM2], chaired by Andreia Silva, Portugal, and Carmen Hernández, Spain, will be held in June 2023 (Venue: TBD), to:

- a) Review information on age determination, otolith exchanges and validation techniques on this species
- b) Estimate (relative) accuracy and precision of chub mackerel age determination in the main fishing areas.
- c) Identify causes of age determination error and provide specific guidelines for the improvement of precision and reduction of bias between readers and laboratories.
- d) Elaborate an age reading protocol.
- e) Create a reference collection of otoliths and a database of images of otoliths.
- f) Address the generic ToR's adopted for workshops on age calibration (see 'WGBIOP Guidelines for Workshops on Age Calibration').

WKARCM2 will report by 2023 for the attention of WGBIOP and ACOM

Supporting information

Priority Accurate age determination is an essential feature in fish stock assessment to estimate the rates of mortality and growth. Age data are provided by different countries and are estimated using international ageing criteria which have not been fully validated for Chub Mackerel (*Scomber colias*). There is a great necessity to continue clarifying this guideline of age interpretation for the species. Therefore, an appropriate otolith exchange programme will be carried out in September 2022 for the purpose of inter-calibration between ageing labs. The results of this otolith exchange will subsequently be discussed during the WKARCM2.

Scientific justification Atlantic chub mackerel (Scomber colias) is a middle-size fish species important in the pelagic ecosystem. Landings have increased exponentially in the last 10-15 years in most of its Atlantic distribution, and in ICES area, mainly in Iberia Peninsula, where a couple of decades years ago it was considered as a bycatch. Catches, mainly from the purse-seine fleet, are not limited, and no formal assessment and fishing management advice has been requested in ICES area so far, the species being assessed as a singlestock in FAO/CECAF region. There is, however, concern on the stock status and exploitation levels, particularly in European waters, and a great uncertainty and lack of information concerning stock identity, dynamics and connectivity, and its biology. Though currently age information is not used for stock status evaluation in European waters, long historical series of age data are available in several of the institutes sampling the species that could potentially be used for advice. Preliminary analysis of the species available data have suggested geographical differences for most of its life-history parameters, and also in growth pattern, that may be reflected in the otoliths annual rings deposition among regions (WKCOLIAS2). Also, though a recent study has corroborated S. colias ages in Iberian waters (Navarro et al. 2021), previous age calibration exercises have identified reading issues that need to be further identified and addressed (WKARCM 2015, WGBIOP 2018). The aim of the workshop is to identify the current ageing problems between readers and standardize the age reading procedures in order to improve the accuracy and precision in the age reading of this species.

Resource requirements No particular resource requirements will be necessary, except for the required conditions by each member to prepare the biological material for, and to carry on, the exchange.

Τ

Participants Considering the importance of the species in Atlantic European waters, from the Mediterranean Sea region and in Northwest Africa, the Exchange is expected to be of interest for ICES, GFCM and FAO/CECAF Member States

Secretariat facilities None

Financial No finantial resources needed

Linkages to advisory committees ACOM

Linkages to other committees or groups WGBIOP, WKCOLIAS, SCICOM

Linkages to other organizations RCGs, EU DG-MARE, EU Data Collection Framework

Annex 4: Validation tables (ToR a)

- Annex 4-Table 1: page 41
- Annex 4-Table 2: page

Annex 4-Table 1. Overview existing validations³.

Species	Stock	Statistical area	Area de- scription	AphiaID	Assess- ment working group	Stock cate- gory	Age- based assess- ment?	When subject to BK re- view? ⁴	% agree- ment from age readers⁵	Age vali- dated?	Method	Reference	Links to validation reports/doi
Clupea harengus	her.27.30 and her.27.31	27.30 & 27.31	Gulf of Bothnia	126417	WGBFAS	5	Ν	2021	75%	Υ		ICES. 2020. ICES Work- shop on age validation studies of small pelagic species (WKVALPEL). ICES Scientific Reports. 2:15. 76 pp. http://doi.org/10.17895 /ices.pub.5966	ICES Workshop on Age Validation Studies of Small Pelagic Species (WKVALPEL)
Gadus morhua	cod.27.47d20	27.3-7	North Sea	126436	WGNSSK	1	Y	2021		Y		ICES. 2013. Report of the Workshop on Age Validation Studies of Gadoids (WKAVSG), 6 - 10 May 2013, IMEDEA, Mallorca. ICES CM 2013/ACOM:50. 33 pp.	Report of the Workshop on Age Validation Studies of Gadoids (WKAVSG)

³ Note: Table has been slightly modified to fit into the WGBIOP 2021 report. Full table will be available to download as an .xlsx file from the WGBIOP community page.

⁴ BK: benchmark; Subject to Benchmark review - When?

⁵ Age: % agreement from age readers, reading for assessment from most recent EX/WK.

Species	Stock	Statistical area	Area de- scription	AphialD	Assess- ment working group	Stock cate- gory	Age- based assess- ment?	When subject to BK re- view? ⁴	% agree- ment from age readers ⁵	Age vali- dated?	Method	Reference	Links to validation reports/doi
Gadus morhua	cod.27.1-2	27.1-2	Barents Sea, Nor- wegian Sea	126436	AFWG	1	Y	2021		Y		ICES. 2013. Report of the Workshop on Age Validation Studies of Gadoids (WKAVSG), 6 - 10 May 2013, IMEDEA, Mallorca. ICES CM 2013/ACOM:50. 33 pp.	Report of the Workshop on Age Validation Studies of Gadoids (WKAVSG)
Engraulis encra- sicolus	ane.27.8	27.8	Bay of Biscay	126426	WGHANS A	1	Y	2019	Bay of Biscay = 91%, Strait of Sicily = 86%	Y		Uriarte <i>et al.,</i> 2016	Validation of age determination us- ing otoliths of the European anchovy (Engraulis encra- sicolus L.) in the Bay of Biscay
Engraulis encra- sicolus	ane.27.9a	27.9	Atlantic Iberian waters	126426	WGHANS A	3	Y	2020	Bay of Biscay = 91%, Strait of Sicily = 86%	Y		Uriarte <i>et al.,</i> 2016	Validation of age determination us- ing otoliths of the European anchovy (Engraulis encra- sicolus L.) in the Bay of Biscay

Species	Stock	Statistical area	Area de- scription	AphiaID	Assess- ment working group	Stock cate- gory	Age- based assess- ment?	When subject to BK re- view? ⁴	% agree- ment from age readers ⁵	Age vali- dated?	Method	Reference	Links to validation reports/doi
Trachu- rus tra- churus	hom.27.2a4a 5b6a7a-ce-k8	Subarea 8 and divi- sions 2.a, 4.a, 5.b, 6.a, 7.a- c,e-k	North- east At- lantic	126822	WGWIDE	1	Υ	2019	55.80%	Υ		Waldron, M. E., and Kerstan, M. 2001	Age validation in horse mackerel (Trachurus trachu- rus) otoliths

Pleu- ronectes platessa	North Sea	Y	Released marked fish	Etherton (2015)	https://www.re- searchgate.net/pu blica- tion/277726542_E uro- pean_plaice_Pleu- ronectes_platessa _and_sole_Solea_s olea_indi- rect_age_valida- tion_using_oto- liths_from_mark- recapture_experi- ments_from_the_ North_Sea
-------------------------------	--------------	---	-------------------------	-----------------	---

Species	Stock	Statistical area	Area de- scription	AphialD	Assess- ment working group	Stock cate- gory	Age- based assess- ment?	When subject to BK re- view? ⁴	% agree- ment from age readers ⁵	Age vali- dated?	Method	Reference	Links to validation reports/doi
Solea solea			North Sea							Y	Released marked fish	Etherton (2015)	https://www.re- searchgate.net/pu blica- tion/277726542_E uro- pean_plaice_Pleu- ronectes_platessa _and_sole_Solea_s olea_indi- rect_age_valida- tion_using_oto- liths_from_mark- recapture_experi- ments_from_the_ North_Sea
eleven species of <i>Lutjanus</i>			central Great Barrier Reef							Y	Mark–re- capture chemically tagged fish	Cappo, M., Eden, P., Newman, S. J., & Rob- ertson, S. (2000). A new approach to validation of periodicity and tim- ing of opaque zone for- mation in the otoliths of eleven species of Lutja- nus from the central Great Barrier Reef(*). Fishery Bulle- tin, 98(3), 474.	https://go.gale.co m/ps/anony- mous?id=GALE%7 CA64909346&sid= google- Scholar&v=2.1⁢= r&linkac- cess=abs&issn=00 900656&p=AONE &sw=w
Engraulis encra- sicolus			Bay of Biscay							Y	marginal increment analysis (MIA)	Uriarte et al. (2016)	https://doi.org/10. 1071/mf15092

Species	Stock	Statistical area	Area de- scription	AphiaID	Assess- ment working group	Stock cate- gory	Age- based assess- ment?	When subject to BK re- view? ⁴	% agree- ment from age readers ⁵	Age vali- dated?	Method	Reference	Links to validation reports/doi
			Galician waters (Division 9.a N)							Y	marginal increment analysis (MIA)	ICES (2016c)	
			Gulf of Cadiz							Y	marginal increment analysis (MIA)	ICES (2010d)	
			Alboran Sea							Y	marginal increment analysis (MIA)	ICES (2010d)	
			Northern Adriatic Sea							Y	marginal increment analysis (MIA)	ICES (2010d)	
Sardina pilchar- dus			Bay of Biscay							Y	marginal increment analysis (MIA)	ICES (2011d)	
			Atlantic Iberian waters							Y	marginal increment analysis (MIA)	Alvarez and Porteiro (1981); Porteiro and Alvarez (1983); Jorge and Costa Monteiro (1980)	
Sprattus sprattus			Skager- rak and Kat- tegat							Y	marginal increment analysis (MIA)	Torstensen et al. (2004)	

Species	Stock	Statistical area	Area de- scription	AphiaID	Assess- ment working group	Stock cate- gory	Age- based assess- ment?	When subject to BK re- view? ⁴	% agree- ment from age readers ⁵	Age vali- dated?	Method	Reference	Links to validation reports/doi
Scomber scombrus			Portu- guese coast							Υ	marginal increment analysis (MIA)	Gordo et al. (1982)	
			North and north- west of the Ibe- rian Penin- sula							Y	marginal increment analysis (MIA)	Villamor et al. (2018)	
Scomber colias			North and north- west of the Ibe- rian Penin- sula							Y	marginal increment analysis (MIA)	ICES (2016a); Navarro et al. (2018)	
			Portu- guese coast							Y	marginal increment analysis (MIA)	Martins et al. (1983)	
			Azores Islands							Y	marginal increment analysis (MIA)	Carvalho et al. (2002)	
			Madeira Islands							Y	marginal increment	Vasconcelos et al. (2011); Vasconcelos (2006)	

Species	Stock	Statistical area	Area de- scription	AphiaID	Assess- ment working group	Stock cate- gory	Age- based assess- ment?	When subject to BK re- view? ⁴	% agree- ment from age readers⁵	Age vali- dated?	Method	Reference	Links to validation reports/doi
											analysis (MIA)		
			Gulf of Cadiz							Y	marginal increment analysis (MIA)	Rodriguez-Roda (1982)	
			Canary Islands							Y	marginal increment analysis (MIA)	Lorenzo et al. (1995)	
			South- western Mediter- ranean (Alboran Sea)							Y	marginal increment analysis (MIA)	Velasco et al. (2011)	
			North- western Mediter- ranean (Catalan coast)							Y	marginal increment analysis (MIA)	Perrota et al. (2005)	
			Eastern Mediter- ranean (Hellenic seas)							Y	marginal increment analysis (MIA)	Kiparissis et al. (2000)	

Species	Stock	Statistical area	Area de- scription	AphiaID	Assess- ment working group	Stock cate- gory	Age- based assess- ment?	When subject to BK re- view? ⁴	% agree- ment from age readers⁵	Age vali- dated?	Method	Reference	Links to validation reports/doi
Trachu- rus tra- churus			North- east Atlantic							Y	marginal increment analysis (MIA)	Kerstan (1985); Wal- dron and Kerstan (2001)	
			Eastern Mediter- ranean (Hellenic seas)							Y	marginal increment analysis (MIA)	Karlou-Riga and Sinis (1997)	
			Southern Adriatic Sea							Y	marginal increment analysis (MIA)	Carbonara and Casciaro (2018)	https://www.ices. dk/sites/pub/Pub- lication%20Re- ports/Forms/DispF orm.aspx?ID=3509 0
Trachu- rus medi- terraneus			Eastern Mediter- ranean (Hellenic seas)							Υ	marginal increment analysis (MIA)	Karlou-Riga (2000)	
Trachu- rus pictu- ratus			Azores Islands							Y	marginal increment analysis (MIA)	García et al. (2015)	
			Madeira Islands							Y	marginal increment analysis (MIA)	Vasconcelos et al. (2006)	
			Canary Islands							Y	marginal increment	Jurado-Ruzafa and Santamaría (2018)	

Species	Stock	Statistical area	Area de- scription	AphiaID	Assess- ment working group	Stock cate- gory	Age- based assess- ment?	When subject to BK re- view? ⁴	% agree- ment from age readers ⁵	Age vali- dated?	Method	Reference	Links to validation reports/doi
											analysis (MIA)		
Engraulis encra- sicolus			North- western Mediter- ranean Sea							Y	length fre- quency analysis	Pertierra (1987); Mo- rales-Nin and Pertierra (1990)	
Sardina pilchar- dus			North- western Mediter- ranean Sea							γ	length fre- quency analysis	Pertierra and Morales- Nin (1989); Morales-Nin and Pertierra (1990)	
			Central Medi- terra- nean Sea (Gulf of Salerno – west of Italy)							Υ	length fre- quency analysis	Romanelli et al. (2002)	
Scomber colias			Madeira Islands							Y	length fre- quency analysis	Vasconcelos (2006)	
			North and north- west of the Ibe- rian Penin- sula							Y	length fre- quency analysis	Navarro et al. (2018)	

Species	Stock	Statistical area	Area de- scription	AphiaID	Assess- ment working group	Stock cate- gory	Age- based assess- ment?	When subject to BK re- view? ⁴	% agree- ment from age readers ⁵	Age vali- dated?	Method	Reference	Links to validation reports/doi
Trachu- rus tra- churus			North- east At- lantic							Y	length fre- quency analysis	Letaconnoux (1951); Ramalho and Pinto (1956); Barraca (1964); Macer (1977)	
			Hellenic seas							Y	length fre- quency analysis	Karlou-Riga and Sinis (1997)	
			Adriatic Sea							Y	length fre- quency analysis	Alegria Hernandez (1984)	
Trachu- rus medi- terraneus			Adriatic Sea							Υ	length fre- quency analysis	Arneri and Tange- rini (1984)	
			Southern Adriatic Sea							Y	length fre- quency analysis	Carbonara and Casciaro (2018)	
Engraulis encra- sicolus			Bay of Biscay							Y	progression of strong year classes	Uriarte and Astudillo (1987); Uriarte et al. (2002); Uriarte et al. (2016)	
Trachu- rus tra- churus			North- east At- lantic							Y	progression of strong year classes	Eltink and Kuiter (1989); Abaunza et al. (2003)	
Engraulis encra- sicolus			Bay of Biscay							Y	Daily incre- ments be- tween an- nuli	Aldanondo et al. (2013); Hernández et al. (2013)	

Species	Stock	Statistical area	Area de- scription	AphialD	Assess- ment working group	Stock cate- gory	Age- based assess- ment?	When subject to BK re- view? ⁴	% agree- ment from age readers ⁵	Age vali- dated?	Method	Reference	Links to validation reports/doi
Sardina pilchar- dus			Atlantic Iberian waters							Y	Daily incre- ments be- tween an- nuli	ICES (2011d); Silva et al. (2012)	
			Northern Adriatic Sea							Y	Daily incre- ments be- tween an- nuli	ICES (2013b)	
Engraulis encra- sicolus			Strait of Sicily							Y	back-calcu- lated length analysis	Basilone et al. (2004)	https://doi.org/10. 1038/s41598-020- 58174-5
Sardina pilchar- dus			Atlantic Iberian waters							Y	back-calcu- lated length analysis	Costa Monteiro and Jorge (1982); Porteiro and Alvarez (1983)	
Scomber colias			Canary Islands							Y	back-calcu- lated length analysis	Lorenzo et al. (1995)	
			Madeira Islands							Y	back-calcu- lated length analysis	Vasconcelos (2006)	
			Gulf of Cadiz							Y	back-calcu- lated length analysis	Rodriguez–Roda (1982)	

Species	Stock	Statistical area	Area de- scription	AphiaID	Assess- ment working group	Stock cate- gory	Age- based assess- ment?	When subject to BK re- view? ⁴	% agree- ment from age readers⁵	Age vali- dated?	Method	Reference	Links to validation reports/doi
Trachu- rus tra- churus			Hellenic seas							Y	back-calcu- lated length analysis	Karlou–Riga and Sinis (1997)	
			Southern Adriatic Sea							Y	back-calcu- lated length analysis	Carbonara and Casciaro (2018)	
Gadus morhua	cod.27.22-24	27.22-24	Western Baltic Sea	126436	WGBFAS	1	Υ	2021	87	Y	tag/recap- ture; length frequency progression	Krumme et al. 2020; McQueen et al 2019	https://www.int- res.com/ab- stracts/meps/v645 /p141-158/; https://aca- demic.oup.com/ic esjms/arti- cle/76/2/430/5211 109?login=true
Gadus morhua	cod.27.24-32	27.24-32	Eastern Baltic Sea	126436	WGBFAS	1	Y/N	2020	52	new ageing metho d vali- dated	seasonal patterns in otolith mi- crochemis- try	Heimbrand et al. 2020; Hüssy et al. 2021	https://onlineli- brary.wiley.com/d oi/full/10.1111/jfb .14422; https://cdnscien- cepub.com/doi/ful I/10.1139/cjfas- 2020-0388
Gadus macro- cephalus	NA	NA	Gulf of Alaska, Aleutian Islands, and east- ern Ber- ing Sea	254538	North Pa- cific Ground- fish Stock Assess- ments	NA	Y	NA	NA	Y	oxygen iso- topes	Kastelle et al 2017	https://www.sci- encedi- rect.com/sci- ence/arti- cle/pii/S01657836 16303174

Species	Stock	Statistical area	Area de- scription	AphialD	Assess- ment working group	Stock cate- gory	Age- based assess- ment?	When subject to BK re- view? ⁴	% agree- ment from age readers ⁵	Age vali- dated?	Method	Reference	Links to validation reports/doi
Microsto- mus kitt)	lem.27.3a47d		North Sea, Eng- lish Channel, and Celtic Sea			3.2	Y/N	2018		Y	Marginal increment analyses	Smith (2014)	https://doi.org/10. 1016/j.fishres.201 4.03.011
Pleu- ronectes platessa	ple.27.420	27.4.20	North Sea		WGNSSK	1	Y	2022		Y	Released marked fish	Etherton (2015)	https://doi.org/10. 1016/j.fishres.201 5.05.009
	ple.27.421	27.4.21	North Sea		WGNSSK	2	Y	2023		Y	Micromill- ing	Geffen (2012)	<u>https://doi.org/10.</u> <u>1007/s10641-012-</u> <u>0033-2</u>
Solea solea	sol.27.4	27.4	North Sea		WGNSSK	1	Y	2020			Released marked fish	Etherton (2015)	<u>https://doi.org/10.</u> <u>1016/j.fishres.201</u> <u>5.05.009</u>
							Y				Daily incre- ment anal- yses	Lagardere and Troadec (1997)	<u>https://doi.org/10.</u> 3354/meps155223
							Y				Radio- chemical dating	Kalish (1993)	<u>https://doi.org/10.</u> <u>1016/0012-</u> <u>821x(93)90082-k</u>
Limanda ferrugi- nea							Y				Captive rearing from batch	Dwyer et al. (2003)	https://doi.org/10. 1016/s1054- 3139(03)00125-5
											MLA	Dwyer et al. (2003)	https://doi.org/10. 1016/s1054- 3139(03)00125-5

Species	Stock	Statistical area	Area de- scription	AphiaID	Assess- ment working group	Stock cate- gory	Age- based assess- ment?	When subject to BK re- view? ⁴	% agree- ment from age readers ⁵	Age vali- dated?	Method	Reference	Links to validation reports/doi
Halibut							Y				Radio- chemical dating	Kalish (1993)	<u>https://doi.org/10. 1016/0012- 821x(93)90082-k</u>
Mullus Barbatus	GSA18	GSA18	South Adriatic		STECF - WGSAD	1		2022		Y	strong mode tracking	Carbonara et al., 2018	<u>https://doi.org/10.</u> <u>1038/s41598-018-</u> <u>30872-1</u>
Raja clavata	GSA18	GSA18	South Adriatic			1				Y	Recap- ture/chem- ical tagging	Carbonara et al., 2020	<u>https://doi.org/10.</u> <u>3389/fmars.2020.</u> <u>586094</u>
Reinhard- tius hip- poglos- soides	ghl.27.56121 4	27.5-14	East of Green- land to West of Scotland	127144	NWWG	1	Ν	2022		Y	Bomb radi- ocarbon analysis	Treble et al., 2008; Dwyer et al., 2016; Bro- gan et al., 2021	https://doi.org/10. 1016/j.fishres.201 6.01.016; https://doi.org/10. 1139/F08-030; https://doi.org/10. 1016/j.fishres.202 1.106000
	ghl.27.1-2	27.1-2	Barents Sea, Nor- wegian Sea		AFWG	1.2	Υ	2022		Y	Bomb radi- ocarbon analysis	Treble et al., 2008; Dwyer et al., 2016; Bro- gan et al., 2021	https://doi.org/10. 1016/j.fishres.201 6.01.016; https://doi.org/10. 1139/F08-030; https://doi.org/10. 1016/j.fishres.202 1.106000
Sebastes norvegi- cus (pre- viously S. marinus)	reg.27.56121 4	27.5-14	Iceland, Faroe, Rockall, West of Scotland	151324	NWWG	1	Y			Y	Radio- metric analysis	Stransky et al. 2005	https://doi.org/10. 1016/j.fishres.200 5.03.003

Species	Stock	Statistical area	Area de- scription	AphiaID	Assess- ment working group	Stock cate- gory	Age- based assess- ment?	When subject to BK re- view? ⁴	% agree- ment from age readers ⁵	Age vali- dated?	Method	Reference	Links to validation reports/doi
Sebastes mentella	reb.27.1-2	27.1-2	Barents Sea, Nor- wegian Sea	127254	AFWG	1	Y			Y	Radio- metric analysis	Campana et al., 1990; Stransky et al. 2005	https://doi.org/10. 1139/f90-017; https://doi.org/10. 1016/j.fishres.200 5.03.003
	reb.27.5a14	27.5 and 27.14	Green- land and Iceland		NWWG	3.2	N	2022		Y	Radio- metric analysis	Campana et al., 1990; Stransky et al. 2005	https://doi.org/10. 1139/f90-017; https://doi.org/10. 1016/j.fishres.200 5.03.003
	reb.2127.dp	21.1-2 and 27.5- 14	Green- land, Ice- land, Faroe, North- east At- lantic		NWWG		Y			Y	Radio- metric analysis	Campana et al., 1990; Stransky et al. 2005	https://doi.org/10. 1139/f90-017; https://doi.org/10. 1016/j.fishres.200 5.03.003
	reb.27.14b	27.14	South- east Green- land		NWWG	3.2	N			Y	Radio- metric analysis	Campana et al., 1990; Stransky et al. 2005	https://doi.org/10. 1139/f90-017; https://doi.org/10. 1016/j.fishres.200 5.03.003
	reb.2127.sp	21.1-2 and 27.5- 14	Green- land, Ice- land, Faroe, North- east At- lantic		NWWG		N			Y	Radio- metric analysis	Campana et al., 1990; Stransky et al. 2005	https://doi.org/10. 1139/f90-017; https://doi.org/10. 1016/j.fishres.200 5.03.003

Species	Stock	Statistical area	Area de- scription	AphiaID	Assess- ment working group	Stock cate- gory	Age- based assess- ment?	When subject to BK re- view? ⁴	% agree- ment from age readers ⁵	Age vali- dated?	Method	Reference	Links to validation reports/doi
Lophius piscato- rius	mon.27.78ab d	27.7 and 27.8	Celtic Sea and Bay of Biscay	126555	WGBIE	1	Y	2022		Y	Micro- chemistry analysis	Brophy et al., 2019; Brophy et al., 2021	https://doi.org/10. 2826/748632; https://doi.org/10. 1016/j.ecss.2021.1 07557

Annex 4-Table 2. Overview validation priority⁶.

YEAR (issue list)	STOCK	LAST BENCH- MARK	IDENTIFIED ISSUE (Benchmark)	PROPOSED SOLUTION (Benchmark)	LAST WK/EX	IDENTIFIED ISSUE (WK/EX)	WG comments	As- sess- ment	Last ex- change/WK agreement	PRIORITY (suggested)
2016	NSS herring	WKPELA 2016	Ageing differ- ences using dif- ferent tech- niques.		Otolith and Scale Exchange Norwe- gian Spring- Spawning Her- ring: Coordinator: Jane A. Godiksen. (Initiated in 2016, reported in WGBIOP 2018, Annex 3, p 46.)	The main issue is not yet identified. IMR (Norway) will do some analysis to verify if the disagreement is due to the structure. Be- fore this there is no need for another cali- bration.	WGWIDE 2020: For some years there have been issues with age reading of herring. These issues were raised around 2010, and since then two scale/otolith exchanges and a workshop have been held; and a final work-shop was planned after the sec- ond exchange. There were, however, con- cerns with the second scale/otolith exchange and the final workshop was postponed indefi- nitely. It is therefore recommended to or- ganize a new scale/oto- lith exchange and a fol- low up workshop. age- error matrices are needed as input to the stock-assessment, to evaluate sensitivity to ageing errors, and such age-error matrices are an output of age-read- ing inter-calibrations.	age based model		Low

⁶ Note: Table has been slightly modified to fit into the WGBIOP 2021 report. Full table will be available to download as an .xlsx file from the WGBIOP community page.

YEAR (issue list)	STOCK	LAST BENCH- MARK	IDENTIFIED ISSUE (Benchmark)	PROPOSED SOLUTION (Benchmark)	LAST WK/EX	IDENTIFIED ISSUE (WK/EX)	WG comments	As- sess- ment	Last ex- change/WK agreement	PRIORITY (suggested)
2016	dab-nsea	WKNSEA 2016	Ageing differ- ences using dif- ferent tech- niques.	-	Otolith Exchange Dab (Limanda li- manda) North Sea Coordinator: Loes Bolle. SmartDots event 244 (2019)	No report available	WGNSSK 2020. Only the beam trawl surveys provide data on age and weight for dab. No problem with age are mentioned in the re- port	age- based survey index		Low
2016	witch	WKNSEA 2018	Ageing differ- ences using dif- ferent tech- niques.	Inter-calibra- tion among read- ers	None	-	WGNSSK 2020. No is- sues highlighted	age based model		Low
2016	had-rock	WKROCK 2019	Low degree of age-reading agreement by in- ternational ex- perts. Ageing dif- ferences using different tech- niques. Results of age-reading of the identical oto- liths differ.	Standardiza- tion of meth- ods	Otolith Exchange Haddock (Mela- nogrammus ae- glefinus) Barents Sea, Rockall and North Sea Coordi- nator: Mandy Gault	ongoing	WGCSE 2020: No issues highlighted	age based model		Low
2016	Whiting 3a	WKDEM 2020: the stock was raised from category 5 to category 3.	Inconsistencies in survey indices. split rings/Humphry shadow'			WKARWHG2 2016 proposed an otolith chemistry study to validate the true dep- osition of opaque and translucent material throughout the otolith	WGNSSK 2020: It is stated that there are no biological data for this stock but this is no true as IBTSQ1 and Q3 includes biological data. Make aware stock coordinator/as- sessor (Alex Kokkalis) on the existence of these data.	age based model		High

YEAR (issue list)	STOCK	LAST BENCH- MARK	IDENTIFIED ISSUE (Benchmark)	PROPOSED SOLUTION (Benchmark)	LAST WK/EX	IDENTIFIED ISSUE (WK/EX)	WG comments	As- sess- ment	Last ex- change/WK agreement	PRIORITY (suggested)
2017	sol.27.20-24	Inter- benchmark 2015 (poorly de- fined growth from age readings)	Inconsistency among readers			Improvement of age- ing by means of oto- lith calibration be- tween readers and otolith structure to validate age. An age reading exchange oc- curred in 2015 (out- side WGBIOP, no re- port found) and the PA was 90%. A valida- tion does not seem to be necessary.	WGBFAS 2020: DTU Aqua finalized a project in 2018 which has been extended, mainly for stock structure (Ask Ju- lie)	age based model		Medium/ High
2021	meg.27.8c.9a						WGBIE	fixed ogive (BI- OSDEF 1998)	Workshop on Megrim Otolith Age Reading (Egan et al., 2004)	Medium/ High
2021	her.27.30 and her.27.31						WGBFAS			High
2021	cod.27.1-2						AFWG			
2021	cod.27.47d20						WGNSSK		Exchange in 2008	High
2021	sol.27.7d						WGNSSK			
2021	ple.27.7h-k						WGCSE			
2021	san.sa.1r						HAWG		National Insti- tute of Aquatic Resources, 2019	

YEAR (issue list)	STOCK	LAST BENCH- MARK	IDENTIFIED ISSUE (Benchmark)	PROPOSED SOLUTION (Benchmark)	LAST WK/EX	IDENTIFIED (WK/EX)	ISSUE WG	G comments	As- sess- ment	Last ex- change/WK agreement	PRIORITY (suggested)
2021	san.sa.2r						HA	WG			Low
2021	san.sa.3r						HA	WG		National Insti- tute of Aquatic Resources, 2019	
2021	san.sa.4						HAV	WG			Low
Benchm	ark species 2021	L need to be in	cluded and a priority	/ given (Carine &	Angela)						
2018/20	19	hke.27.8c9a	a Low reac	<mark>agreement</mark> amoi lers	ng WKAEH 2009		Exchange and va ongoing outside within EASME/EMFF/20 2.7/SI2.762036.	alidation 9 WGBIOP 016/1.3. (Kelig)		Low?	
2018/20	20	ank.27.78a	od No a agei	ngreed method fo	or WKANGLER 2	018	Exchange and va ongoing outside within EASME/EMFF/20 2.7/SI2.762036.	alidation 9 WGBIOP 016/1.3. (Kelig)			
2018/20	21	ank.27.8c9	a No a agei	ngreed method fo	WKANGLER 2	2019	Exchange and va ongoing outside within EASME/EMFF/20 2.7/SI2.762036.	alidation Length-ba WGBIOP tion asses are consio 016/1.3. (Kelig)	ased or pr ssment m dered	oduc- odels	

Benchmark species 2021	need to be included and a p	riority given (Carine & Ange	ela)		
2018/2022	mon.27.78ab	No agreed method for ageing	WKANGLER 2020	Exchange and validation ongoing outside WGBIOP within EASME/EMFF/2016/1.3. 2.7/SI2.762036. (Kelig)	
2018/2023	mon.27.8c9a	No agreed method for ageing	WKANGLER 2021	Exchange and validation ongoing outside WGBIOP within EASME/EMFF/2016/1.3. 2.7/SI2.762036. (Kelig)	Length-based or produc- tion assessment models are considered

Annex 5: Quality status tables (ToR b)

- Annex 5-Table 3 Part 1: page 63 Part 2: page 86
- Annex 5-Table 4 Part 1: page 96 Part 2: page 107

Country	MS institute	Individual ⁸	Group ⁹	Age quality scores ¹⁰	QC checks ¹¹	Institute-specific manuals	Quality plan ¹²
Belgium	ILVO, Belgium		All species are read by 2 readers which control all readings from each other. If disagreement, the otoliths are discussed. In case a reader is absent during a long time, we work with blind dou- bles (the reader receives some samples which he read before and ages are compared and dis- cussed in case a different age was given). We also use sam- ples from reference collections once a month to see if all read- ers still agree between each other with the model age.	Yes, AQ2 and AQ3 readings are not uploaded to inter- national databases	Before upload to in- ternational databases simple plots of age vs. length are produced and checked for outli- ers. Outliers are iden- tified and checked in the lab. Age readings with readability score AQ2 and AQ3 are not uploaded to interna- tional databases.	Beproevingsprocedure OTL001 Werkvoorschrift WV OTL001 001 sections Werkvoorschrift WV OTL001 002 stained sec- tions Werkvoorschrift WV OTL001 003 whole	Yes, ISO 17025
Cyprus	Department of Fisheries and Marine Re- search (DFMR), Cyprus	At the moment there is 1 age reader per species. Us- ing the image analysis pro- gram perform a blind first reading (only information on the date of capture).		No	Review of produced age–length keys for possible identification of outliers.	1. For the age estimation of Mullus species, the guidelines agreed during the Workshop on age reading of Mullus (WKACM, 2009) are followed, as well as the 2017 WKVALMU	No Quality Plan in place.

Annex 5-Table 3. (Part 1) Quality status of age reading at institutes⁷. Part 1: Internal Quality Management.

⁷ Note: Table has been slightly modified to fit into the WGBIOP 2021 report. Full table will be available to download as an .xlsx file from the WGBIOP community page.

⁸ If Quality Control is Managed by an Individual Age Reader how are the QC checks carried out? Please provide details on the number of samples included, what analysis is used, frequency, image based or not.

⁹ If Quality Control is Managed by a Group of Age Readers how are the QC checks carried out? Please provide details on the number read and samples included, what analysis is used, frequency, image based or not.

¹⁰ Did you implement the age quality scores (AQ1, AQ2, AQ3) (<u>https://vocab.ices.dk/?ref=1395</u>) in your laboratory for routine age reading? If so, how do you handle AQ2 and AQ3 readings?

¹¹ If you conduct routine QC checks on your data before it is uploaded to the international databases please provide some details.

¹² If Quality Management is Carried Out in Accordance with a Quality Plan please provide details.

Country	MS institute	Individual ⁸	Group ⁹	Age quality scores ¹⁰	QC checks ¹¹	Institute-specific manuals	Quality plan ¹²
		Perform a second reading, considering information from the sample, biological information, results of the first reading, back-calcula- tion and the growth incre- ment between consecutive rings (which should be de- creasing). Store age esti- mates in image analysis programme and database. Number of samples per spe- cies is about 300 from com- mercial fisheries.				Recommendation on following the new ageing scheme in the Mediterranean sea is followed. 2. Carbonara, P., Follesa M.C. eds. 2018. Handbook on fish age determination: a Mediterra- nean experience. Studies and Reviews n. 98. General Fisheries Commission for the Mediterra- nean. Rome. Pp 197	
Denmark	DTU Aqua, Den- mark		We have 2 readers per species, some of them carry out self checks once a year on a set of physical otoliths (1 sample per area of approximately 50 oto- liths. If time allows this is done per quarter also). All readers are trained to use SmartDots and the aim is to have all readers ei- ther complete an international exchange OR an internal check (with the second reader of that stock/species) once per year, these checks should include samples from all age groups and quarters. The SmartDots report is used when there are more than 2 readers. The Cefas ATAQCS excel book is used if there are only 2 readers. All oto- liths where there is disagree- ment are discussed between readers.	Yes we do. We have made a con- version from our internal QC scale to the AQ scale. AQ3 readings are not uploaded to ICES databases and used for assess- ment purposes. There are very few of these otoliths.	Before upload to in- ternational databases simple plots of age vs. length and weight are produced and checked for outliers. Outliers are identified and checked in the lab. Age readings with readability score of D (equivalent to AQ3) are not uploaded to international data- bases.	Manual for age determinations; holds a 1-2 page description for the majority of the species aged in the laboratory (12 species) International protocols pro- duced at workshops are the ones we follow. We have a dan- ish version of the SmartDots software manual.	
Country	MS institute	Individual ⁸	Group ⁹	Age quality scores ¹⁰	QC checks ¹¹	Institute-specific manuals	Quality plan ¹²
--------------------	--	---	---	-------------------------------------	---	--	--
Estonia	Estonian Ma- rine institute, University of Tartu	We have 1 age reader per species, for herring we have 2 age readers. Age reading is performed following in- structions in relevant manu- als and recommendations from relevant ICES work- shops. The quality is as- sured by age reader.	For herring we have 2 readers who carrie out self checks at least once a year. All otholiths where disagreement exists are discussed between readers.	No			
Faroe Is- lands	Faroe Marine Research Insti- tute (FaMRI), Tórshavn, Faroe Islands		When the age reader is in doubt the other age readers are con- sulted. The age–length relation- ship is investigated for all sam- ples. Outliers are identified visu- ally and re-read if necessary.			Internal data quality handling book where the general otolith preparation and age reading is described (in Faroese).	
Finland	Natural Re- sources Insti- tute Finland (Luke)	Direct or indirect validation or precision : 1) The use of tagged individuals to iden- tify real and false annuli (usually small numbers, from a few to dozens), 2) The examination of differ- ent calcified structures from the same individuals side by side, especially a bone or scales along with mostly stained otoliths (dozens or more, 3) The environmental fit, i.e. warm and cold grow- ing seasons affect fish re- cruitment and growth: do we see these effects in our fish populations when using age data (from dozens to thousands)?	Exchange of hard structures or images between readers, age readings of some samples with different methods as well, inten- tion to have at least two special- ists in age determination per species. All parts of the previous column.		Outliers, e.g.: Age and size in pivot table (all specimens): are there outliers, and if there are, rechecking of them.	Raitaniemi, J., Nyberg, K. & Torvi, I. 2000. Age and growth determination of fish (In Finn- ish). Finnish Game and Fisheries Research Institute, Helsinki. pp. 232. Maturity of herring: The Danish manual	New age readers practice with more experienced ones and use suitable quality con- trol meth- ods (column C) before they start routine age determina- tions

Country	MS institute	Individual ⁸	Group ⁹	Age quality scores ¹⁰	QC checks ¹¹	Institute-specific manuals	Quality plan ¹²
France	IFERMER, France	There are 2 readers by spe- cies but for the first reader, he identifies the age a first time during image acquisi- tion and then checks a sec- ond time during image in- terpretation. This process is applied on all calcified pieces	Each year, a blind reading is or- ganized both two readers who are identifie for each species. This excercise takes place once a year with 200 images for each species covering all sampling quarters for each main area (or stock), A report with R script ap- plied on the data are produced,	We will start our work with Smartdots with age quality score soft- ware in 2022 to re- place TNPC	Age Length Key tools are used to control among quarters of the year and with the historic database	The preparation, age estima- tion, data storage and sample storage are described in detail in the following document: Mahé, K., Bellail, R., Dufour, J.L., Boiron-Leroy, A., Diméet, J., Du- hamel, E., Elleboode, R., Félix, J., Grellier, P., Huet, J., Labastie, J., Le Roy, D., Lizaud, O., Manten, M.L., Martin, S., Metral, L., Nédelec, D., Vérin, Y., Badts, V., 2009. French summary of age estimation procedures. http://ar- chimer.ifremer.fr/doc/00000/7 294/	All species have two readers. Quality con- trol check are carried out annually on all spe- cies with two or more readers. New readers have to reach spe- cific targets in terms of % agree- ment before they be- come a pri- mary reader.
Germany	Thünen Insti- tute of Baltic Sea Fisheries (OF), Rostock	not relevant	We aim to have at least 2 read- ers for each species. Regular cal- ibration exercises are carried out between these readers.	Yes. Q2: age is used, Q3: no age is as- signed/no age in- formation is used	databases use stand- ard consistency checks (e.g. outliers); analysis of length-age diagnostics to check consistency of the age-at-length distri- bution, comparison of age distributions with previous surveys, years etc.	We have a manual for herring and sprat, flatfish and cod. Ad- ditionally, we have a manual for our techniques of age read- ing and otolith processing. Chemically age-validated oto- liths from wild Western Baltic cod are available; see McQueen et al. 2018. Age vali- dation of juvenile cod in the Western Baltic Sea. ICES Journal of Marine Science, doi:10.1093/icesjms/fsy175. Krumme et al. 2020. Age valida- tion of age 0-3 wild cod (Gadus morhua) in the western Baltic Sea through mark-recapture	When two age readers for a stock are availa- ble, they control a se- lection of readings from each other regu- larly. If only one age reader is available, the pre- formance is compared to

Country	MS institute	Individual ⁸	Group ⁹	Age quality scores ¹⁰	QC checks ¹¹	Institute-specific manuals	Quality plan ¹²
						and tetracycline marking of oto- liths. Marine Ecology Progress Series 645:141-158, DOI:10.3354/meps13380. An "Age reading guide for West- ern Baltic" was recently com- piled and forwarded to DTU- Aqua in Denmark and SLU in Sweden.	reference material and images from the manu- als.
Germany	Germany Jo- hann Heinrich von Thünen In- stitute (vTI), In- stitute of Sea Fisheries (SF)					WKARNSC 2008 document Sampling manual for commer- cial observers in German	reference collections for most stocks
Green- land	Pinngortitaler- iffik, Greenland Institute of Nat- ural Resources, Greenland		We have 2 readers per species (cod, mackerel, Greenland hali- but and capelin) who carry out self checks twice a year on a set of otoliths. All otoliths where there is disagreement are dis- cussed between readers. We use "Templates for Calculating Ageing Precision" by NOAA	AQ2 readings are used in assesment AQ3 have no age		None, but in progress.	
Greece	HCMR, Institute of Marine Bio- logical Re- sources and In- land Waters, Greece	We have 1 -2 readers per species. Age reading is based on otolith digital im- ages. Readings are con- trolled by age reader coor- dinators with check of age- length key and otolith ra- dius -length relationship for outliers. Unreadable oto- liths are rejected. In some cases we have used daly rings for the identification	We have 1-2 readers per spe- cies.Age reading is based on oto- lith digital images. Readings are controlled by age reader coordi- nators following reccommenda- tions of several workshops. In some cases we have used daly rings for the identification of the first annulus. Moreover, a ma- chine-learning approach has also been developed for the age reading of otoliths.	Yes. AQ3: not used because the oto- liths are unreada- ble. AQ2: readings of the otoliths of this category are conducted by two readers, and if needed by the age reader coordina- tors	First, data are checked for ourliers in our database for the length and the age of each species. Then, based on the age readings, an age- laght key is used for outliers as well the von Bertalanffy model and the R2 of the model.	ICES Workshops, our internal manuals, Carbonara et al., 2019 (HANDBOOK ON FISH AGE DE- TERMINATION a Mediterranean experience) as well any related published information for each species.	We are plan- ning to per- form quality control on a subsample of each spe- cies yearly. Further- more, we are investi- gating the potential

Country	MS institute	Individual ⁸	Group ⁹	Age quality scores ¹⁰	QC checks ¹¹	Institute-specific manuals	Quality plan ¹²
		of the first annulus. Moreo- ver, a machine-learning ap- proach has also been devel- oped for the age reading of otoliths. Furthermore, SmartDots tool was also used in several WKs.	Furthermore, SmartDots tool was also used in several WKs.				automatic otolith read- ing using machine learning for further con- trol.
Greece	Fisheries Re- search Insti- tute, FRI-ELGO, Greece: Eel	Not an Individual Age Reader	The age reading for the Euro- pean Eel is performed by two different operators. External op- erators from Ireland and Swe- den are assisting in the proce- dure since the methodology used is a modification of the Crack and Burn methodology de- scribed in WKAREA.	Yes, the age quality scores (AQ1, AQ2, AQ3) are imple- mented in our la- boratory for rou- tine age reading. The AQ2 otoliths are included in ageing estimations, while the AQ3 oto- liths are excluded.	The age reading for the European Eel is performed by two dif- ferent operators. Ex- ternal operators from Ireland and Sweden are assisting in the procedure since the methodology used is a modification of the Crack and Burn meth- odology described in WKAREA	The age reading for the Euro- pean Eel is performed in accord- ance to: Workshop On Age Reading Of European And American Eel (WKAREA), Bor- deaux, France. 20-24 April, 2009. Workshop On Age Reading Of European And American Eel (WKAREA2), Bordeaux, France 22-24 March 2011.	Yes. (docu- ment not specified)
Greece	Fisheries Re- search Insti- tute, FRI-ELGO, Greece: Small pelagics and Demersal spe- cies	Not an Individual Age Reader	The age reading is performed at least by 2 readers per species. When there is disagreement in age estimation between the two readers, a third reader gets called. More often, those read- ings (that need a third reading) are rejected. Unreadable oto- liths are rejected too. An image photo is taken for every otolith sample. At first, a draft estima- tion is carried out during the shooting while the actual sam- ple is tempered with under light and contrast adjustments. After that, image-based readings oc- cur. Some readers have already	Yes, the age quality scores (AQ1, AQ2, AQ3) are imple- mented in our la- boratory for rou- tine age reading. The AQ2 otoliths are included in ageing estimations, while the AQ3 oto- liths are excluded.	The first QC check is the cross-validation of the estimated age by a second reader for each sample. Af- ter that, data are up- loaded on a local da- tabase and some au- tomatic checks are performed (for exam- ple, an age-at-length test). Afterwards, ad- ditional quality checks are performed with dedicated scripts written in r language.	Carbonara, Pierluigi & Follesa, Maria & Bellodi, Andrea & Bitetto, Isabella & Capoccioni, Fabrizio & Carpentieri, Paolo & Casciaro, Loredana & Cau, Ales- sandro & Colella, Sabrina & Do- nato, Fortunata & Garibaldi, Ful- vio & Lanteri, Luca & Leone, Chi- ara & Ligas, Alessandro & Man- nini, Alessandro & Massaro, An- drea & Mulas, Antonello & Palmisano, Michele & Panfili, Monica & Spedicato, Maria Te- resa. (2019). HANDBOOK ON FISH AGE DETERMINATION a Mediterranean experience /	Yes. (docu- ment not specified)

Country	MS institute	Individual ⁸	Group ⁹	Age quality scores ¹⁰	QC checks ¹¹	Institute-specific manuals	Quality plan ¹²
			used SmartDots for several ex- changes and we are planning to train all readers and ultimately use SmartDots as our tool for age determination in general.			Chub mackerel workshop Final Report (2019).	
Ireland	Marine Insti- tute, Ireland		For every species we have at least 2 age readers and for some we are training a third reader For every sample we collect ei- ther from the commercial, un- wanted catch and survey, 20% of the sample is taken for QC purposes. These inter reader checks can either be on the ac- tual samples but in 2020 we have moved toward using SmartDots for our internal QC process. As well as the 20% of every sample if necessary age readers will review other 'diffi- cult ' otoliths		Screening of all data are carried out before being released for stock assessment pur- poses, this includes, length weight regres- sion checks for outli- ers, generating Age length keys and com- paring against historic ALKs for the same stock.	Manuals for age determination are held for , Haddock, Whiting Plaice, Megrim, Mackerel, Blue whiting. Other manuals are in progress	Yes all spe- cies have two readers, quality con- trol check are carried out on about 20% of all spe- cies. New readers have to reach spe- cific targets in terms of % agree- ment before they be- come a pri- mary read- ers as de- fined by SOP -018 Age Reading Quality Con- trol Quality
Italy	Italy Large Pe- lagics: UNIMAR, Rome Italy	,				Carbonara, P., Follesa M.C. eds. 2018. Handbook on fish age de- termination: a Mediterranean experience. Studies and Re- views n. 98. General Fisheries	

Studio delle

Country	MS institute	Individual ⁸	Group ⁹	Age quality scores ¹⁰	QC checks ¹¹	Institute-specific manuals	Quality plan ¹²
						Commission for the Mediterra- nean. Rome. Pp 197	
Italy	Italy Demersal and small pe- lagic: CNR - National Research Coun- cil – IAMC, Mazara del Vallo, CNR - National Research Coun- cil – IAMC, Capo Gratinola CNR - National Research Coun- cil – IAMC, Messina CNR - National Research Coun- cil – IAMC, Messina CNR - National Research Coun- cil – IAMC, Messina CNR - National Research Coun- cil – ISMAR, An- cona, Department of Life and Envi- ronmental Sci- ences Univer- sity of Cagliari, Cagliari, Italy Centro Interu- niversitario Di Biologia Marina Ed Ecologia Ap- plicata CIBM "G. Bacci", Li- vorno, Italy COISPA - Sta- zione Speri- mentale per lo	YES by validation study at level of lab. For Example: Carbonara et al. 2018 A ho- listic approach to the age validation of Mullus barba- tus L., 1758 in the Southern Adriatic Sea (Central Medi- terranean). Scientific Re- ports volume 8, Article number: 13219.	YES - DCF Italian Age Working Group is ongoing to organize workshop and exchange: For example: Workshop on Age estimation of European anchovy (Engraulis encrasicolus) 19-21 November 2019 Capo Granitola, Italy Moreover for the establish the sample size were used the method implemented in MAREA project (Facchini M.T., Bitetto I., Spedicato M.T. and Ka- vadas S., 2019 Upgrade the methodological framework and tools for sampling optimization, implement and report case studies. Deliverable 3.3 - STREAM project), in ICES 2017 (Report of the Workshop on Op- timization of Biological Sampling at Sample Level WKBIOPTIM, 20- 22 June 2017, Lisbon, Portugal. ICES CM 2017/SSGIEOM:32. 150 pp) and in ICES 2019 (Report of the Workshop on Optimization of Biological Sampling WKBIOP- TIM2, 29–31 May 2018. Nantes, France. ICES CM 2018/EOSG:23. 172 pp).			Carbonara, P., Follesa M.C. eds. 2018. Handbook on fish age de- termination: a Mediterranean experience. Studies and Re- views n. 98. General Fisheries Commission for the Mediterra- nean. Rome. Pp 197	Not yet, DCF Italian Age Working Group start to imple- ment this activity. An- yway in gen- eral at lab levell each hard struc- tur (e.g. oto- lith, spines, vertebra) is read by two readers and the results were evaluted in term of pre- cision.

Country	MS institute	Individual ⁸	Group ⁹	Age quality scores ¹⁰	QC checks ¹¹	Institute-specific manuals	Quality plan ¹²
	Risorse del Mare, Bari Italy. Department of Zoology - Uni- versity of Bari, Bari, Italy						
Italy	Italy European Eel: Laboratory of Experimental Ecology and Aquaculture , Department of Biology, Univer- sity of Rome "Tor Vergata", Italy		Readings were repeated at least three times with a reasonable time lapse by 2 or 3 different op- erators. (Multiple readings of the same operator after 2 or 3 weeks, and multiple readers).			Carbonara, P., Follesa M.C. eds. 2018. Handbook on fish age de- termination: a Mediterranean experience. Studies and Re- views n. 98. General Fisheries Commission for the Mediterra- nean. Rome. Pp 197	
Poland	National Mat- ine Fisheries Research Insti- tute (NMFRI), Poland	We have 1 or 2 age readers per species. Age reading is performed following recom- mendations from relevant workshops. The quality is assured by age reader him- self or crosschecked by the former reader; sporadically at the fish ageing dedicated international WK's.	If age reading is performed by 2 age readers per species, quality is assured by crosscheck - simul- taneously reading by the second reader; sporadically at the fish ageing dedicated international WK's.	Not currently used - under prepara- tion		 Report of the 2nd Workshop on Age Reading of Flounder (WKARFLO),6/4/2013 Manual for the ageing of At- lantic eel, Produced by the par- ticipants of the ICES Workshop on Age Reading for European and American Eel, 2011. ICES Report of the Workshop on Age Reading on Baltic Sprat (WKARBS), ICES CM 2008/ACOM:37. 4) Aps, R., L. Ustinova, B. Gentzen, W. Grygiel, A. Paat, YO., Uder 1992. Guide for the use of Baltic sprat otoliths in fisheries stud- ies. Part I. [w:] Guide for the use of 5) Baltic sprat and herring otoliths in fisheries studies. Fischerei-Forsch., Sonderheft, 	

Country	MS institute	Individual ⁸	Group ⁹	Age quality scores ¹⁰	QC checks ¹¹	Institute-specific manuals	Quality plan ¹²
						Wissen. Zeit. des IfH Rostock- Marienehe: 3-17; part I.	
Portugal	Portuguese In- stitute for Sea and Atmos- phere, I. P. (IPMA)	Atlantic horse mackerel: In- dividual reader for HOM,Age reading is per- formed following instruc- tions in relevant manuals and recommendations from relevant workshops. The quality is assured by age reader himself. Blackspot sea bream: One individual reader. Age readings are performed following the recommendations from WKAMDEEP 2.	Exchange of hard structures or images between readers. Two specialist age readers per spe- cies in most species. Periodic in- ternal age calibration exercises.	American plaice and cod: age qual- ity scores not im- plement; AQ2 is normally accepted - AQ3 rejected. Blue whiting the AQ scores classifi- cation have been implemented. The age readings from the otoliths assign as AQ3 are not considered for the construction of the ALKs to be applied to the stock assess- ment data. Black- spot sea bream: The AQ scores class- sification has been implemented;, fol- lowing the recom- mendations from WKAMDEEP 2.		Preparation protocols of differ- ent calcified structures for age estimation are described in de- tail in the following document (in Portuguese): FARIAS, I.; SOA- RES, E.; MORENO, A.; FERREIRA, A.L.; SILVA, A.; SERRA-PEREIRA, B.; DINIS, D.; MORAIS, D.; SILVA, D.; SANTOS, E.; MENESES, I.; FERREIRA, M.J.; LAGARTO, N.; GONÇALVES, P.; ALPOIM, R.; DORES, S.; GARRIDO, S.; MOURA, T.; AZEVEDO, M.M.; FIGUEIREDO, I., 2018. O La- boratório de Esclerocronologia e os Estudos de Idade e Cresci- mento dos Recursos da Pesca. Relat. Cient. Téc. IPMA, nº 22 51 pp.	No Quality Plan. Quality control checks be- tween read- ers are car- ried out pe- riodically on assesment species. For blue whit- ing, during the anual in- ternal age calibration exercise the precision on age classifi- cations is determined.
Portugal	University of the Azores / Department of Oceanography and Fisheries, Portugal						
Spain	Spain: Instituto Español de	We have 1 reader per spe- cies doing two separate	Not applicable	Not implemented.	Not applicable	The preparation, age estima- tion, data storage and sample	No

ICES

Country	MS institute	Individual ⁸	Group ⁹	Age quality scores ¹⁰	QC checks ¹¹	Institute-specific manuals	Quality plan ¹²
	Oceanografía, C.O. of Malaga, Murcia and Ba- leares - Medi- terranean area.	readings and if they do not match they are discarded. Then the readings are checked by age reader co- ordinators with the age- length for outliers. Then as- sociated otoliths are checked again and dis- carded.		SCORES		storage are described in detail inin several documents and de- posited in the IEO repository. • Applying a sampling protocol for each species where the methodologies used in sam- pling, the storage and pro- cessing of data, and the pro- cessing and observation of skel- etal parts (EP) for the allocation of age are described.: (http://www.reposito- rio.ieo.es/e-ieo/han- dle/10508/1755; http://www.reposito- rio.ieo.es/e-ieo/han- dle/10508/10536; (http://www.reposito- rio.ieo.es/e-ieo/han- dle/10508/10536; http://www.reposito- rio.ieo.es/e-ieo/han- dle/10508/10536; http://www.reposito- rio.ieo.es/e-ieo/han- dle/10508/10536; http://www.reposito- rio.ieo.es/e-ieo/han- dle/10508/10536;). • Standardization of the com- mon criteria in assigning age of each species, in order to im- prove the accuracy in readings: (http://www.reposito- rio.ieo.es/e-ieo/han- dle/10508/10162.	plan ¹²
						http://www.reposito- rio.ieo.es/e-ieo/han- dle/10508/11122;	

Country	MS institute	Individual ⁸	Group ⁹	Age quality scores ¹⁰	QC checks ¹¹	Institute-specific manuals	Quality plan ¹²
						http://www.reposito- rio.ieo.es/e-ieo/han- dle/10508/10176; http://www.reposito- rio.ieo.es/e-ieo/han- dle/10508/10177; http://www.reposito- rio.ieo.es/e-ieo/han- dle/10508/10163; http://www.reposito- rio.ieo.es/e-ieo/han- dle/10508/10178) Manual: FAO. 2002. Report of the sardine (Sardina pilchardus) otolith workshop. Kaliningrad, Russian Federation, 28–31 Au- gust 2001. Rome. 49 pp.	
Spain	AZTI	Individual reader for the case of COD, HOM and grenadier (up to 2009). No internal quality control.	2 readers for: ANE-PIL-MAC- MEG-ELE. Discrepancies are dis- cussed for a final agreeded age.	Not implemented.	Age–length relation- ship	Not internal manuals, readings based on: Age reading exchange of otolith images 2018 report (SmartDots event 160) (MEG); Report of cod otolith exchange, 1999; WKARA2 2016 (ANE); WKARHOM 2018 (HOM); WKARMAC2 2018 (HAC); WKARAS2 2019 (PIL); WKAREA3 2019, SUDOANG 2019 (EEL)	No
Spain	Instituto Espa- ñol de Oceano- grafía (IEO), Centro Ocean- ográfico de Santander, Coruña, Vigo y Cádiz. ICES area and Long Dis- tance areas// //		In general, the age estimation of all species are made by two readers, or for some species by a single experienced reader. In this case, the reader performs two separate readings. In any case, the final age will be ac- cepted when both readings coin- cide. In the case of discrepancy, a third age reading is made.	AQ2. Otoliths that are difficult to read, whose inter- pretation is doubt- ful on a 1st reading and that must be examined again. If the estimated age in the 2^{nd} reading is the same as in the		The preparation, age estima- tion, data storage and sample storage are described in detail inin several documents and de- posited in the IEO repository. • Applying a sampling protocol for each species where the methodologies used in sam- pling, the storage and pro- cessing of data, and the	Yes, we do periodically intercalibra- tion exer- cises be- tween read- ers. So far we have used the Eltink sheet,

Country	MS institute	Individual ⁸	Group ⁹	Age quality scores ¹⁰	QC checks ¹¹	Institute-specific manuals	Quality plan ¹²
	Centro Ocean- ográfico de Ca- narias and Ca- diz CECAF area		Those otoliths that are unreada- ble are rejected. In addition to the age estimation, the reader assigns a value for the quality of the reading done in accordance with the "3 point classification system" recommended by WKNARC-1 and WKNARC-2 (ICES, 2011a; 2013a).	1st, this age is as- signed as the final age of the individ- ual. If doubts per- sist between the two ages, it is read a 3rd time, assign- ing the most fre- quent age of the three or leaving the age with two values (e.g. 5/4). With regard to the elaboration of the length-age keys, these otoliths whose interpreta- tion presents doubts between two ages, are as- signed as belong- ing to the age that presents a certain greater confidence (which is the value located in the first place of the two, ex. 5 for age 5/4);• AQ3. Otoliths whose interpreta- tion is practically impossible or very difficult, with doubts between 3		processing and observation of skeletal parts (EP) for the alloca- tion of age are described: (http://www.reposito- rio.ieo.es/e-ieo/han- dle/10508/1755; http:// www.repositorio.ieo.es/e- ieo/handle/10508/1755; http:// www.repositorio.ieo.es/e- ieo/handle/10508/10536; http:// www.reposito- rio.ieo.es/e-ieo/han- dle/10508/9858; http:// www.repositorio.ieo.es/e- ieo/handle/10508/9859; http:// www.repositorio.ieo.es/e- ieo/handle/10508/9859; http:// www.repositorio.ieo.es/e- ieo/handle/10508/9864) • Standardization of the com- mon criteria in assigning age of each species, in order to im- prove the accuracy in readings: (http://www.reposito- rio.ieo.es/e-ieo/han- dle/10508/12528; http:// www.repositorio.ieo.es/e- ieo/handle/10508/12529; http:// www.reposito- rio.ieo.es/e-ieo/han- dle/10508/1122; http://www.reposito- rio.ieo.es/e-ieo/han- dle/10508/12530; http:// www.repositorio.ieo.es/e- ieo/handle/10508/12530; http:// www.repositorio.ieo.es/e- ieo/handle/10508/12530; http:// www.repositorio.ieo.es/e- ieo/handle/10508/12530; http://	2001. From this year we will use the SmartDots
				ages or more.		http://www.reposito-	
				I nese otoliths are excluded from fur-		rio.ieo.es/e-ieo/han- die/10508/12532	
				ther analysis.		http://www.reposito-	
				,		rio.ieo.es/e-ieo/han- dle/10508/12533)	

Country	MS institute	Individual ⁸	Group ⁹	Age quality scores ¹⁰	QC checks ¹¹	Institute-specific manuals	Quality plan ¹²
						Manual: FAO. 2002. Report of the sardine (Sardina pilchardus) otolith workshop. Kaliningrad, Russian Federation, 28–31 Au- gust 2001. Rome. 49 pp.	
Sweden	Swedish Uni- versity of Agri- cultural Sci- ences, Department of Aquatic Re- sources, Insti- tute of Coastal Research		Exchange of hard structures be- tween readers, two specialists in age determination per spe- cies.			Manuals for most species are available (in Swedish and/or English) decribing sampling, preparation and age analysis. Routines and manuals for data storage and archives for otoliths are also available.	All species have at least two readers. Quality con- trol check are carried out annually on asses- ment spe- cies and every other year on other spe- cies. New readers have to reach spe- cific targets in terms of % agree- ment before they be- come a pri- mary reader.
Sweden	Swedish Uni- versity of Agri- cultural Sci- ence, Depart- ment of Aquatic Re- sources,		Exchange between readers. Aim- ing for two experts in age deter- mination per species, but is not there yet for every species.Com- mon documents with comments for each lake/river/sea area and species, and these are updated after every age determination of			Manual for preparation and age determination: ""Metodhand- bok för åldersbestämning av fisk". Age estimation: Shearer. 1992. Atlantic salmon scale reading. Report of the Atlantic salmon scale reading workshop. Internal documents.	Most spe- cies have at least two age readers. Intercalibra- tion anually for eel, and salmon.

Country	MS institute	Individual ⁸	Group ⁹	Age quality scores ¹⁰	QC checks ¹¹	Institute-specific manuals	Quality plan ¹²
	Institute of Freshwater Re- search		samples from that lake/river/sea area.			Data storage: Database (access). Internal document / guide about how to input data.	Intercalibra- tion for other spe- cies every two or three years. New readers have to reach spe- cific targets in terms of % agree- ment before they be- come a pri- mary reader.
Sweden	Swedish Uni- versity of Agri- cultural Sci- ences, Depart- ment of Aquatic Re- sources, Insti- tute of Marine Research		An internal quality control pro- gram is in place (manual in Swe- dish) with the main objectives of evaluating how consistent the age readers are and to identify any problems that may affect the accuracy of data delivered.			Manuals for most species are available (in Swedish and/or English) decribing sampling, preparation and age analysis. Routines and manuals for data storage and archives for otoliths are also available.	Almost all species have two readers. Quality con- trol check are carried out annually on all spe- cies with two or more readers. New readers have to reach spe- cific targets in terms of % agree- ment before they be- come a pri- mary reader.

Country	MS institute	Individual ⁸	Group ⁹	Age quality scores ¹⁰	QC checks ¹¹	Institute-specific manuals	Quality plan ¹²
UK (Eng- land)	UK (England) Cefas	Follow manuals and record confidence in reading age.	We have at least two readers for each species , approximately 20 readers. Qc is carried out for each reader every year and we are UKAS accredited.	All reader are qual- ity checked by an- other experience reaer in their stock. A random sample of 150 otoliths from that years sample, quarter 2 - 3 are chosen and reread blind by an- other expert reader. Any read- ers that fall under the required agreemet are in- vestigated and sup- ported to under- stand the root cause of the agree- ment rate.		Many documents stored in doc- uments database. We have a manual for every species. We also have a manual for our techniques of age reading and otolith processing. We will also be creating age reading manuals for our tropical species	Yes (docu- ment not specified)
UK (Scot- land)	Scotland Ma- rine Science Scotland	use	We use only hard otoliths for QC and where possible we have 2 readers per species. A sample of approximately 70 otoliths per species/per month . These are taken from market collection samples and are read blind by each reader. Analysis is done using R script and a report is is- sued for each quarter of the year. For species with a single reader where posible we collab- orate with other institues.			We hold manuals for herring, mackerel, anglerfish megrim and our 4 main gadiods; cod, haddock, whiting and saithe. Also in house training documen- tation on collection, preparation and analysis. We also hold a ref- erence collection for our gadoid species.	Readers are expected to maintain a specific per- centage agreement for each species. Feedback from the quarterly re- ports ideni- fies if there is issues.
Malta	Agriculture and						

Fisheries

Country	MS institute	Individual ⁸	Group ⁹	Age quality scores ¹⁰	QC checks ¹¹	Institute-specific manuals	Quality plan ¹²
Slovenia	Fisheries Re- search Institute of Slovenia (FRIS), Slovenia						
Norway	Institute of Ma- rine Research, Bergen, Nor- way		All species are age-read by sev- eral readers, varying from 3-12 readers per species. At the IMR internal age-readings are con- ducted annual or biannual. All readers of the species are partic- ipating at these events. For these age-readings at least 150 indiviudal from the same year over several season are read by all readers and results are com- pared.	No		Gjøsæter, H. 1999. Procedure for selection and preparation of age material of pelagic fish. Gjøsæter, H. 1999. Procedure for age determination of Mallo- tus villosus. Gjøsæter, H. 1999. Procedure for age determination of Clupea harengus. Gjøsæter, H. 1999. Procedure for age determination of Bore- ogadus saida. Gjøsæter, H. 2000. Procedure for age determination of Mi- cromesistius poutassou. Gjøsæter, H. 2000. Procedure for age determination of Scomber scombrus and Tra-chu- rus trachurus. Mjanger, H., Nedreaas, K., Sen- neset, H. and Ågotnes, P. 2000. Procedure for age de-termina- tion of Gadus morhua, Melano- grammus aeglefinus and Pol- lachius virens (in Norwegian).	Gjøsæter, H. and Nedre- aas, K. 1999. Procedure for quality assurance of age determi- nation of fish. Høie. H. 2009. Proce- dure for quality as- surance of age determi- nation of Gadus morhua, Melano- grammus aeglefinus and Pol- lachius vi- rens at the Institute of Marine Re- search (in Norwegian).
lreland, UK	Agri-Food & Bi- osciences Insti- tute, Belfast,		There are two readers for most species. We plan to implement a quality system in the next year that will use otolith images and a quality manual. A first 'blind'			Sampling at sea aboard RV Corystes: pelagic fish, demersal fish, Nephrops, Scallops Sampling Nephrops & discards from commercial vessels	

Country	MS institute	Individual ⁸	Group ⁹	Age quality scores ¹⁰	QC checks ¹¹	Institute-specific manuals	Quality plan ¹²
	Northern Ire- land, UK		reading with only information on area and date of capture is made . The biological data are then revealed and doubtful ages are checked. If the number of ages that need to be corrected exceeds 2-10 per 100 (depend- ing on species), the whole sam- ple is re-read. Portions of some samples are also re-read at a later date.			The production of slide mounted pelagic fish otoliths for fish ageing Age determination of Irish Sea demersal fish Age determination of Scallops Age determination of Scallops Age determination of Irish Sea herring Otolin System for the Embed- ding Sectioning and Slide Mounting of Demersal Fish Oto- liths. Sampling the N. Ireland landings of demersal fish Scale Reading: Salmonids. Freshwater Fish Processing Age Assessment of Coarse Fish by Scale Reading Ageing of Coarse Fish by Bone Reading	
Iceland	The Marine and Freshwater Re- search Institute (MFRI), Iceland		Yes we have an internal quality control – 1 times pr. year and use the Eltink spreadsheet.				We have quality man- agement on local Quality handbook.
Latvia	Institute of Food Safety, Animal Health and Environ- ment "BIOR", Latvia					We have started to prepare written procedures for age esti- mation for all the species for which we determine the age.	
Lithuania	Klaipeda Uni- versity Marine Research Insti- tute, Lithuania	We have 1 age reader per species. Age reading is per- formed following instruc- tions in relevant manuals and recommendations from		Not everyone is us- ing this scale. AQ2 types take more time to evaluate.	We do the age- length key check for illogical imputs and/or typos		

Country	MS institute	Individual ⁸	Group ⁹	Age quality scores ¹⁰	QC checks ¹¹	Institute-specific manuals	Quality plan ¹²
		relevant workshops. The quality is assured by age reader himself		counted at all, be- cause it's unreada- ble.			
Nether- lands	Wageningen Marine Re- search, the Netherlands		Yes. We aim to have at least 2 read- ers for each species. Regular calibration exercises are carried out between these read- ers. At the moment we are car- rying out software development to be able to do yearly routine checks applying SmartDots@WMR, for each spe- cies at least three testsets which shall be (randomly) rotated among years.	Registering age readings in SmartDots@WMR is coupled to WMR databases. The AQ code is mandatory to be entered when reading the age sample. The AQ codes are de- fined as follows: AQ1 = Rings can be counted with cer- tainty - age is as- signed AQ2 = Rings can be counted with diffi- culty and some doubt - age is as- signed AQ3 = Rings cannot be counted, the calcified structure is considered un- readable - points and age are re- moved so that age is not registered in the database, no age is assigned	Routine checks have been developed for internal data control. Data are checked ac- cording to these con- trols, and if there are issues, the people re- sponsible for the par- ticular sampling are contacted and asked to check and if needed correct the data. The checked and cor- rected data are im- ported into the na- tional database at WMR. From that da- tabase, extractions are made for import primarily to DATRAS, usually after the com- pletion of large sur- veys or combinations of surveys within the same season. In case problems with data are discovered, people responsible for data quality see to that routines for data validation and re-im- port according to in- ternal protocols are followed, on a more or less continuous	Fish ageing: Bolle, L.J. et al. (2020) Hand- boek leeftijdsbepalingen (versie 3.0). CVO rapport 20.012. 119 pp. Fish sampling: van Damme, C. et al. (2021) CVO Handboek en protocollen voor bestandsopnamen en rou- tinematige bemonsteringen op zee en in estuaria (Versie 15) CVO rapport 21.008. 294 pp.	Yes. The Centre for Fisheries Re- search (CVO), an or- ganization stucture formed within but being inde- pendent of WMR, are responsible for carrying out data col- lection on commission by the gov- ernment. CVO has an ISO 9001:2015 certified quality man- agement system (cer- tificate num- ber: 268632- 2018-AQ- NLD-RvA). Quality manage- ment and quality plans, de- scribing

bais. quality con- (See also reply to tor l and re question "If Quality sponsibilities Management is Car- ried Qut in Accord- in the data and with a Quality collection Plan".) ment, are described in the follow- ing internal documents. Ageing: Boile, L.1. et J.2002 Handbook Handbook (versie 3.0). CVCr apport 2.012113 pp. Data Collection palingen (versie 3.0). CVCr apport 2.012113 pp. Data collection (versie 3.0). CVCr apport 2.012113 pp. Data collection (versie 3.0). CVCr apport 2.012113 pp. Data collection (versie 3.0). CVCr apport 2.012113 pp. Data collection (versie 3.0). CVCr apport 2.012113 pp. Data collection (versie 3.012113 pp. Data collection (versie 3.013 pp. Data collection (versie 3.013 pp. Data collection (versie 1.013 p	Country	MS institute	Individual ⁸	Group ⁹	Age quality scores ¹⁰	QC checks ¹¹	Institute-specific manuals	Quality plan ¹²
aria (Versie						basis. (See also reply to question "If Quality Management is Car- ried Out in Accord- ance with a Quality Plan".)		quality con- trol and re- sponsibilities at each step in the data collection and data manage- ment, are described in the follow- ing internal documents. Ageing: Bolle, LJ. et al. (2020) Handboek leeftijdsbe- palingen (versie 3.0). CVO rapport 20.012. 119 pp. Data collec- tion (sur- veys): van Damme, C. et al. (2021) CVO Handboek en protocol- len voor bestand- sopnamen en routine- matige be- monster- ingen op zee en in estu- aria (Versie

Country	MS institute	Individual ⁸	Group ⁹	Age quality scores ¹⁰	QC checks ¹¹	Institute-specific manuals	Quality plan ¹²
							15) CVO rap- port 21.008. 294 pp. General quality man- agement: CVO. (2020) Kwaliteit- shandboek CVO (versie 11), docu- ment num- mer 2.17.2.001. 33 pp.
Romania	National Insti- tute for Marine Research and Development "Grigore An- tipa", Con- stanta, Roma- nia					Scales: preparation & reading Otoliths (whole and sectioned): preparation & reading//Car- bonara, P., Follesa M.C. eds. 2018. Handbook on fish age de- termination: a Mediterranean experience. Studies and Re- views n. 98. General Fisheries Commission for the Mediterra- nean. Rome. Pp 197	not yet
Sweden	Swedish Uni- versity of Agri- cultural Sci- ences, Department of Aquatic Re- sources, Insti- tute of Coastal Research		Exchange of hard structures be- tween readers, two specialists in age determination per spe- cies.			Sampling - Internationally as- sessed species, Non internation- ally assessed species, Coastal sampling as part of the national and regional monitoring pro- grammes. Preparation and age estimation: Eel - otoliths mounted, ground, stained; Eelpout - otoliths mounted & Ground; Flounder, Herring and Turbot - Sectioned otoliths stained & mounted on	All species have at least two readers. Quality con- trol check are carried out annually on asses- ment spe- cies and every other year on

Country	MS institute	Individual ⁸	Group ⁹	Age quality scores ¹⁰	QC checks ¹¹	Institute-specific manuals	Quality plan ¹²
						custom microscope slides; Perch, Pikeperch, Vendace and Whitefish otoliths - burned & broken; Perch - operculum bone whole, Pike - wing bone whole.	other spe- cies. New readers have to reach spe- cific targets in terms of % agree- ment before they be- come a pri- mary reader.
Green- land	Pinngortitaler- iffik, Greenland Institute of Nat- ural Resources, Greenland		We have 2 readers per species (cod, mackerel and capelin) who carry out self checks twice a year on a set of otoliths. All oto- liths where there is disagree- ment are discussed between readers. We use "Templates for Calculating Ageing Precision" by NOAA			None, but in progress.	
Russia	Atlantic Re- search Institute of Fisheries and Oceanography (AtlantNIRO), Russia	Separate readings by two persons				1) Report of the sardine (Sar- dine pilchardus) otolith work- shop. FAO Fisheries Report No. 685. 2) Age Reading Manual of blue whiting. ICES (2005). Re- port of the Blue Whiting Otolith Ageing Workshop. 3) Kud- erskaya R., 2007, On the Age Determinination Method for Younger Age Groups of West Af- rican Horse Mackerel (Trachu- rus trecae) from the Central Eastern Atlantic. 4) Kuderskaya R., 2007, Peculiarities of the An- nual Growth Rings Formation in Otoliths of the Younger Age	

Country	MS institute	Individual ⁸	Group ⁹	Age quality scores ¹⁰	QC checks ¹¹	Institute-specific manuals	Quality plan ¹²
						Groups of Eastern Mackerel (Scomber japonicus) in the Ca- nary Upwelling Area. 5) Kud- erskaya R., 2004, Age determi- nation of horse mackerel Tra- churus trachurus Linnarus in the Central Eastern Atlantic.	
Russia	PINRO (Polar Branch of the Russian Federal Research Insti- tute of Fisher- ies and Ocean- ography), Mur- mansk, Russia					1) Mankevich EM. 1966. Meth- ods of taking and reading the age samples of cod. Materialy rybokhozjaistvennikh issledo- vanij Severnogo basseina, Mur- mansk 7:53-56 (in Russian). 2) Yaragina NA, Nedreaas KH, Ko- loskova VP, Mjanger H, Sen- neset H, Zuykova NV Ågotnes P. 2009. Fifteen years of annual Norwegian–Russian cod com- parative age readings. Marine Biology Research 5: 54-65. 3) Prokhorova T.A. 2010. Features of winter ring formation on oto- liths of the Atlanto-Scandian (Norwegian Spring-Spawning) herring (Clupea harengus ha- rengus L.). Rybnoe Khoziaystvo N⊵ 2: 52-56 (in russian)	

Annex 5-Table 3. (Part	Quality status o	f age reading at institutes.	Part 2: Evaluation of Internal Qualit	v Management.
------------------------	------------------------------------	------------------------------	---------------------------------------	---------------

Country	MS institute	Satisfaction ¹³	Challenges ¹⁴	Improvements ¹⁵	Ongoing validation or methodological studies in your lab ¹⁶
Belgium	ILVO, Belgium	2			None
Cyprus	Department of Fisheries and Marine Re- search (DFMR), Cyprus	Our level of satisfaction is 1, since we consider there is much room for improvement. We consider there should be at least 2 age readers in- volved per species, and we have not yet started using the benefits of SmartDots on quality evaluation.	Lack of human resources for age reading has been the biggest challenge so far.	By increasing the personnel (and/or time) involved in age reading.	None
Denmark	DTU Aqua, Denmark	2. There is room for improve- ment because it is often diffi- cult for the readers to find the time to read the QC samples. We have readers in 2 differ- ent locations so it can be diffi- cult to check across labs when using physical samples. we also only have 1 lab with a sectioning machine. In 2022 we will have our own internal version of SmartDots and an associated otolith database.	First, time constraints and second, implementing the best methods for reading	With an internal version of SmartDots that we will adapt to our QA and data needs. This will also help us to organ- ize our collection of otolith images and associated data. We will implement scripts for our own reporting needs.	 A study comparing the sectioned and broken method for age reading cod https://smartdots.ices.dk/ViewEvent?key=269 and https://smartdots.ices.dk/ViewEvent?key=270 We have changed to the sectioned method for the western Baltic cod and hope to implement this for the Kattegat and North Sea stocks in future. Hüssy, K., Casini, M., Haase, S., Hilvarsson, A., Horbowy, J., Krüger-Johnsen, M., Krumme, U., Limburg, K. E., McQueen, K., Mion, M., Olesen, H. J., & Radtke, K. (2020b). Tagging Baltic Cod – TABACOD. Eastern Baltic cod: Solving the ageing and stock assess- ment problems with combined state-of-the-art tagging methods. DTU Aqua Report no. 368-2020. National Institute of Aquatic Re- sources, Technical University of Denmark. 64 pp. ISBN:978-87- 7481-290-6. We are co-chairing a NorthSea plaice workshop (un- der WGBIOP) with the aim to define reader guidelines for identifi- cation of the first wr and argreement on the best reading method.

¹³ Please indicate your level of satisfaction with your Internal Quality Management and reasons for this. 1=not satisfied, much room for improvement; 2=satisfied but some room for improvement; 3=satisfied.

¹⁴ What are the biggest challenges you have with your Internal Quality Management?

¹⁵ How do you think you could improve your Internal Quality Management?

¹⁶ Please provide any information on ongoing validation or method comparison studies in your lab.

Country	MS institute	Satisfaction ¹³	Challenges ¹⁴	Improvements ¹⁵	Ongoing validation or methodological studies in your lab ¹⁶
Estonia	Estonian Ma- rine institute, University of Tartu	2	Develop internal age reading manuals. Moving towards having two ex- perts for all species.	Develop internal age reading manuals. Moving towards having two experts for all spcecies.	None
Faroe Is- lands	Faroe Marine Research Insti- tute (FaMRI), Tórshavn, Faroe Islands				
Finland	Natural Re- sources Insti- tute Finland (Luke)	2	Passing knowledge and skills when the readers change, new fish species or populations		Continuous comparisons of bones and otoliths of perch (e.g 100 specimens), continuous comparisons of scales and otoliths of zander and whitefish (Coregonus), calibration of herring age read- ings between Luke (FI) and SLU (Swe).
France	IFERMER, France	2=satisfied but some room for improvement			some studies on the daily increment and on the marginal incre- ment analyses are realized
Germany	Thünen Insti- tute of Baltic Sea Fisheries (OF), Rostock	2 Once the ageing of flatfish is validated, the internal and in- ternational readers' perfor- mance can be properly as- sessed. Traditional ageing of Eastern Baltic cod is still a challenge.	At present there are no big challenges for internal quality management.	Age validated material from flatfish and Eastern Baltic cod	validation of ring pattern formation on Eastern Baltic cod; age val- idation of Baltic plaice, flounder, turbot and dab
Germany	Germany Jo- hann Heinrich von Thünen In- stitute (vTI), In- stitute of Sea Fisheries (SF)				
Green- land	Pinngortitaler- iffik, Greenland Institute of	2	lack of experience	courses for age readers	

Country	MS institute	Satisfaction ¹³	Challenges ¹⁴	Improvements ¹⁵	Ongoing validation or methodological studies in your lab ¹⁶
	Natural Re- sources, Green- land				
Greece	HCMR, Institute of Marine Bio- logical Re- sources and In- land Waters, Greece	2	we are investigating the potential automatic oto- lith reading using ma- chine learning for further control	We are planning to perform quality control on a subsam- ple of each species yearly. Furthermore, we are investi- gating the potential auto- matic otolith reading using machine learning for further control. Train more staff on various technics	daily rings have been used for the validation of the first annulus for some species and machine-learning approach has been devel- oped for some species
Greece	Fisheries Re- search Insti- tute, FRI-ELGO, Greece: Eel	2=satisfied but some room for improvement, due to the complex life history of the species, it is quite challenging to perform age determination and to apply certain proto- cols.			
Greece	Fisheries Re- search Insti- tute, FRI-ELGO, Greece: Small pelagics and Demersal spe- cies	2=satisfied but some room for improvement A number of QC checks are performed, though, we would like to establish a more speci- fied plan.	The lack of protocols and validation studies speci- fied for the Mediterra- nean stocks (since there are a lot of differences with the Atlantic ones), and the lack of human re- sources.	Run validation studies, enrich staff.	There are no ongoing studies at the moment.
Ireland	Marine Insti- tute, Ireland	3	As we move over to SmartDots for more train- ing and internal QC we have to update our SOPS and this is work in pro- gress We are also critically looking at the % agree- ment thresholds for the		None

Country	MS institute	Satisfaction ¹³	Challenges ¹⁴	Improvements ¹⁵	Ongoing validation or methodological studies in your lab ¹⁶
			different stocks to decide which is the best level to have as an internal flag to indicate if there is an is- sues with our ageing be- tween readers		
Italy	Italy Large Pe- lagics: UNIMAR, Rome Italy				
Italy	Italy Demersal and small pe- lagic: CNR - National Research Coun- cil – IAMC, Mazara del Vallo, CNR - National Research Coun- cil – IAMC, Capo Gratinola CNR - National Research Coun- cil – IAMC, Messina CNR - National Research Coun- cil – ISMAR, An- cona, Department of Life and Envi- ronmental Sci- ences Univer- sity of Cagliari, Cagliari, Italy Centro Interu- niversitario Di Biologia Marina	1	There are several Insti- tute/readers involved in the fish age analysis and it is difficult to harmonize the age scheme, age cri- teria, preparation meth- ods	Organization of workshop on the species and/or group of species at level of Italian Na- tional Coordinator	Carbonara et al. 2018 A holistic approach to the age validation of Mullus barbatus L., 1758 in the Southern Adriatic Sea (Central Mediterranean). Scientific Reports vol. 8, Article number: 13219. Basilone et al. 2020. First annulus formation in the European an- chovy; a two-stage approach for robust validation. Scientific Re- ports vol. 10 Article number: 1079.

Country	MS institute	Satisfaction ¹³	Challenges ¹⁴	Improvements ¹⁵	Ongoing validation or methodological studies in your lab ¹⁶
	Ed Ecologia Ap- plicata CIBM "G. Bacci", Li- vorno, Italy COISPA - Sta- zione Speri- mentale per lo Studio delle Ri- sorse del Mare, Bari Italy. Department of Zoology - Uni- versity of Bari, Bari, Italy				
Italy	Italy European Eel: Laboratory of Experimental Ecology and Aquaculture , Department of Biology, Univer- sity of Rome "Tor Vergata", Italy				
Poland	National Mat- ine Fisheries Research Insti- tute (NMFRI), Poland	2	Lack of the second reader for some species.	Training new readers.	
Portugal	Portuguese In- stitute for Sea and Atmos- phere, I. P. (IPMA)				Engraulis encrasicolus, European anchovy (daily rings); Sardina pil- chardus, sardine (daily rings); Micromesistius poutassou, blue whiting (otolith morphometric relationships); Scomber colias, At- lantic chub mackerel (edge type analysis, coorte analysis); Scomber scombrus, Atlantic mackerel (edge type analysis, mar- ginal increment analysis)

Country	MS institute	Satisfaction ¹³	Challenges ¹⁴	Improvements ¹⁵	Ongoing validation or methodological studies in your lab ¹⁶
Portugal	University of the Azores / Department of Oceanography and Fisheries, Portugal				
Spain	Spain: Instituto Español de Oceanografía, C.O. of Malaga, Murcia and Ba- leares - Medi- terranean area.	1-	Not enough staff working on age readings		No
Spain	AZTI	2. Monitoring of agreement percentaje through time	Developing internal age reading manuals.	Developing internal age read- ing manuals.	None.
Spain	Instituto Espa- ñol de Oceano- grafía (IEO), Centro Ocean- ográfico de Santander, Coruña, Vigo y Cádiz. ICES area and Long Dis- tance areas// // Centro Ocean- ográfico de Ca- narias and Ca- diz CECAF area	2			Daily increment studies and analyses of the marginal increment.
Sweden	Swedish Uni- versity of Agri- cultural Sci- ences, Department of Aquatic Re- sources,				

Country	MS institute	Satisfaction ¹³	Challenges ¹⁴	Improvements ¹⁵	Ongoing validation or methodological studies in your lab ¹⁶
	Institute of Coastal Re- search				
Sweden	Swedish Uni- versity of Agri- cultural Sci- ence, Depart- ment of Aquatic Re- sources, Insti- tute of Fresh- water Research				
Sweden	Swedish Uni- versity of Agri- cultural Sci- ences, Depart- ment of Aquatic Re- sources, Insti- tute of Marine Research				
UK (Eng- land)	UK (England) Cefas				
UK (Scot- land)	Scotland Ma- rine Science Scotland	Satisfaction = 3	Time issues: Our readers have many other tasks as- sociated with data collec- tion therefore getting the quartrly internal ex- changes completed in a timely fashion and re- ports produced is always cahllenging. Losing expe- rienced readers who are difficult to replace.		

Country	MS institute	Satisfaction ¹³	Challenges ¹⁴	Improvements ¹⁵	Ongoing validation or methodological studies in your lab ¹⁶
Malta	Agriculture and Fisheries Regu- lation Division, Malta				
Slovenia	Fisheries Re- search Institute of Slovenia (FRIS), Slovenia				
Norway	Institute of Ma- rine Research, Bergen, Nor- way	3	Differences between ex- perienced and new read- ers		No studies planned
Ireland, UK	Agri-Food & Bi- osciences Insti- tute, Belfast, Northern Ire- land, UK				
Iceland	The Marine and Freshwater Re- search Institute (MFRI), Iceland				
Latvia	Institute of Food Safety, Animal Health and Environ- ment "BIOR", Latvia				
Lithuania	Klaipeda Uni- versity Marine Research Insti- tute, Lithuania	3	So far so good		

Country	MS institute	Satisfaction ¹³	Challenges ¹⁴	Improvements ¹⁵	Ongoing validation or methodological studies in your lab ¹⁶
Nether- lands	Wageningen Marine Re- search, the Netherlands	3	The biggest challenge is to allow enough re- sources (time, money) for personnel involved in data collection to take part in Internal Quality Management.	By following the age reading handbook (Bolle et al. 2020) as well as recommendations coming from for example ICES Working Groups, and taking new issues and findings into account to improve data qual- ity. It is often when data are used in specific studies that new questions arise, or problems with data quality are noticed. Providing channels for feed- back, to check data and if rel- evant to improve methods etc., is essential.	None at present, except for freshwater fish species. For pikeperch (Sander lucioperca) and bream (Abramis brama), pilot projects are ongoing, also in collaboration with institutes abroad, e.g. SLU- Aqua, to compare age readings using traditional methods (scales) with otoliths.
Romania	National Insti- tute for Marine Research and Development "Grigore An- tipa", Con- stanta, Roma- nia				
Sweden	Swedish Uni- versity of Agri- cultural Sci- ences, Department of Aquatic Re- sources, Insti- tute of Coastal Research				
Green- land	Pinngortitaler- iffik, Greenland Institute of				

Country	MS institute	Satisfaction ¹³	Challenges ¹⁴	Improvements ¹⁵	Ongoing validation or methodological studies in your lab ¹⁶
	Natural Re- sources, Green- land				
Russia	Atlantic Re- search Institute of Fisheries and Oceanography (AtlantNIRO), Russia				
Russia	PINRO (Polar Branch of the Russian Federal Research Insti- tute of Fisher- ies and Ocean- ography), Mur- mansk, Russia				

Country	MS institute	Individual ¹⁸	Group ¹⁹	QC checks ²⁰	Grading system ²¹	Institute-specific manuals	Quality plan ²²
Spain	IEO-Project BI- ODEMER //Macro- scopic maturity //Species: European hake (M. merluccius); Ling (M. molva); Pouting (T. luscus); John dory (Z. faber); red striped mullet (M. Surmuletus); greater forkbeard (P. blennoides); black- belly rosefish (H. dac- tylopterus). Micro- scopic maturity: eu- ropean conger eel (C. conger)	No	Macroscopic ma- turity stages are read by experts tech- nicians as part of bi- ological sampling	Images of the differ- ent stages of ma- turity are being taken as part of tasks in routine biological sampling in order to have visual maturity keys for all species that will help in the correct assignment of maturity stages		European hake, Greater forkbeard, Pouting and Ling (WKMSGAD, 2013); John dory and Striped red mullet (BIOSDEF project); Blackbelly rosefish (Mendoça <i>et al.</i> , 2006); European con- ger eel (we can iden- tify two main groups: inmature or mature)	
Spain	Instituto Español de Oceanografía (IEO), Atlantic demersal sps	No	Maturity reading are made by two people				

Annex 5-Table 4. (Part 1) Quality status of maturity reading at institutes¹⁷. Part 1: Internal Quality Management.

¹⁸ If Quality Control is Managed by an Individual Maturity Reader how are the QC checks carried out ? Please provide details on the number of samples included, what analysis is used, frequency, image based or not.

- ¹⁹ If Quality Control is Managed by a Group of Maturity Reader how are the QC checks carried out? Please provide details on the number read and samples included, what analysis is used, frequency, image based or not.
- ²⁰ If you conduct routine QC checks on your data before it is uploaded to the international databases please provide some details.

¹⁷ Note: Table has been slightly modified to fit into the WGBIOP 2021 report. Full table will be available to download as an .xlsx file from the WGBIOP community page.

²¹ Are you using any kind of grading system to evaluate the certainty of the given reproductive organs stage or to evaluate the mature or immature state of a fish? If so, which grading system do you use and how?

 $^{^{\}rm 22}$ If Quality Management is Carried Out in Accordance with a Quality Plan please provide details.

Country	MS institute	Individual ¹⁸	Group ¹⁹	QC checks ²⁰	Grading system ²¹	Institute-specific manuals	Quality plan ²²
	Spain: Instituto Espa- ñol de Oceanografía, C.O. of Malaga, Mur- cia and Baleares - Mediterranean area.	We have 1 readers per species . Then the readings are checked by the coor- dinators for outliers. Then associated indi- viduals are checked again and discarded.	Not applicable	Not applicable	No grading system	We follow the manu- als produced by the different WKs by spe- cies	
Spain	IEO project BIOPEL macroscopic maturity pelagic species: An- chovy, sardine, mackerel, chub mackerel, horse mackerel, blue wait- ing.		The maturity states are assigned in the biological samples from the fleet that are carried out in dif- ferent IEO laborato- ries and also in the surveys. Therefore they are managed by a group of readers.	Νο	We are not using any kind of grading sys- tem	The preparation, ma- ture stage asignation, data storage and sample storage are described in detail inin several docu- ments and deposited in the IEO repository.	
Spain	Instituto Español de Oceanografía (IEO), Centro Ocean- ográfico de Cádiz. ICES area Ixa	In general, for all spe- cies (Nephrops, Cephalopods (Loligo vulgaris, Sepia offici- nalis, Octopus vul- garis), Anchovy, Sar- dine, Scomber colias, Pagellus bogaraveo), the maturity estima- tion is performed by an individual reader				The manuals for ma- turity scales can be find in: Anchovy/ Sar- dine/ Mackerel: Workshop for small pelagic maturity (WKSPMAT2009), Nephrops: Report of the Workshop on crustaceans maturity stages (WKMSC2009), Loligo/Octopus/ Se- pia: Report of the Workshop on Sexual Maturity Staging of Cephalopods (WKMSCEPH2010), Pagellus bogaraveo:	

Country	MS institute	Individual ¹⁸	Group ¹⁹	QC checks ²⁰	Grading system ²¹	Institute-specific manuals	Quality plan ²²
						Holden & Rett , adapted to hermaph- rodite species (Holden, M.J. and D.F.S. Raitt. – 1974. Manual of fisheries science. Part 2. Methods of resource investigation and their application. FAO Fish. Tech. Rep., (115): Rev. 1, 214	
						pp.)	
Spain	IEO_ EREME project (Coruna, Vigo and Santander institutes). EREME project col- laborates with other projects such as BI- OPEL and BIOPESLE to improve data qual- ity. We work with macro and micro- scopic maturity in ICES area : mackerel, horse mackerel, sar- dine, Lepidorhombus boscii, L. wiffiagonis, Micromessistius po- tassou, anchovy and chub mackerel and in NAFO area: green- land halibut, cod, american plaice and Macrourus berglax.		A maturity workshop is held annually be- fore the surveys in NAFO to review the maturity stages and to emphasize the pe- culiarities of each species in that area and time of the year. This is not quality control, but it helps to impprove the quality of maturity data.			EREME provide pho- tographic maturity manuals and based on the ICES maturity workshop reports. Pictures are taken in the area and time when sampling is car- ried out. The macro- scopic maturity stages are validated with histology. For those species (such as halibut or cod) that have a wide size range, each maturity stage is illustrated with different sized females. Those man- uals are distributed to homogenize read- ers. EREME have also protocols for histo- logical slide readings	The EREME project plans to provide his- tologically validated photographic ma- turity manuals for all ICES and NAFO spe- cies and to hold a maturity workshop before the PELACUS survey (pelagic fish) and the DEMERSALES survey (demersal fish) in which the ma- turity stages of each species and their par- ticularities will be re- called.

Country	MS institute	Individual ¹⁸	Group ¹⁹	QC checks ²⁰	Grading system ²¹	Institute-specific manuals	Quality plan ²²
						berglax's and macke- rel to homogenize different readers.	
Spain	AZTI	No	Percentage of agree- ment amount all readers on samples of 50 individuals.A species per year.	GSI plot	No grading system.	Not internal manuals, staging based on: WALSH 1990; BI- OSDEFF 1998; WKMSHM 2007; WKSPMAT 2008; WKMSGAD 2013;	Νο
Germany	Thünen Institute of Baltic Sea Fisheries (Rostock)	not relevant	At least 2 readers per species or species group. We use mac- roscopic staging only. No specific number of samples; mutual comparisons using processing of fresh fish in the lab and at sea	databases use stand- ard consistency checks	no grading system in place. Maturity de- termination follows the scales given in the relevant ICES re- ports and manuals (e.g. Manual for the BITS, BASS, BIAS etc)	Image collections, peer-reviewed publi- cations on maturity of fish from the Baltic Sea, ICES reports	A "quality plan" is not used.
Germany	Thünen Institute of Sea Fisheries (Brem- erhaven)	not relevant	only macroscopic staging, depending on species 2 -5 stag- ing personell, mutual comparisons are done during pro- cessing	databases use stand- ard consistency checks	no grading system in place. Maturity de- termination follows the scales given in the relevant ICES re- ports and manuals (e.g. Manual for the IBTS, MEGS etc)	Image collections, ICES reports, peer-re- viewed publications	A "quality plan" is not used.
Latvia	Institute of Food Safety, Animal Health and Environment "BIOR", Latvia	Maturity staging is performed following instructions in rele- vant national manu- als. The quality is as- sured by responsible researcher of given	Yes. We have at least 1-2 perons involved in maturuty staging of every species			All national manuals are besed on Kisilevich 6 grade scale	

Country	MS institute	Individual ¹⁸	Group ¹⁹	QC checks ²⁰	Grading system ²¹	Institute-specific manuals	Quality plan ²²
		species. Maturity is done for cod, her- ring, sprat, flounder, turbot, perch and round goby.					
Estonia	Estonian Marine In- stitute, University of Tartu		1-2 maturity readers per species, depends if commercial sample or survey. Using mac- roscopic staging only.	No	No	Using Kiselevich 6- grade scale (e.g. shown in BITS man- ual).	None
France	lfremer	Internal Quality Man- agement	One group at Na- tional level	No	no grading system to evaluate the quality of maturity data	Manuals of IBTS, EVHOE and MEDITS surveys	
Faroe Islands	Faroe Marine Re- search Institute (FaMRI), Tórshavn, Faroe Islands	In general, for all spe- cies , the maturity es- timation (macro- scopic) is performed by an individual reader following na- tional manuals/pro- tocols. For pelagic species a group of four skilled persons discuss internally once or twice a year, to intercalibrate the staging procedures					
Cyprus	Department of Fish- eries and Marine Re- search (DFMR), Cy- prus		Maturity staging is performed usually by 1-2 persons for every species, macroscopi- cally, based on in- struction manuals used. From commer- cial fisheries,	No	No	Medits Instruction Manuals; Follesa, M.C., Carbonara, P., eds. 2019. Atlas of the maturity stages of Mediterranean fishery resources. Studies and Reviews	A "quality plan" is not used.
Country	MS institute	Individual ¹⁸	Group ¹⁹	QC checks ²⁰	Grading system ²¹	Institute-specific manuals	Quality plan ²²
---------	--	---	---	--	---	--	----------------------------
			maturity staging in- volves 5 demersal and 3 large pelagic species (all bony fish); samples col- lected per demersal species are around 300. In total, 6 per- sons are involved in maturity reading, but are not dedicated to this activity.			n. 99. Rome, FAO. 268 pp.; ICCAT man- ual (https://www.ic- cat.int/Docu- ments/SCRS/Man- ual/CH4/CH4_8- ENG.pdf)	
Ireland	Marine Institute, Ire- land	QC checks by individ- ual collecting the data when an individ- ual fish processed, again at the end of a sample. Additional QC checks by Chief scientist.	NA	Any maturity stages that are not recog- nized by datras are removed. Maturity stage is plotted against length, outli- ers are investigated		Institute-specific, not published.	NA
Poland	National Marine Fisheries Research Institute	Maturity staging of different fish species is determined by dif- ferent readers who are in fact techni- cians attending on- board observer trips. Observers are not se- lected due to target fish species to be ex- ploited in a given fishing trip. To be flexible in choosing observers (their avail- ability) all technicians were trained by ex- perienced staff to	Not carried out so far	Νο	Not currently used - under preparation	BITS Manuals; Guide- book for Baltic cod (Gadus morhua cal- larias L, 1758) gonad's maturity de- termination accord- ing to modified Maier's 8-stage scale. Working Paper on the ICES Workshop on Maturity Ogive es- timation for Stock As- sessment [WKMOG] in Lizbon,;Portugal, 3- 6 June 2008. Guide- book for the Baltic sprat (Sprattus	Not carried out

Country	MS institute	Individual ¹⁸	Group ¹⁹	QC checks ²⁰	Grading system ²¹	Institute-specific manuals	Quality plan ²²
		estimate maturity of all possible fish spe- cies.				sprattus balticus, Schneider, 1904) gonad's maturity de- termination accord- ing to modified Maier's 8-stage scale. Working Paper on the ICES Workshop on Maturity Ogive es- timation for Stock As- sessment [WKMOG] in Lizbon,;Portugal, 3- 6 June 2008.	
Belgium	ILVO		No QC in place on a routine basis, but participation in ma- turity workshops and exchanges when ap- propriate	No	Not yet but we are planning to do so.	ICES reports are used	No
Portugal	IPMA - Portuguese Institute Sea Atmos- phere	In general, macro- scopic maturity assig- nation is carried out by a single reader (usually an experi- enced one), but sev- eral readers perform maturity assignation for the same species (e.g. at different geo- graphical locations in Portugal). Internal training and/or cali- bration exercises take place periodi- cally. Microscopic maturity estimation is performed by an	No QC checks are carried out by a group of readers	Maturity data from individuals sampled from commercial fleet (i.e. at-market and at-sea sampling) goes through QC checks after being registered in the na- tional database (e.g. scale used for spe- cies*sex, length-ma- turity stage plots). Maturity data from Portuguese bottom- trawl surveys (PT- IBTS) are checked by each species coordi- nator.	No grading system is being used till pre- sent to evaluate the certainty of a given reproductive organs stage	All manuals for sex- ual maturity assigna- tion used have been compiled in the WKASMSF 2018 re- port. A manual in- cluding all maturity scales in usage at IPMA is currently be- ing elaborated. An in- ternal manual for his- tology processing is avaliable at IPMA.	No Quality Plan ex- ists.

Country	MS institute	Individual ¹⁸	Group ¹⁹	QC checks ²⁰	Grading system ²¹	Institute-specific manuals	Quality plan ²²
		individual reader for all species. Loligini- dae and Om- mastrephidae: no mi- croscopic evaluation is performed.					
UK	Cefas, Uk	No	We don't have a spe- cific team dedicated to this but we have training in place and carry out QC during every survey.			Use national mauals, descriptions and keys	
Italy	University of Cagliari; COISPA	Maturity staging is performed following instructions in Fol- lesa, M.C., Car- bonara, P., eds. 2019. Atlas of the maturity stages of Mediterra- nean fishery re- sources. Studies and Reviews n. 99. Rome, FAO. 268 pp. The quality is assured by responsible re- searcher of given species. Maturity is done for a lot of bony fish, elasmobranchs, Crustaceans and Cephaolopods.	yes			Follesa, M.C., Car- bonara, P., eds. 2019. Atlas of the maturity stages of Mediterra- nean fishery re- sources. Studies and Reviews n. 99. Rome, FAO. 268 pp.	
Greece	Institute of Marine Biological Resources and Inland Waters (HCMR)	No	Maturity stages are assissegned in the bi- ological samples car- ried out in the Labor- atories and also on	We conduct random microscopic checks on a number of ma- turity samples to ver- ify the maturity	No	ICES maturity scales from various reports, MEDITS protocols, Folessa et al 2019 (ATLAS ON THE	Microscopic exami- nation of gonads is used as well Length at maturiry curve is checked for outliers

Country	MS institute	Individual ¹⁸	Group ¹⁹	QC checks ²⁰	Grading system ²¹	Institute-specific manuals	Quality plan ²²
			board. Although there is a group of people involved in maturity staging, some of them are specialst to different species or taxa.	staging. This proce- dure is also applied if the identification of the maturity stage is uncertain.		MATURITY STAGES OF MEDITERRANEAN FISHERY RE- SOURCES), and Ni- kolsky maturity scale.	
Greece	Fisheries Research In- stitute, FRI-ELGO, Greece	Not an Individual Maturity Stager.	For every biological sample there are at least 2 Maturity Stag- ers.	First, QC check is per- formed by cross- checking the two (at least) Maturity Stag- ings. Since maturity is evaluated macro- scopically in our lab, we conduct random microscopic checks on a number of ma- turity samples to ver- ify the accuracy of the maturity staging. After that, data are uploaded on a local database and some automatic checks are performed. Finally, quality assessment is conducted.	No grading system has been used till present to evaluate the certainty of the given reproductive organs stage or to evaluate the mature or immature state of a fish.	Follesa, Maria & Car- bonara, Pierluigi & Agus, Blondine & Basilone, Gualtiero & Bellodi, Andrea & Bottari, Teresa & Cannas, Rita & Capezzuto, Francesca & Carpentieri, Paolo & Cau, Alessandro & Colella, Sabrina & Casciaro, Loredana & Cuccu, Danila & Don- naloia, Marilena & Gancitano, Vita & Gaudio, Palma & Ma- iorano, Porzia & Mancusi, Cecilia & Mancusi, Cecilia & Mannini, Alessandro & Lanteri, Luca. (2019). ATLAS ON THE MATURITY STAGES OF MEDITER- RANEAN FISHERY RE- SOURCES.	We always use the same macroscopic scale for staging (Nic- olsky 1976 for Bony fish, ICCAT scale for Big pelagic, Buellens et al. 1977 for Euro- pean eel, WKMSCEPH 2010 for Cephalo- pods, WKMSC for crustaceans and MEDITS scale for sur- vey samples). We use an agreed reference manual per species. There are at least two stagers for every sample. Random mi- croscopic checks are performed. A posteri- ori quality assess- ment is conducted, based on the analysis of the relevant data (regression model on maturity data to cal- culate Lm).
Netherlands	Wageningen Marine Research	No	We have multiple readers by species,		No	Internal handbooks for surveys, discards and commercial	Not yet, in 2021 we are running a project to prepare an

Country	MS institute	Individual ¹⁸	Group ¹⁹	QC checks ²⁰	Grading system ²¹	Institute-specific manuals	Quality plan ²²
			but there is no QA workplan			sampling contain in- formation on how to assess maturity; ICES reports	internal handbook for QA of maturity
Finland	Natural Research In- stitute Finland (Luke)	With herring, a man- ual with photographs (DTU Aqua, Den- mark) is used	In the surveys, differ- ent maturity readers have the chance to discuss about their interpretations. Some workshops be- tween readers have taken place (not re- cently, though).			Herring manual by DTU Aqua, Denmark. With other species, national short manu- als with text only.	
Denmark	Technical University of Denmark, Institute for Aquatic Re- sources (DTU AQUA)	In general, for all spe- cies, the maturity es- timation (macro- scopic and micro- scopic) is performed by an individual reader following na- tional manuals/pro- tocols.	No			All maturity manuals for gadoids, flatfish, pelagics are being updated in 2019/2020 to follow the new revised WKMATCH maturity scale. Stages verified histologically. Proto- cols for reading histo- logical sections are available for cod and herring (mackerel un- der prep.)	None
Sweden	SLU Aqua Institute of Marine Research	No QC in place on a routine basis but In- ter-calibration work- shop in spring each year with fresh and frozen gonads includ- ing all maturity stag- ers. Whole mount is used sometimes to				Modified danish manual (gadoids and pelagics), WKMSSPDF Manual (Flatfish). Manuals will be up- dated to follow the new SMSF maturity scale	None

Country	MS institute	Individual ¹⁸	Group ¹⁹	QC checks ²⁰	Grading system ²¹	Institute-specific manuals	Quality plan ²²
		validate the stages but only in the lab not surveys.					
Sweden	SLU Aqua Intitute of Coastal Research						
Norway	Institute of Marine Research	In general, for all spe- cies , the maturity es- timation (macro- scopic and micro- scopic) is performed by an individual reader following na- tional manuals/pro- tocols.	No		No	All maturity manuals for gadoids, flatfish, pelagics are being updated in 2019/2020 to follow the new revised WKMATCH maturity scale. Stages verified histologically. Proto- cols for reading histo- logical sections are available for cod and herring (mackerel un- der prep.); Mjanger et al., 2019. Hand- book for sampling fish, crustaceans and other invertebrates	None

Country	MS institute	Satisfaction ²³	Challenges ²⁴	Improvements ²⁵	Ongoing validation or methodological studies in your lab ²⁶
Spain	IEO-Project BIODEMER //Macroscopic maturity //Species: European hake (M. merluccius); Ling (M. molva); Pouting (T. luscus); John dory (Z. faber); red striped mullet (M. Surmuletus); greater forkbeard (P. blennoides); blackbelly rosefish (H. dactylopterus). Microscopic maturity: european con- ger eel (C. conger)	2		Continue to take pictures of dif- ferent states of maturity in bio- logical samplings. Build a com- plete manual with images of the entire maturation process by spe- cies	
Spain	Instituto Español de Oceanografía (IEO), Atlantic demersal sps				
Spain	Spain: Instituto Español de Oceano- grafía, C.O. of Malaga, Murcia and Ba- leares - Mediterranean area.	3 - Not enough staff working on maturity readings			
Spain	IEO project BIOPEL macroscopic ma- turity pelagic species: Anchovy, sar- dine, mackerel, chub mackerel, horse mackerel, blue waiting.	2		Microscopic and macroscopic val- idation would be very useful, but currently we do not have suffi- cient technical means or person- nel	

Annex 5-Table 5. (Part 2) Quality status of maturity reading at institutes. Part 2: Evaluation of Internal Quality Management.

²³ Please indicate your level of satisfaction with your Internal Quality Management and reasons for this. 1=not satisfied, much room for improvement; 2=satisfied but some room for improvement; 3=satisfied.

²⁴ What are the biggest challenges you have with your Internal Quality Management?

²⁵ How do you think you could improve your Internal Quality Management?

²⁶ Please provide any information on ongoing validation or methodological studies in your lab

Country	MS institute	Satisfaction ²³	Challenges ²⁴	Improvements ²⁵	Ongoing validation or methodological studies in your lab ²⁶
Spain	Instituto Español de Oceanografía (IEO), Centro Oceanográfico de Cádiz. ICES area Ixa				
Spain	IEO_ EREME project (Coruna, Vigo and Santander institutes). EREME project collaborates with other projects such as BIOPEL and BIOPESLE to improve data quality. We work with macro and microscopic maturity in ICES area : mackerel, horse mackerel, sardine, Lepidorhombus boscii, L. wiffiagonis, Micromessistius potassou, anchovy and chub mackerel and in NAFO area: greenland halibut, cod, american plaice and Macrourus berglax.	2.	In ICES area, one species maturity data are taken in different laboratories located along the Galician and Cantabrian coasts. It is important to provide protocols and manuals to help homogenize the collec- tion of maturity data of all species.	Working on completing the exist- ing maturity manuals as there are maturity stages for which we have not yet obtained samples. On the other hand, to elaborate maturity manuals for all species.	
Spain	AZTI	2: Monitoring of agree- ment percentaje through time	be up to date with decisions and changes made at species level understand the re- productive cycle of each species	Developing maturity reading refence catalog along with histol- ogycla validation.	Internal maturity staging excercise on Horse Macke- rel during november 2020
Germany	Thünen Institute of Baltic Sea Fisheries (Rostock)	3 Reason: consistent re- sults and relatively high internal agreement be- tween readers	At present there are no big challenges.	possibly increase standardization of internal comparisons; ensure clearer and more transparent in- house documention of proce- dures and documenta- tion/presentation of the out- comes to the staff; develop R rou- tines to compare readers perfor- mance on a routine basis	no ongoing studies in the field of maturity research
Germany	Thünen Institute of Sea Fisheries (Bremerhaven)	3 Reason: consistent re- sults and relatively high internal agreement be- tween readers	At present there are no big challenges.	possibly increase standardization of internal comparisons; ensure clearer and more transparent in- house documention of proce- dures and documenta- tion/presentation of the out- comes to the staff; develop R	no ongoing studies in the field of maturity research

Country	MS institute	Satisfaction ²³	Challenges ²⁴	Improvements ²⁵	Ongoing validation or methodological studies in your lab ²⁶
				routines to compare readers per- formance on a routine basis	
Latvia	Institute of Food Safety, Animal Health and Environment "BIOR", Latvia				
Estonia	Estonian Marine Institute, University of Tartu	2	With ICES assessed stocks no big challa- neges. Readers are able to to discuss and compare their estimates in the surveys where they participate together annually. Would benefit from specific manuals for other species (e.g. pikeperch)	Set up maturity events on SmartDots to inter- and intracali- brate (ICES stocks). Develop man- uals for regionally important stocks.	None
France	lfremer	1	to qualify the data	develop the histological approach to better qualify the macroscopic approach	a PhD thesis started in Sep- tember 2020 on the histo- logical approach applied to 4 species (striped red mullet, blue withing and 2 species of megrim, this work follows that already carried out on plaice
Faroe Is- lands	Faroe Marine Research Institute (FaMRI), Tórshavn, Faroe Islands	2	Maturity stages for mackerel can be prob- lematic during the spawning season, diffi- cult to determine between prespawning and spawning (the gonad can be pre in the front and spawning in the rear end)		
Cyprus	Department of Fisheries and Marine Research (DFMR), Cyprus	Our level of satisfaction with our Internal Quality Management is 2. There is room for improve- ment, e.g. Establishment of routine exercises among maturity readers for evaluating the agree- ment among them and	We do not validate maturity stages as- signed macroscopically with histology. We do not perform exercises for evaluat- ing agreement among maturity readers.	Routinely take pictures of differ- ent maturity stages by species sampled covering the whole sam- pling period, and identify cases with no clear (macroscopically) maturity staging. Histological vali- dation would improve our inter- nal Quality Management, but at	None.

Country	MS institute	Satisfaction ²³	Challenges ²⁴	Improvements ²⁵	Ongoing validation or methodological studies in your lab ²⁶
		identifying possible qual- ity issues.		the moment there are limitations for developing this approach.	
Ireland	Marine Institute, Ireland	2	We do not routinely validate maturity stages assigned by eye (macroscopically) with histology	Histological validation would be useful but this requires a lot of re- sources, which we currently allo- cate to more high-priority work.	None
Poland	National Marine Fisheries Research In- stitute	1	at sea sampling mainly on fishing boats/cutters	establishing a dedicated maturity determination group, more sam- ples elaborated in the Lab	no studies performed
Belgium	ILVO	1	Lack of time to check each other scores. Lots of samples have to be processed in the lab, so the scoring process is rather fast. No ability to check afterwards the given score again.	It will be good to have some ideas on how other labs handle this :-).	none
Portugal	IPMA - Portuguese Institute Sea At- mosphere	2=satisfied but some room for improvement	In maturity scales validation: 1) For some species, biological sampling not carried out regularly, covering the whole repro- ductive cycle, samples only available from annual surveys (ex: Anglers); 2) For some species, not all maturity stages available in samples collected (ex: Nephrops norvegicus, Scomber colias); 3) Insuffi- cient human resources and laboratory availability to process histologically the gonad samples to clarify/validate ma- turity assignment doubts in due time; In internal maturity stages calibration: logis- tically challenging for the maturity read- ers of the same species working geo- graphically distant.	Priority should be given to micro- scopically validate the maturity scales in usage.	Ongoing maturity stage validation studies using histology for several spe- cies (Engraulis encra- sicolus, Micromesistius poutassou, Scomber scombrus, Scomber colias, Trachurus picturatus, Nephrops norvegicus, Lepi- dorhombus boscii)

Country	MS institute	Satisfaction ²³	Challenges ²⁴	Improvements ²⁵	Ongoing validation or methodological studies in your lab ²⁶
Italy	University of Cagliari; COISPA				
Greece	Institute of Marine Biological Re- sources and Inland Waters (HCMR)	2	to conduct histological studies	using histological sections	validation is performed in- directly by comparing the macroscopic stages with GSI data.
Greece	Fisheries Research Institute, FRI-ELGO, Greece	2=satisfied but some room for improvement: need for international and interlaboratory scale so all training and refer- ence can apply easier, need for validation stud- ies in Mediterranean.	Lack of equipment and lack of human re- sources.	Maturity workshops for training, validation studies, enrich stuff.	There are no ongoing stud- ies at the moment.
Nether- lands	Wageningen Marine Research	1, currently we have not a plan in place, but in 2021 we will prepare a QA internal handbook			We had some specific pro- jects in the past, but with the new internal handbook and QA workplan we will implement the preparation of validation as well
Finland	Natural Research Institute Finland (Luke)	2	With ICES assessed stocks, no big chanllenges: readers are able to discuss and compare their estimates in the sur- veys where they participate together an- nually.	By continuing comparisons, also with calibrations.	
Denmark	Technical University of Denmark, Insti- tute for Aquatic Resources (DTU AQUA)	2	Maturity stagers generally work individu- ally and maturity stage on fresh fish on surveys. No follow-up.	Set up maturity events on SmartDots to inter- and intracali- brate.	All maturity manuals for gadoids, flatfish, pelagics are being updated in 2019/2020 to follow the new revised WKMATCH maturity scale. Stages are verified histologically.

Country	MS institute	Satisfaction ²³	Challenges ²⁴	Improvements ²⁵	Ongoing validation or methodological studies in your lab ²⁶
Sweden	SLU Aqua Institute of Marine Research	2	We do not routinely validate maturity stages assigned by eye (macroscopically) with histology. Lack of time for quality check due to the huge amount of samples to be processed	Set up maturity events on SmartDots to inter- and intracali- brate. Verified Stages histologi- cally.	All maturity manuals for gadoids, flatfish, pelagics have been updated in 2021 to follow the new revised SMSF maturity scale.
Sweden	SLU Aqua Institute of Coastal Research				
Norway	Institute of Marine Research	2			

Annex 6: Additional information (ToR c)

- Annex 6-Table 5: page 114
- Annex 6-Table 6: page
- Annex 6-Table 7
 - Part 1: page
 - Part 2: page
 - Part 3: page
 - Part 4: page
 - Part 5: page
 - Part 6: page

Annex 6-Table 5. Issues table.

Bench- mark year	Stock code	Species/ stock	Proposed WK	WK dates	Stock coordinator e-mail	Biological parameter	Issue (source: issue lists/stock annex)	Solution proposed (source: issue lists)	WGBIOP comments or questions	WGBIOP ac- tions
2022	sal.nac.all	Salmon (Salmo salar)	WKSALMON2 2021	31/12/2021		_	no issue list and available			
		from North America				Age	-	-	The last Workshop on Age Determi- nation of Salmon (WKADS 2) was in 2012,	No WGBIOP action re- quired.
						Maturity	-	-	No need to be collected – all return- ing adults are mature	
2022	sal.neac.all	Salmon (Salmo salar) in	WKSALMON2 2021	31/12/2021			no issue list availa- ble			
		North- east At- lantic and Arc- tic Ocean				Age	EXTENT OF DCF COVERAGE UN- CLEAR; SAMPLING INTENSITIES IN OTHER FISHERIES INAPPROPRIATE TO SALMON	Improve coverage and sampling intensity in DC- MAP	The last Workshop on Age Determi- nation of Salmon (WKADS 2) was in 2012,	No WGBIOP action re- quired.
						Maturity	_	-	No need to be collected – all return- ing adults are mature	

Bench- mark year	Stock code	Species/ stock	Proposed WK	WK dates	Stock coordinator e-mail	Biological parameter	Issue (source: issue lists/stock annex)	Solution proposed (source: issue lists)	WGBIOP comments or questions	WGBIOP ac- tions
2022	sal.wgc.all	Salmon (Salmo salar) in	WKSALMON2 2021	31/12/2021			no issue list availa- ble		-	
		Subarea 14 and NAFO di- vision 1 (east and west of Green-				Age	-	_	The last Workshop on Age Determi- nation of Salmon (WKADS 2) was in 2012,	No WGBIOP action re- quired.
		land)				Maturity	-	-	No need to be collected – all return- ing adults are mature	
2022	sal.27.22-31	Salmon (Salmo salar) in	-	autumn 2022	martin.kesler@ut.ee		no issue list availa- ble		-	
		subdivi- sions 22- 31 (Bal- tic Sea, exclud- ing the Gulf of Finland)				Age	-	_	The scale ex- change is on- going on smartdots (id 357). Coordi- nators: Zu- zanna Mirny and Adam Lejk (Poland)	Inform the stock coordi- nator about the ongoing exchange.
						Maturity	-	-	No need to be collected – all return- ing adults are mature	No WGBIOP action re- quired.

Bench- mark year	Stock code	Species/ stock	Proposed WK	WK dates	Stock coordinator e-mail	Biological parameter	Issue (source: issue lists/stock annex)	Solution proposed (source: issue lists)	WGBIOP comments or questions	WGBIOP ac- tions
2022	cap.27.1-2	Capelin (Mallo- tus vil-	WKREDCAP 2022	20- 24.06.2022	<u>belikov@pin</u> ro.murmans k ru		no issue list availa- ble			
		losus) in subareas 1 and 2 (North- east Arc- tic), ex- cluding Division 2.a west of 5°W (Barents Sea cap- elin)			ΔIU	Age	-	_	Every second year age readers from PINRO, Mur- mansk and IMR, Bergen come to- gether and evaluate dis- crepancies, which are seldom more than 1 year, and the re- sults show an improvement over the pe- riod. A capelin age	Inform the stock coordi- nator about the workshop report and ask if the re- sults from the exchange in 2019 are available.
									reading Workshop was in 2016; PA=99.3% (otoliths sam- pled in June 2015) and 87,3% (oto- liths sampled in winter 2016), which is con- sidered to be high. The next age	

Bench- mark year	Stock code	Species/ stock	Proposed WK	WK dates	Stock coordinator e-mail	Biological parameter	Issue (source: issue lists/stock annex)	Solution proposed (source: issue lists)	WGBIOP comments or questions	WGBIOP ac- tions
									reading Workshop for capelin was planned for October 2019.	

					Maturity	-	-	-	_
2022	cap.27.2a514	WKREDCAP 2022	20- 24.06.2022	birkir.bardarson@hafog- vatn.is, tej@aqua.dtu.dk		no issue list availa- ble			

Bench- mark year	Stock code	Species/ stock	Proposed WK	WK dates	Stock coordinator e-mail	Biological parameter	Issue (source: issue lists/stock annex)	Solution proposed (source: issue lists)	WGBIOP comments or questions	WGBIOP ac- tions
		Capelin (Mallo- tus vil- losus) in subareas 5 and 14 and Divi- sion 2.a west of 5°W				Age	-	-	Non-ICES ex- change took place be- tween Nor- way, Iceland, Russia and Canada in 2010- 11, PA=91.5%	Inform the stock coordi- nator about the workshop results.
		(Iceland and Fa- roes grounds, East Green- land, Jan Mayen area)				Maturity	-	-	-	No WGBIOP action re- quired.
2022	pra.27.1-2	North- ern shrimp (Panda-	WKPRAWN 2022	24- 28.01.2022		_	no issue list and stock annex availa- ble			
		lus bore- alis) in subareas 1 and 2 (North- east Arc- tic)				Age	For crustaceans, for which age is diffi- cult to determine because of the lack of ageing charac- teristics, estimation of catch-at-age based on cohort slicing or age– length keys (ALKs) may prevent precise population estimates in cases when annual	_	No ditrct age reading is available for this stock.	No WGBIOP action re- quired.

Bench- mark year	Stock code	Species/ stock	Proposed WK	WK dates	Stock coordinator e-mail	Biological parameter	Issue (source: issue lists/stock annex)	Solution proposed (source: issue lists)	WGBIOP comments or questions	WGBIOP ac- tions
							growth variation is			

growth variation is evident

						Maturity		-	No WGBIOP action re- quired.
2022	pra.27.3a4	North- ern shrimp (Panda- lus bore- alis) in divisions 3.a and 4.a East (Skager- rak and Kattegat and northern North Sea in	WKPRAWN 2022	24- 28.01.2022	<u>mats.ulmestrand@slu.se</u>	Age	For crustaceans, for which age is diffi- cult to determine because of the lack of ageing charac- teristics, estimation of catch-at-age based on cohort slicing or age– length keys (ALKs) may prevent precise population estimates in cases when annual growth variation is evident	No ditrct age reading is available for this stock.	No WGBIOP action re- quired.

Bench- mark year	Stock code	Species/ stock	Proposed WK	WK dates	Stock coordinator e-mail	Biological parameter	Issue (source: issue lists/stock annex)	Solution proposed (source: issue lists)	WGBIOP comments or questions	WGBIOP ac- tions
		the Nor- wegian Deep)				Maturity	Pandalus is a pro- tandric hermaphro- dite, i.e. the indi- viduals are born as males and then be- come females. In the Skagerrak and Norwegian Deep, sex change takes place at-age 2 dur- ing summer. Based on the on-board sampling of the commercial catches, maturity data on size distri- butions (in length of the carapace in mm) of the shrimp in the catches are available and used in the assessment. The proportion of females at length was fitted to a lo- gistic maturity curve.	_	_	

Bench- mark year	Stock code	Species/ stock	Proposed WK	WK dates	Stock coordinator e-mail	Biological parameter	Issue (source: issue lists/stock annex)	Solution proposed (source: issue lists)	WGBIOP comments or questions	WGBIOP ac- tions
2022	cod.27.7a	Cod (Ga- dus morhua) in Divi- sion 7.a (Irish Sea)	WKNSCS 2022	7- 11.02.2022	<u>Sofie.Nimme-</u> <u>geers@ilvo.vlaan-</u> <u>deren.be (WGCSE chair)</u>	Μ	The natural mortal- ity as well as ma- turity are unclear, with an observed migration of Irish Sea cod into the Celtic Sea and envi- ronmental changes of cod experienced in the Irish Sea due to increased tem- perature. The in- creased tempera- ture might impact on an increased natural mortality and decreased ma- turity in older/larger fish due to metabolic is- sues.	One option to identify a shift in natural mortality would be to calculate the natural mortality from eth FSP survey, as the fishing pressure for the past years has been negli- geble. Additional work is being done on tagging to understand the biological response to increasing ocean temperatures and migratory behaviour.	-	No WGBOP action re- quired.
						Stock iden- tity	The prviously benchmarked as- sessment model (ASAP) was re- jected at the WGCSE 2019 due to its large retro- spective pattern in F and SSB and a consistent down- ward revision of SSB and upward re- vision of F. The stock is currently reviewed as part of the WKMSYSpict	No new catch data or survey indices are required as these data have been prepared recently. How- ever the data will have to closely investigated as to which to use for the as- sessment. Should a cate- gory 1 assessment fail to be agreed, adittional data will have to come from the DST tagging project to provide the data-limited approach the highest eco- logical and biological pre- cision.	_	No WGBIOP action re- quired.

Bench- mark year	Stock code	Species/ stock	Proposed WK	WK dates	Stock coordinator e-mail	Biological parameter	Issue (source: issue lists/stock annex)	Solution proposed (source: issue lists)	WGBIOP comments or questions	WGBIOP ac- tions
							benchmark, how-			
							ever it might not			
							lead to a success			
							after initial data			
							compilation work-			
							shop. However, It is			
							aimed to keep			
							cod7a as an exam-			
							ple.			

	of Irish Sea cod is at the moment un- clear. It is under- stood that mature fish migrate out of the area, such as the Celtic Sea. However it is un- known whether the migration is perma- nent or whether the fish still con- tribute to the SSB or recruitment in area 7A.	cod and the stock struc- ture is being investigated using DST tags, otolith trace element analysis and genetics. The use of DST tags will hopefully also shed light on the movement of cod in the Irish Sea itself regarding temperature.	Workshop on sexual maturity staging of cod (WKMS- GAD) was in 2013. Ma- turity stages: 1 - 5 (with the exception of 4 for fe- males). Over- all agree- ment for fe- males was 77% (based on modal	stock coordi- nator about the workshop report.
--	---	--	---	---

Bench- Stock code mark year	Species/ stock	Proposed WK	WK dates	Stock coordinator e-mail	Biological parameter	Issue (source: issue lists/stock annex)	Solution proposed (source: issue lists)	WGBIOP comments or questions	WGBIOP ac- tions
								agreement for males was 69% (based on modal stage) and 66% (based on histology)	

Λαο	
Age	

_

_

no age-based Inform the assesment; stock coordi-The last age nator about validation the workshop workshop report. was in 2013: Report of the Workshop on . Age Validation Studies of Gadoids (WKAVSG)

2022	ple.27.7fg	WKNSCS	7-	vladimir.laptikhov-	no issue list availa-
		2022	11.02.2022	<u>sky@cefas.co.uk</u>	ble

Bench- mark year	Stock code	Species/ stock	Proposed WK	WK dates	Stock coordinator e-mail	Biological parameter	Issue (source: issue lists/stock annex)	Solution proposed (source: issue lists)	WGBIOP comments or questions	WGBIOP ac- tions
		Plaice (Pleu- ronectes platessa) in divi- sions 7.f and 7.g (Bristol Channel, Celtic Sea)				Maturity	A maturity ogive based on UK(E&W) 7.f-g survey data for March 1993 and March 1994 was produced in 1997 and is applied to all years in the assess- ment. The recent size of 50% ma- turity was esti- mated from results of surveys by "Cefas Endeavour" in the area 7.fg in 2015 and 2016.	-	_	No WGBIOP action re- quired.
						Age	-	-	The last age calibration for plaice 27.7fg was an otolith ex- change in 2019 (smartdots id 221); PA=75%; CV=18%; APE = 10% for ad- vanced read- ers	Inform the stock coordi- nator about the results.

Bench- mark year	Stock code	Species/ stock	Proposed WK	WK dates	Stock coordinator e-mail	Biological parameter	Issue (source: issue lists/stock annex)	Solution proposed (source: issue lists)	WGBIOP comments or questions	WGBIOP ac- tions
2022	ple.27.420	Plaice (Pleu- ronectes platessa) in Sub- area 4 (North Sea) and Subdivi- sion 20 (Skager- rak)	WKNSCS 2022	7- 11.02.2022	<u>chun.chen@wur.nl</u>	Age	-	_	The last age calibration for Plaice in Skagerrak and the North Sea was an oto- lith exchange in 2020 (smartdots event 281). PA=69%, CV=56%	Inform the stock coordi- nator about the results.
						Maturity	-	-	Plaice ma- turity staging exchange to include im- mature fish was carried out in 2020 (SmartDots event 282). PA=60%; The report is not available on SmartDots.	Inform the stock coordi- nator about the results.

Bench- mark year	Stock code	Species/ stock	Proposed WK	WK dates	Stock coordinator e-mail	Biological parameter	Issue (source: issue lists/stock annex)	Solution proposed (source: issue lists)	WGBIOP comments or questions	WGBIOP ac- tions
2022	had.27.46a20	Haddock (Mela- nogram- mus ae- glefinus) in Sub- area 4, Division 6.a, and Subdivi- sion 20 (North Sea, West of Scot- land, Skager- rak)	WKNSCS 2022	7- 11.02.2022	needlec@marlab.ac.uk / h.cole@marlab.ac.uk	Age		_	The last age calibration for haddock 27.1-6 was an otolith ex- change in 2019 (smartdots id 235), results for advanced readers - bro- ken otoliths: PA=78%, CV=19%, sec- tioned: PA=74%, CV=21% An age read- ing workshop for haddock is planned for 2022.	Inform the stock coordi- nator about the results.
						Maturity	The assessment uses a knife-edge maturity-at-age 3 (that is, ma- turity = 0.0 for ages 0-2, and ma- turity = 1.0 for ages \geq 3).	Derive time-varying ma- turity estimate.	The last ma- turity WK for haddock was a Workshop on sexual maturity staging of cod, whiting, haddock, saithe and hake (WKMS- GAD) in 2013	Inform the stock coordi- nator about the workshop report.

Bench- mark year	Stock code	Species/ stock	Proposed WK	WK dates	Stock coordinator e-mail	Biological parameter	Issue (source: issue lists/stock annex)	Solution proposed (source: issue lists)	WGBIOP comments or questions	WGBIOP ac- tions
						Mean weights- at-age	Mean weights-at- age for total catch are used for stock weights.	Derive estimates of mean weights at age for stock.	-	No WGBIOP action re- quired.
2022	her.27.6a7bc	Herring (Clupea ha- rengus) in divi- sions 6.a and 7.b- c (West of Scot- land, West of Ireland)	WKNSCS 2022	7- 11.02.2022	<u>cecilie.kvamme@hi.no:</u> <u>afra.egan@marine.ie</u> (HAWG chairs)	Age	Lack of infor- mation on recruit- ment and the abundance of fish of younger ages Absence of older ages in catch and surveys in 6aN	Recruitment index from MIK -Explore survey index calculation with different assumptions of North Sea – 6a boundary. Does that improve cohort tracking and temporal stability of the index. Consider link to North Sea	The last her- ring age cali- bration was an otolith ex- change in, 2015, overall PA=69,1%, CV=18,8%	Inform the stock coordi- nator about the results.
						Maturity	Maturity-at-ages 2 and 3 is highly vari- able among years	Examine maturity-at-age data over time and com- pare with maturity ogive used in the assessment	The last her- ring maturity calibration was a WK in 2017, PA=52% (vali- dated) and 76% (modal); maturity range=1-4 & 6	Inform the stock coordi- nator about the results.
2022	reb.27.5a14	Beaked redfish	WKNORTH 2022	-	<u>RaHe@natur.gl /</u> jbo@aqua.dtu.dk		no issue list availa- ble			

Bench- mark year	Stock code	Species/ stock	Proposed WK	WK dates	Stock coordinator e-mail	Biological parameter	Issue (source: issue lists/stock annex)	Solution proposed (source: issue lists)	WGBIOP comments or questions	WGBIOP ac- tions
		(Sebas- tes men- tella) in Subarea 14 and Division 5.a, Ice- landic slope stock (East of Green- land,				Age	The advice is based on the Data Limited Stock approach (DLS). Otolith sam- pling started in 2016, however ag- ing has not been conducted and no age-based assess- ment is therefore possible.	-	An exchange for Beaked Redfish from area 21 and 27 started in 2020 and is ongoing (smartdots id 298); Coordi- nator: Lise Heggebakken (Norway)	Inform the stock coordi- nator about the exchange.
		grounds)				Maturity	-	-	Maturity is not used in the asses- ment	No WGBOP action re- quired.
2022	ghl.27.1-2	Green- land hal- ibut (Rein- hardtius hippo- glos- soides) in subar- eas 1 and 2 (North- east Arc- tic)	WKNORTH 2022	-	<u>elvar.hallfredsson@hi.no</u>		no issue list availa- ble			

Bench- mark year	Stock code	Species/ stock	Proposed WK	WK dates	Stock coordinator e-mail	Biological parameter	Issue (source: issue lists/stock annex)	Solution proposed (source: issue lists)	WGBIOP comments or questions	WGBIOP ac- tions
					Age		The report from Workshop on Age Reading of Green- land Halibut (WKARGH) (ICES CM 2011/ACOM:41) described and eval- uated several age reading methods for Greenland Hali- but. A second workshop (WKARGH 2) was conducted in Au- gust 2016 and worked on further validation on new age reading meth- ods. The workshop recommended that two of new meth- ods. The workshop recommended that two of new meth- ods. The workshop recommended that two of new meth- ods can be used to provide age estima- tions for stock as- sessments. Further, recognizing some bias and low precision in methods, the WKARGH2 recom- mends that an age- ing error matrix or growth curve with error be provided for use in future stock assessments (WKARGH2 report	AFWG suggests that Rus- sian and Norwegian sci- entists and age readers meet to work out issues of disagreements on Greenland halibut aging.	The last age calibration of greenland halibuth was an otolith ex- change prior to the WKARGH2 in 2016. Frozen whole right otolith method CV 15.5% Thin-sec- tioned left otolith method CV 17.5% PA was not defined.	Inform the stock coordi- nator about the results.

Bench- mark year	Stock code	Species/ stock	Proposed WK	WK dates	Stock coordinator e-mail	Biological parameter	Issue (source: issue lists/stock annex)	Solution proposed (source: issue lists)	WGBIOP comments or questions	WGBIOP ac- tions
							2016, ICES CM			
							2016/SSGIEOM:16).			
							WKARGH2 recom-			
							mends regular in-			
							ter-lab calibration			
							exercises to im-			
							prove precision.			
							The new age read-			
							ings are not com-			
							parable with older			
							data or the Russian			
							age readings, and			
							the new methods			
							show that the spe-			
							cies is more slow-			
							growing and vui-			
							nerable than the			
							previous age read-			
							ings suggest.			

Bench- mark year	Stock code	Species/ stock	Proposed WK	WK dates	Stock coordinator e-mail	Biological parameter	Issue (source: issue lists/stock annex)	Solution proposed (source: issue lists)	WGBIOP comments or questions	WGBIOP ac- tions
						Maturity	At present in the analytical assess- ment ogives are calculated based on data from all Eg- gaNor surveys since 2000.	-	The last ma- turity calibra- tion of green- land halibuth was a Work- shop on Sex- ual Maturity Staging of Redfish and Greenland Halibut (WKMSREGH) in 2011.	Inform the stock coordi- nator about the workshop report.
2022	ghl.27.561214	Green- land hal-	WKNORTH 2022	_	<u>tej@aqua.dtu.dk</u> (NWWG chair)		no issue list availa- ble			
		(Rein- hardtius hippo- glos- soides) in subar- eas 5, 6, 12, and 14 (Ice- land and Faroes grounds, West of Scot- land, North of Azores, East of				Age	Considerable age- ing problems are still unsolved, it seems that present ageing un-deresti- mates the current age of fish more than a few years old. Therefore since 2001 no age readings of otoliths were available from the main fish- ing areas. Otoliths are still being sam- pled in hope that this problem will be solved in future.	_	The last age calibration of greenland halibuth was an otolith ex- change prior to the WKARGH2 in 2016. Frozen whole right otolith method CV 15.5% Thin-sec- tioned left otolith method CV 17.5%	Inform the stock coordi- nator about the results.

Bench- Stock code mark year	Species/ stock	Proposed WK	WK dates	Stock coordinator e-mail	Biological parameter	Issue (source: issue lists/stock annex)	Solution proposed (source: issue lists)	WGBIOP comments or questions	WGBIOP ac- tions
	Green-							PA was not	
	land)							defined.	

Maturity _

_

No WGBOP action required.

_

2022	cod.21.1 Cod (dus morh	Cod (Ga- dus morhua)	WKNORTH _ 2022	<u>tej@aqua.dtu.dk</u> (NWWG chair)		no issue list availa- ble		
		in NAFO Subarea 1, in- shore (West Green- land cod)			Age		The last age validation workshop was in 2013: Report of the Workshop on Age Valida- tion Studies of Gadoids (WKAVSG)	Inform the stock coordi- nator about the workshop report.

Bench- mark year	Stock code	Species/ stock	Proposed WK	WK dates	Stock coordinator e-mail	Biological parameter	Issue (source: issue lists/stock annex)	Solution proposed (source: issue lists)	WGBIOP comments or questions	WGBIOP ac- tions
						Maturity	The maturity ogive for the two periods (1987 vs. 2007– 2016) was esti- mated by a general linear model (GLM) with binomial er- rors. The ogives for the two periods are estimated to be dif- ferent. L50 from 1987 was 5.07 years (SE = 0.18), and for 2007–2016 L50 was 4.32 years (SE = 0.04). It was decided to use the years with very low catches (600–800 tonnes) as transi- tion years between the two maturity ogives. The ma- turity ogive for the period 1976–2006 was set constant to the estimated 1987 ogive. For the re- maining period (2007–2016) the maturity ogive was fixed at the 2007– 2016 estimates.		The last Workshop on sexual maturity staging of cod (WKMS- GAD) was in 2013. Ma- turity stages: 1 - 5 (with the exception of 4 for fe- males). Over- all agree- ment for fe- males was 77% (based on modal stage) and 73% (based on histology); Overall agreement for males was 69% (based on modal stage) and 66% (based on histology)	Inform the stock coordi- nator about the workshop report.
2022	cod.21.1a-e	Cod (Ga- dus	WKNORTH 2022		<u>tej@aqua.dtu.dk</u> (NWWG chair)		no issue list availa- ble			

morhua) in NAFO divisions 1.A-E, offshore (West Green- land)		Age	-	-	no age-based assesment; The last age	Inform the stock coordi-
					validation workshop was in 2013: Report of the Workshop on Age Valida- tion Studies of Gadoids (WKAVSG)	the workshop report.
		Maturity	The majority of the maturity infor- mation is based on a survey in 2009 and on extensive sampling from commercial experi- mental fishery in 2007. The maturity ogive was esti- mated by a general linear model (GLM) with binomial er- rors. L50 was esti- mated to 5.19 years (SE = 0.07). Since 2018 a sepa- rate ogive was esti- mated based on cod sampled from an experimental fishery in the same spawning area as in 2007. The two	_	The last Workshop on sexual maturity staging of cod (WKMS- GAD) was in 2013. Ma- turity stages: 1 - 5 (with the exception of 4 for fe- males). Over- all agree- ment for fe- males was 77% (based on modal stage) and 73% (based on histology); Overall agreement for males was	Inform the stock coordi- nator about the workshop report.
				MaturityThe majority of the maturity infor- mation is based on a survey in 2009 and on extensive sampling from commercial experi- mental fishery in 2007. The maturity ogive was esti- mated by a general linear model (GLM) with binomial er- rors. L50 was esti- mated to 5.19 years (SE = 0.07). Since 2018 a sepa- rate ogive was esti- mated based on cod sampled from an experimental fishery in the same spawning area as in 2007. The two	MaturityThe majority of the maturity infor- mation is based on a survey in 2009 and on extensive sampling from commercial experi- mental fishery in 2007. The maturity ogive was esti- mated by a general linear model (GLM) with binomial er- rors. L50 was esti- mated to 5.19 years (SE = 0.07). Since 2018 a sepa- rate ogive was esti- mated based on cod sampled from an experimental fishery in the same spawning area as in 2007. The two	Maturity The majority of the The last maturity infor- Workshop on mation is based on sexual a survey in 2009 maturity and on extensive staging of sampling from cod (WKMS-commercial experi- option GAD) was in mental fishery in 2013. Ma- 2007. The maturity turity stages: ogive was esti- 1 - 5 (with mated by a general the exception linear model (GLM) of 4 for fe- with binomial er- males). Over- rors. L50 was esti- all agree- mated to 5.19 ment for fe- years (SE = 0.07). males was Since 2018 a sepa- 77% (based rate ogive was esti- on modal mated based on stage) and cod sampled from 73% (based an experimental on modal mated based on stage) and cod sampled from 73% (based an experimental on histology); fishery in the same Overall spawning area as in <td< td=""></td<>

Bench- mark year	Stock code	Species/ stock	Proposed WK	WK dates	Stock coordinator e-mail	Biological parameter	Issue (source: issue lists/stock annex)	Solution proposed (source: issue lists)	WGBIOP comments or questions	WGBIOP ac- tions
							maturity ogives		on modal	
							were similar.		stage) and	
									66% (based	
									on histology)	

2022	por.27.nea	Porbea- WKELASMO gle 2022 (Lamna nasus) in subareas 1-10, 12 and 14 (the North- east At- lantic	WKELASMO 2022	7- <u>Jurgen.Batsleer@wur.nl;</u> 11.03.2022 <u>pascal.lo-</u> <u>rance@ifremer.fr (WGEF</u> — <u>chairs)</u> Α		Age	no issue list availa- ble Further age and No			
							needed to provide growth parameters for the NE Atlantic porbeagle stock. (SA)		quired.	
		and ad- jacent waters)				Maturity		-		
2022	rjc.27.8	Thorn- back ray	WKELASMO 2022	7- 11.03.2022			no issue list availa- ble			

Bench- mark year	Stock code	Species/ stock	Proposed WK	WK dates	Stock coordinator e-mail	Biological parameter	Issue (source: issue lists/stock annex)	Solution proposed (source: issue lists)	WGBIOP comments or questions	WGBIOP ac- tions
		(Raja clavata) in Sub- area 8 (Bay of Biscay)			Jurgen.Batsleer@wur.nl; pascal.lo- rance@ifremer.fr (WGEF chairs)	Age	-	_	Vertebrae ex- change of Elasmo- branchs in Mediterra- nean and At- lantic was go- ing to take place in 2020, but have been postponed to 2021. Coordi- nators: Karen Bekaert (Bel- gium) and Kelig Mahe (France)	Inform the stock coordi- nator about the exchange.
						Maturity	-	-	Raja spp Ma- turity staging exchange (smartdots event ID 398) is ongoing. Coordinators: Maria Cris- tina Follesa (Italy) and Karen Baek- ert (Belgium). This ex- change will follow up on recommen- dations by WKMSEL.	Inform the stock coordi- nator about the exchange.
Bench- mark year	Stock code	Species/ stock	Proposed WK	WK dates	Stock coordinator e-mail	Biological parameter	Issue (source: issue lists/stock annex)	Solution proposed (source: issue lists)	WGBIOP comments or questions	WGBIOP ac- tions
------------------------	---------------	---	------------------	------------------	--------------------------	-------------------------	---	--	---	---
2022	rju.27.7de	Undu- late ray (Baia up-	WKELASMO 2022	7- 11.03.2022	alain.tetard@ifremer.fr		no issue list availa- ble			
		dulata) in divi- sions 7.d and 7.e				Age	-	-	-	No WGBIOP action re- quired.
		(English Channel)				Maturity	-	-	Raja spp Ma- turity staging exchange (smartdots event ID 398) is ongoing. Coordinators: Maria Cris- tina Follesa (Italy) and Karen Baek- ert (Belgium). This ex- change will follow up on recommen- dations by WKMSEL.	Inform the stock coordi- nator about the exchange.
2022	rjn.27.678abd	Cuckoo ray (Leu- coraja	WKELASMO 2022	7- 11.03.2022			no issue list and stock annex availa- ble			

Bench- mark year	Stock code	Species/ stock	Proposed WK	WK dates	Stock coordinator e-mail	Biological parameter	Issue (source: issue lists/stock annex)	Solution proposed (source: issue lists)	WGBIOP comments or questions	WGBIOP ac- tions
		naevus) in subar- eas 6-7 and divi- sions 8.a-b and 8.d (West of Scot- land, southern			Jurgen.Batsleer@wur.nl; pascal.lo- rance@ifremer.fr (WGEF chairs)	Age	-	-	-	No WGBIOP action re- quired.
		Celtic Seas, and western English Channel, Bay of Biscay)				Maturity	-	-	-	
2022	ldb.27.8c9a	Four- spot me- grim (Lepi- dorhom- bus boscii) in divisions 8.c and 9.a (south- ern Bay of Biscay and At- lantic	WKMEGANG 2022	_	<u>esther.abad@ieo.es</u>	Age	Age compositions of landings are based on annual Spanish ALKs since 1990, whereas a survey ALK from 1986 combined with an annual ALK from 1990 was ap- plied to years 1986–1989. Land- ings weights-at-age are also used as the weights-at-age in the stock.	_	age is used in the asses- ment; Otolith exchange will take place in 2022 and the results will be ready for 2023. Coordi- nator: Jorge Landa (Spain).	Inform the stock coordi- nator about the exchange.

Bench- mark year	Stock code	Species/ stock	Proposed WK	WK dates	Stock coordinator e-mail	Biological parameter	Issue (source: issue lists/stock annex)	Solution proposed (source: issue lists)	WGBIOP comments or questions	WGBIOP ac- tions
		Iberian waters East)				Maturity	Old maturity ogive and old L-W rela- tionship (1996)	Update the maturity ogive and L-W relation- ship. Data required: Ma- turity data obtained by species and sex and for both sexes combined based on a more robust microscopic methodology and recent Length weight data from sampling pro- gram.	It is highly recom- mended to have histo- logical results as the basis for establish- ing a vali- dated macro- scopic ma- turity scale.	No WGBIOP action re- quired.
2022	meg.27.7b- k8abd	Megrim (Lepi- dorhom- bus whiffiag- onis) in divisions 7.b-k, 8.a-b, and 8.d (west and south- wort of	WKMEGANG 2022	-	<u>airiondo@azti.es</u>	Age	-	_	An exchange for Megrim 7.b-k - 8.abd age started in 2021 and is ongoing (smartdots id 355). Results are expected for the end of 2022. Coordi- nator: Jorge Landa (Spain)	Inform the stock coordi- nator about the exchange.
		west of Ireland, Bay of Biscay)				Maturity	-Old maturity ogiveOld L-W re- lationship.	-Update the maturity ogiveUpdate L-W rela- tionship.	-	No WGBIOP action re- quired.

Bench- mark year	Stock code	Species/ stock	Proposed WK	WK dates	Stock coordinator e-mail	Biological parameter	Issue (source: issue lists/stock annex)	Solution proposed (source: issue lists)	WGBIOP comments or questions	WGBIOP ac- tions
2022	meg.27.8c9a	Megrim (Lepi- dorhom- bus whiffiag- onis) in divisions 8.c and 9.a (Can- tabrian Sea and Atlantic Iberian waters)	WKMEGANG 2022	-	<u>esther.abad@ieo.es</u>	Age	_	-	The last me- grim age cali- bration was an otolith ex- change in 2020 (smartdots id 277); for stock asses- ment (ad- vanced) read- ers PA=82%, CV=11%	Inform the stock coordi- nator about the results.
						Maturity	-Old maturity ogiveOld L-W re- lationship.	-Update the maturity ogiveUpdate L-W rela- tionship. Data re- quired:Maturity data ob- tained by species and sex and for both sexes com- bined based on a more robust microscopic meth- odology and recent Length weight data from sampling program.	_	No WGBIOP action re- quired.

Bench- mark year	Stock code	Species/ stock	Proposed WK	WK dates	Stock coordinator e-mail	Biological parameter	Issue (source: issue lists/stock annex)	Solution proposed (source: issue lists)	WGBIOP comments or questions	WGBIOP ac- tions
2022	mon.27.8c9a*	White an- glerfish (Lophius piscato- rius) in divisions 8.c and 9.a (Can- tabrian Sea and Atlantic Iberian waters)	WKMEGANG 2022	_	paz.sampedro@ieo.es	Age	The last research about white an- glerfish ageing, White Anglerfish II- licia and Otoliths Exchange 2011 (ICES, 2012b), high- lighted that neither illicia nor otolith age readings have been validated and, in the case of illicia studies, the agree- ment among read- ers and the preci- sion were not ac- ceptable. There- fore, it was con- cluded that the available age-read- ing criteria for white anglerfish southern stock is not valid to build an ALK. (SA)		The results of the last age exchange in 2019 were not satisfac- tory. PA was only about 40% and the precision was low. No age infor- mation is available for this stock.	No WGBIOP action re- quired.
						Maturity	• Maturity ogive: length-based lo- gistic	-	The last ma- turity calibra- tion exercise for white an- glerfish was a Workshop on Sexual Ma- turity Staging of Hake and Monk (WKMSHM) in 2007.	

Bench- mark year	Stock code	Species/ stock	Proposed WK	WK dates	Stock coordinator e-mail	Biological parameter	Issue (source: issue lists/stock annex)	Solution proposed (source: issue lists)	WGBIOP comments or questions	WGBIOP ac- tions
2022	mon.27.78abd	White an- glerfish (Lophius piscato- rius) in Subarea 7 and di- visions 8.a-b and 8.d (Celtic Seas, Bay of Biscay)	WKMEGANG 2022	_	<u>aurtizberea@azti.es</u>	Age Maturity	Age data are not available for this stock. The age compositions of the catch and tun- ing indices are esti- mated (outside the assessment model) by applying a length-split to the length-frequency distributions. The mean lengths-at- age are estimated from a von Ber- talanffy growth function (SA) knife-edge matura- tion Spawning females are very rarely ob- served which makes it difficult to estimate ma- turity.Based on es- timates from the literature and sam- pling data from Ire- land, the mean length-at-first ma- turity was esti- mated. WKAn- glerfish (2018) de- cided to use female maturity in order to be conservative and also in an	-	- The last ma- turity calibra- tion exercise for white an- glerfish was a Workshop on Sexual Ma- turity Staging of Hake and Monk (WKMSHM) in 2007.	No WGBIOP action re- quired.

Bench- mark year	Stock code	Species/ stock	Proposed WK	WK dates	Stock coordinator e-mail	Biological parameter	Issue (source: issue lists/stock annex)	Solution proposed (source: issue lists)	WGBIOP comments or questions	WGBIOP ac- tions
							attempt to make			
							SSB more closely			
							related to the re-			
							productive poten-			
							tial of the stock (as-			
							suming that this is			
							limited by the bio-			
							mass of mature fe-			
							males). (SA)			

2022	ank.27.78abd	Black- bellied an- glerfish (Lophius bude- gassa) in	WKMEGANG 2022	<u>hans.gerritsen@ma-</u> <u>rine.ie</u>	Age	-	-	Age is not used in the assesment.	No WGBIOP action re- quired.
		Subarea 7 and di- visions 8.a-b and 8.d (Celtic Seas, Bay of Biscay)			Maturity	Spawning females are very rarely ob- served, which makes it difficult to estimate maturity. Based on estimates from the literature and sampling data from Ireland, the mean length-at-	-	-	-

Bench- mark year	Stock code	Species/ stock	Proposed WK	WK dates	Stock coordinator e-mail	Biological parameter	Issue (source: issue lists/stock annex)	Solution proposed (source: issue lists)	WGBIOP comments or questions	WGBIOP ac- tions
							first maturity was			
							estimateu. (SA)			

2023	her.27.25- 2932	Herring (Clupea ha- rengus) in subdi- visions 25–29 and 32, exclud- ing the Gulf of Riga (central Baltic Sea)	to- mas.groehsler@thuenen .de	Age	Quality of age read- ings needs im- provement.	Comparison of age read- ings. Reference otolith collec- tion is needed.	The last age calibration for herring was an oto- lith exchange in 2016. The results are as follows: PA S1: 88–94%; S2: 52–85%; S3: 52–81%, S4: 87 – 96%, CV S1: 1.9– 7.5%; S2: 1.9–7.5%; S3: 11–20%, S4: 4.0 – 8.1%, *S1-S3 – whole oto- liths from SD 26 *S4 - sliced and stained otoliths from SD 30 and 32 The next oto- lith exchange for this stock is nanned for	Inform the stock coordi- nator about the results.
							is planned for	

Bench- mark year	Stock code	Species/ stock	Proposed WK	WK dates	Stock coordinator e-mail	Biological parameter	lssue (source: issue lists/stock annex)	Solution proposed (source: issue lists)	WGBIOP comments or questions	WGBIOP ac- tions
						Maturity	Maturity is not used in the asses- ment.	-	-	No WGBIOP action re- quired.
2023	spr.27.22-3	Sprat (Sprattus) in subdi- visions 22–32 (Baltic Sea)		-	<u>olavi.kaljuste@slu.se</u>	Age	-	-	The last age calibration of baltic sprat was in 2021 (smartdots event: 323); results for advanced readers: PA=66%, CV=25%, bias=0,01. The next oto- lith exchange for this stock is planned for 2022.	Inform the stock coordi- nator about the results.
						Maturity	-	-	There was a Workshop on Sexual Ma- turity Staging of Herring and Sprat (WKMSHS2) in 2017, but no report is available.	No WGBIOP action re- quired.

Annex 6-Table 6. Replies from stock coordinators in 2020.

Spe- cies/stock	biologi- cal pa- rame- ters	replied to WGBIOP	advice taken on- board/con- sidered	replies	follow-up WGBIOP	feedback
dgs.27.nea	age	yes	yes	In terms of calibration on itself, from previous experience with ageing elasmos we should consider both calibration and validation procedures. Saying this, my thoughts would be that this subject would benefit from a wider discus- sion between both WGEF and WGBIOP chairs on how to bring such work forward be- tween the two groups and various members (and, not necessarily exclusively to spur- dog). From my involvement with WGEF I know a fair share of members who have been in- volved in national projects for ageing elasmobranchs through the years, not exclusively on spurdog, but also other sharks and, skates and rays (e.g. Rajidae), so future collabora- tions between both groups would be of merit to combine efforts on ageing such species.		An exchange for elasmo- branchs is being carried out in 2021, but spurdog is not included in this event.

Spe- cies/stock	biologi- cal pa- rame- ters	replied to WGBIOP	advice taken on- board/con- sidered	replies	follow-up WGBIOP	feedback
cod.27.1-2	age, maturity	yes	yes	Concerning age reading for NEA cod (cod.27.1-2), Norway and Russia has had a program with annual exchange of otoliths and biennial exchange of age readers since the early 1990s. We can send you our latest report (2019) if you like. Natalia Yaragina (cc on this e-mail) is the scientist who has followed this most closely over the years, so she can an- swer any questions you may have. We consider that the reports from this and preceding workshops provide enough documentation on age reding for the benchmark workshop. Concerning maturation staging intercalibration, we have not had such a regular pro- gramme and as far as I know NEA cod was not considered during WKMSGAD in 2013, Na- talia could probably fill in with more info here also. (Bjarte Bogstad) We also done some evaluations of the possible impact of discrepancies in age reading on stock assessment based on the otholite exchege program. (Yury Kovalev) The latest report (2019) are saved on AFWG 2020 site as WD 8: Report on the meeting between Norwegian and Russian age reading specialists at Polar Branch of FSBSI "VNIRO" Murmansk, 20-24 May 2019. As for maturation staging intercalibration, we have not got such a regular programme. Russian and Norwegian Manuals are known to each side and during combining joint sur- vey results we take this information into account. (Natalia Yaragina)	look for the latest age exchange re- port	

Spe- cies/stock	biologi- cal pa- rame- ters	replied to WGBIOP	advice taken on- board/con- sidered	replies	follow-up WGBIOP	feedback
her.27.30-31	maturity	yes	yes	We are indeed using (annually updated) maturities in the herring 3031 assessment. The maturities are determined from the aged individual samples from Finnish commercial fishery, and the information we are using in the assessment comes from the open sea samples that are taken before spawning time; i.e. January-March in SD 30 and April – May in SD 31 (the Bothnian Bay [SD 31] is mostly ice-covered still in March). The timing is because the spawners are still mixed with the non-spawners (young fish) and not separated into spawning schools where almost all are spawners. We have had several maturity-determination-calibration meetings with Sweden (with the SLU Lysekil Sea-lab and SLU Öregrund Coast-lab) starting when we were conducting the survey with the old Swedish research vessel Argos and Danish RV Dana, 2007 - 2012. We produced together a sort of a manual with photographs, and it was in use for a while, but later on we have applied the Danish guide (2013->). Since the scientific crew on the annually arranged survey come from all over the Finnish coast with participants also from Sweden, we have thought that being together in a 2-week survey serves as a good internal Finnish, and bilateral Finnish-Swedish maturity-calibration. So no, the exchange does not seem to be of any additional help. For some years we used a common maturity scale with Sweden (where maturing stage is divided to first time spawners and repeat-spawners), but that was considered too much time-consuming and uncertainty- and insecurity-inducing procedure for the fact that that information is not even used in the assessments. Or anywhere else either according to my knowledge.		

spr.27.7de	age	no	no	
fle.27.3a4	maturity	no	no	
sol.27.7d	age	no	по	Sole 7d age exchange was performed in 2021 (smrtdots event id 314). The results for advanced readers were as follows: PA 80%, CV 8%, APE 5%. More details can be

Spe-	biologi-	replied	advice	replies	follow-up WGBIOP	feedback
cics/stock	rame- ters	WGBIOP	board/con- sidered			
						found in the report on SmartDots.
	maturity	no	no			
ple.27.7h-k	age	no	no			
	maturity	no	no			
dab.27.3a4	age	no	no			
	maturity	no	no			
bll 27 2247de	age	no	no			
bii.27.3d+7uc	maturity	no	no			
cod.27.47d20	age	no	no			The last age calibration for this stock was a long time ago. WGBIOP is con-
						sidering organizing a new one.
	maturity	no	no			

			Sa	Impling Desi	gn	Stoc k ID					Me	ethods and	d Definitio	ns				
EG	Species	Stock		All		AII		Age		Growth			Maturity	/		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive 40	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
NIPAG	Pandalus borealis	pra.27.4a	0. Quality of bio- logical data not evalu- ated	Ν	Y	1. No mix- ing	0. No over- view table	0. No over- view table	0. No com- pari- sons be- tween labs	3. Esti- mated indi- rectly	0. No over- view table	0. No over- view table	0. No chroni- cle (stand- ard scale) availa- ble	2. Stag- ing year- round				

Annex 6-Table 7. (Part 1). Quality indicators by stock–WGBIOP 2020 answers²⁷. Part 1: Sampling Design, Stock Identity, Methods and Definitions.

²⁷ Note: Table has been slightly modified to fit into the WGBIOP 2021 report. Full table will be available to download as an .xlsx file from the WGBIOP community page.

²⁸ Were possible weaknesses of the survey design critically assessed?

³² Documentation of different structures used by country and stock.

- ³⁵ Growth parameters are used in assessments (e.g. Nephrops). On what information are growth parameters based? Estimated by direct or indirect methods (e.g. tagging studies), extrapolated (from neighbouring regions), or assumed?
- ³⁶ Documentation of different structures used by country and stock.
- ³⁸ Do differences between countries exist(ed)? Have different national maturity scales been successfully merged into one international standard?
- ³⁹ Is the maturity staging conducted during the whole year or only during a specified period of the year?
- ⁴⁰ If sufficient maturity data are available, then spatially and/or temporally varying ogives can be considered.
- ⁴¹ Different countries use different coding for male and female in their national databases. This should be standardised before the data are submitted to ICES/GFCM, but there is a risk of errors.
- ⁴³ On what information is the value for natural mortality based? Estimated (based on predator-prey studies), extrapolated from neighbouring regions or assumed?

			Sa	ampling Desi	gn	Stoc k ID					Me	ethods and	d Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturit	y		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
NWWG	Mallotus villosus	cap.27.2a514																
NWWG	Gadus morhua	cod.21.1																
NWWG	Gadus morhua	cod.21.1a-e																

³⁷ Documentation of different preparation techniques used by country and stock.

³⁸ Do differences between countries exist(ed)? Have different national maturity scales been successfully merged into one international standard?

³⁹ Is the maturity staging conducted during the whole year or only during a specified period of the year?

⁴⁰ If sufficient maturity data are available, then spatially and/or temporally varying ogives can be considered.

⁴¹ Different countries use different coding for male and female in their national databases. This should be standardised before the data are submitted to ICES/GFCM, but there is a risk of errors.

⁴² Sexual dimorphism occurs in many species, but sex-specific parameters are only applicable in sex-specific stock assessments. Is sex-specific information available and needed? Are the sample sizes per strata representative enough to allow sex-specific conclusions?

⁴³ On what information is the value for natural mortality based? Estimated (based on predator-prey studies), extrapolated from neighbouring regions or assumed?

			Sa	ampling Des	ign	Stoc k ID					M	ethods and	d Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturity	1		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
NWWG	Gadus morhua	cod.2127.1f1 4																
NWWG	Gadus morhua	cod.27.5a																
NWWG	Gadus morhua	cod.27.5b1	0. Quality of bio- logical data not evalu- ated	Ν	Y	1. No mix- ing	0. No over- view table	1. Over- view table availa- ble	1. No differ- ences	4. Esti- mated directly	0. No over- view table	1. Over- view table availa- ble	0. No chroni- cle (stand- ard scale) availa- ble	1. Con- ducted in a re- stricted staging period (e.g.: If Q1 is ad- vised: Q1= good, Q2&Q3= bad, Q4=mod- erate)	2. Care- ful selec- tion of a type of ogive	2. In- ter- na- tiona I da- ta- base cor- rect	1. Pre- limi- nary anal- yses of sex- specific issues	3. Esti- mated

			Sa	ampling Desi	ign	Stoc k ID					Me	ethods and	d Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturity	,		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive 40	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
NWWG	Gadus morhua	cod.27.5b2	0. Quality of bio- logical data not evalu- ated	Ν	Y	1. No mix- ing	0. No over- view table	1. Over- view table availa- ble	1. No differ- ences	4. Esti- mated directly	0. No over- view table	1. Over- view table availa- ble	0. No chroni- cle (stand- ard scale) availa- ble	1. Con- ducted in a re- stricted staging period (e.g.: If Q1 is ad- vised: Q1= good, Q2&Q3= bad, Q4=mod- erate)	2. Care- ful selec- tion of a type of ogive		1. Pre- limi- nary anal- yses of sex- specific issues	1. As- sumed
NWWG	Reinhard-	.214																

tius hippoglossoides 22/22:131 tius hippoglossoides

			Sa	ampling Desi	ign	Stoc k ID					Me	ethods and	d Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturity	1		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
NWWG	Melano- grammus aeglefi- nus	had.27.5a	0. Quality of bio- logical data not evalu- ated	Ν	Υ	1. No mix- ing	0. No over- view table	1. Over- view table availa- ble	1. No differ- ences	4. Esti- mated directly	0. No over- view table	1. Over- view table availa- ble	0. No chroni- cle (stand- ard scale) availa- ble	1. Con- ducted in a re- stricted staging period (e.g.: If Q1 is ad- vised: Q1= good, Q2&Q3= bad, Q4=mod- erate)	2. Care- ful selec- tion of a type of ogive	2. In- ter- na- tiona I da- ta- base cor- rect	1. Pre- limi- nary anal- yses of sex- specific issues	1. As- sumed
NWWG	Melano- grammus aeglefi- nus	had.27.5b																
NWWG	Clupea harengus	her.27.5a																

			Sa	ampling Des	ign	Stoc k ID					M	ethods and	d Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturity	Y		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
NWWG	Pol- lachius vi- rens	pok.27.5a																
NWWG	Pol- lachius vi- rens	pok.27.5b	0. Quality of bio- logical data not evalu- ated	Ν	Υ	2. Mix- ing ex- ists: not ac- cou nted for	1. Over- view table availa- ble	1. Over- view table availa- ble	1. No differ- ences	4. Esti- mated directly	0. No over- view table	1. Over- view table availa- ble	0. No chroni- cle (stand- ard scale) availa- ble	1. Con- ducted in a re- stricted staging period (e.g.: If Q1 is ad- vised: Q1= good, Q2&Q3= bad, Q4=mod- erate)	2. Care- ful selec- tion of a type of ogive		1. Pre- limi- nary anal- yses of sex- specific issues	1. As- sumed
NWWG	Sebastes mentella	reb.2127.dp																

			Sa	ampling Desi	gn	Stoc k ID					Me	ethods and	Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturity	1		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive 40	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
NWWG	Sebastes mentella	reb.2127.sp																
NWWG	Sebastes mentella	reb.27.14b																
NWWG	Sebastes mentella	reb.27.5a14																
NWWG	Sebastes norvegi- cus	reg.27.561214																
WGBAST	Salmo salar	sal.27.22-31																

			Sa	Impling Desi	gn	Stoc k ID					Me	ethods and	d Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturit	y		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive 40	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGBAST	Salmo salar	sal.27.32																
WGBAST	Salmo trutta	trs.27.22-32																
WGBFAS	Scoph- thalmus rhombus	bll.27.22-32																

			Sa	ampling Des	ign	Stoc k ID					M	ethods and	d Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturity	1		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive 40	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGBFAS	Gadus morhua	cod.27.21	1. Pre- limi- nary analy- sis of quality of bio- logical data	γ	N/A	3. Mix- ing ex- ists: ac- cou nted for, not vali- date d	0. No over- view table	1. Over- view table availa- ble	1. No differ- ences	4. Esti- mated directly	0. No over- view table	0. No over- view table	2. Chroni- cle (stand- ard scale) clearly docu- mente d and consid- ered in data compi- lation	2. Stag- ing year- round	1. Care- less use of a type of ogive	2. In- ter- na- tiona I da- ta- base cor- rect	0. Sex- specific issues not evalu- ated	1. As- sumed
WGBFAS	Gadus morhua	cod.27.22-24																
WGBFAS	Gadus morhua	cod.27.24-32																

			Sa	ampling Des	ign	Stoc k ID					Me	ethods and	d Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturity	,		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive 40	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGBFAS	Limanda limanda	dab.27.22-32	1. Pre- limi- nary analy- sis of quality of bio- logical data	Y	Y	1. No mix- ing	0. No over- view table	1. Over- view table availa- ble	0. No com- pari- sons be- tween labs	4. Esti- mated directly	0. No over- view table	0. No over- view table	2. Chroni- cle (stand- ard scale) clearly docu- mente d and consid- ered in data compi- lation	2. Stag- ing year- round	1. Care- less use of a type of ogive	2. In- ter- na- tiona I da- ta- base cor- rect	0. Sex- specific issues not evalu- ated	1. As- sumed

			Sa	Impling Desi	ign	Stoc k ID					M	ethods and	d Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturity	,		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive 40	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGBFAS	Platich- thys fle- sus	fle.27.223	1. Pre- limi- nary analy- sis of quality of bio- logical data	Y	Y	1. No mix- ing	0. No over- view table	1. Over- view table availa- ble	0. No com- pari- sons be- tween labs	4. Esti- mated directly	0. No over- view table	0. No over- view table	2. Chroni- cle (stand- ard scale) clearly docu- mente d and consid- ered in data compi- lation	2. Stag- ing year- round	1. Care- less use of a type of ogive	2. In- ter- na- tiona I da- ta- base cor- rect	0. Sex- specific issues not evalu- ated	1. As- sumed

			Sa	ampling Des	ign	Stoc k ID					Me	ethods and	d Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturity	,		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGBFAS	Platich- thys spp	bwq.27.2425	1. Pre- limi- nary analy- sis of quality of bio- logical data	Y	Y	2. Mix- ing ex- ists: not ac- cou nted for	0. No over- view table	1. Over- view table availa- ble	0. No com- pari- sons be- tween labs	4. Esti- mated directly	0. No over- view table	0. No over- view table	2. Chroni- cle (stand- ard scale) clearly docu- mente d and consid- ered in data compi- lation	2. Stag- ing year- round	1. Care- less use of a type of ogive	2. In- ter- na- tiona I da- ta- base cor- rect	0. Sex- specific issues not evalu- ated	1. As- sumed

			Sa	Impling Des	ign	Stoc k ID					Me	ethods and	l Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturity	,		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGBFAS	Platich- thys spp	bwq.27.2628	1. Pre- limi- nary analy- sis of quality of bio- logical data	γ	N/A	2. Mix- ing ex- ists: not ac- cou nted for	0. No over- view table	1. Over- view table availa- ble	0. No com- pari- sons be- tween labs	4. Esti- mated directly	0. No over- view table	0. No over- view table	2. Chroni- cle (stand- ard scale) clearly docu- mente d and consid- ered in data compi- lation	2. Stag- ing year- round	1. Care- less use of a type of ogive	2. In- ter- na- tiona I da- ta- base cor- rect	0. Sex- specific issues not evalu- ated	1. As- sumed
WGBFAS	Platich- thys solemdali	bwp.27.2729-32	0. Quality of bio- logical data not evalu- ated	Y	Y	2. Mix- ing ex- ists: not ac- cou nted for	0. No over- view table	1. Over- view table availa- ble	0. No com- pari- sons be- tween labs	4. Esti- mated directly						2. In- ter- na- tiona I da- ta- base cor- rect	0. Sex- specific issues not evalu- ated	1. As- sumed

			Sa	ampling Desi	ign	Stoc k ID					Me	ethods and	d Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturity	,		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGBFAS	Clupea harengus	her.27.25-2932	1. Pre- limi- nary analy- sis of quality of bio- logical data	Y	Y	3. Mix- ing ex- ists: ac- cou nted for, not vali- date d	0. No over- view table	0. No over- view table	2. Dif- fer- ences be- tween labs are known but ingnore d	1. As- sumed	0. No over- view table	0. No over- view table	1. Dif- fer- ences be- tween labs are known but ingnore d	2. Stag- ing year- round	2. Care- ful selec- tion of a type of ogive	2. In- ter- na- tiona I da- ta- base cor- rect	0. Sex- specific issues not evalu- ated	

			Sa	ampling Des	ign	Stoc k ID					M	ethods and	d Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturity	,		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGBFAS	Clupea harengus	her.27.28	1. Pre- limi- nary analy- sis of quality of bio- logical data	γ	Y	6. Mix- ing ex- ists: mar kers stud y and goo d spa- tio- tem pora l cov- er- age of mix- ing	1. Over- view table availa- ble	0. No over- view table	1. No differ- ences	4. Esti- mated directly	0. No over- view table	0. No over- view table	1. Dif- fer- ences be- tween labs are known but ingnore d	2. Stag- ing year- round	2. Care- ful selec- tion of a type of ogive	2. In- ter- na- tiona I da- ta- base cor- rect	0. Sex- specific issues not evalu- ated	1. As- sumed
WGBFAS	Clupea harengus	her.27.3031																

			Sa	ampling Des	ign	Stoc k ID					Me	ethods and	d Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturit	1		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive 40	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGBFAS	Pleu- ronectes platessa	ple.27.21-23																
WGBFAS	Pleu- ronectes platessa	ple.27.24-32	2. De- tailed analy- sis of the quality of bio- logical data	Y	Y	2. Mix- ing ex- ists: not ac- cou nted for	0. No over- view table	1. Over- view table availa- ble	2. Dif- fer- ences be- tween labs are known but ingnore d	4. Esti- mated directly	0. No over- view table	0. No over- view table	2. Chroni- cle (stand- ard scale) clearly docu- mente d and consid- ered in data compi- lation	2. Stag- ing year- round	2. Care- ful selec- tion of a type of ogive	2. In- ter- na- tiona I da- ta- base cor- rect	0. Sex- specific issues not evalu- ated	1. As- sumed
WGBFAS	Solea solea	sol.27.20-24																

			Sa	ampling Des	ign	Stoc k ID					M	ethods and	d Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturity	,		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive 40	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGBFAS	Sprattus sprattus	spr.27.22-32	1. Pre- limi- nary analy- sis of quality of bio- logical data	Y	Y	0. No evi- den ce	1. Over- view table availa- ble	1. Over- view table availa- ble	1. No differ- ences		0. No over- view table	0. No over- view table	1. Dif- fer- ences be- tween labs are known but ingnore d	2. Stag- ing year- round	2. Care- ful selec- tion of a type of ogive	2. In- ter- na- tiona I da- ta- base cor- rect	0. Sex- specific issues not evalu- ated	4. As- sessed (SMS key runs,)
WGBFAS	Scoph- thalmus maximus	tur.27.22-32	1. Pre- limi- nary analy- sis of quality of bio- logical data	Y	Y	1. No mix- ing	0. No over- view table	1. Over- view table availa- ble	0. No com- pari- sons be- tween labs	4. Esti- mated directly	0. No over- view table	0. No over- view table	2. Chroni- cle (stand- ard scale) clearly docu- mente d and consid- ered in data compi- lation	2. Stag- ing year- round	2. Care- ful selec- tion of a type of ogive	2. In- ter- na- tiona I da- ta- base cor- rect	0. Sex- specific issues not evalu- ated	1. As- sumed

			Sa	ampling Desi	gn	Stoc k ID					Me	ethods and	d Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturity	1		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGBIE	Lophius bude- gassa	ank.27.78abd	2. De- tailed analy- sis of the quality of bio- logical data	N/A	N/A	2. Mix- ing ex- ists: not ac- cou nted for				3. Esti- mated indi- rectly	0. No over- view table	0. No over- view table	0. No chroni- cle (stand- ard scale) availa- ble	1. Con- ducted in a re- stricted staging period (e.g.: If Q1 is ad- vised: Q1= good, Q2&Q3= bad, Q4=mod- erate)	2. Care- ful selec- tion of a type of ogive		1. Pre- limi- nary anal- yses of sex- specific issues	3. Esti- mated
WGBIE	Lophius bude- gassa	ank.27.8c9a																
WGBIE	Dicen- trarchus labrax	bss.27.8ab																

			Sa	Impling Desi	ign	Stoc k ID					Me	ethods and	d Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturit	y		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGBIE	Dicen- trarchus labrax	bss.27.8c9a																
WGBIE	Merluc- cius mer- luccius	hke.27.3a46-8abd	0. Quality of bio- logical data not evalu- ated	Ν	Ν	2. Mix- ing ex- ists: not ac- cou nted for	0. No over- view table	0. No over- view table	0. No com- pari- sons be- tween labs	1. As- sumed	0. No over- view table	0. No over- view table	0. No chroni- cle (stand- ard scale) availa- ble	2. Stag- ing year- round	3. Se- lec- tion of type of ogive base d on thor- ough anal- ysis of all op- tions	1. Po- ten- tial er- rors in in- ter- na- tiona I da- ta- base	1. Pre- limi- nary anal- yses of sex- specific issues	1. As- sumed

			Sa	ampling Des	ign	Stoc k ID					M	ethods and	l Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturity	1		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive 40	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGBIE	Brosme brosme, Merluc- cius mer- luccius	hke.27.8c9a			Υ	0. No evi- den ce				3. Esti- mated indi- rectly	2. Over- view table com- plete and up- to- date	2. Over- view table com- plete and up- to-date		1. Con- ducted in a re- stricted staging period (e.g.: If Q1 is ad- vised: Q1= good, Q2&Q3= bad, Q4=mod- erate)			2. De- tailed analysis of sex- specific issues	
WGBIE	Lepi- dorhom- bus boscii	ldb.27.7b-k8abd																
WGBIE	Lepi-	c9a																

dorhom- 22 bus boscii g

EG	Species	Stock	Sa	ampling Desi	Stoc k ID	Methods and Definitions												
			All			All	I Age			Growth	Maturity					Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive 40	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGBIE	Lepi- dorhom- bus whiffiag- onis	meg.27.7b-k8abd	0. Quality of bio- logical data not evalu- ated	Ν	N/A	0. No evi- den ce	0. No over- view table	0. No over- view table	0. No com- pari- sons be- tween labs	1. As- sumed	0. No over- view table	0. No over- view table	0. No chroni- cle (stand- ard scale) availa- ble	2. Stag- ing year- round	1. Care- less use of a type of ogive	2. In- ter- na- tiona I da- ta- base cor- rect	0. Sex- specific issues not evalu- ated	1. As- sumed
WGBIE	Lepi- dorhom- bus whiffiag- onis	meg.27.8c9a																
WGBIE	Lophius piscato- rius	mon.27.78abd																

EG		Stock	Sa	ampling Des	Stoc k ID		Methods and Definitions											
	Species		All			All Age				Growth	Maturity					Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGBIE	Lophius piscato- rius	mon.27.8c9a	0. Quality of bio- logical data not evalu- ated	Ν	N/A	2. Mix- ing ex- ists: not ac- cou nted for	0. No over- view table	0. No over- view table	0. No com- pari- sons be- tween labs	3. Esti- mated indi- rectly	0. No over- view table	0. No over- view table	2. Chroni- cle (stand- ard scale) clearly docu- mente d and consid- ered in data compi- lation	2. Stag- ing year- round	3. Se- lec- tion of type of ogive base d on thor- ough anal- ysis of all op- tions	2. In- ter- na- tiona I da- ta- base cor- rect	0. Sex- specific issues not evalu- ated	1. As- sumed
WGBIE	Nephrops norvegi- cus	nep.fu.2324																
WGBIE	Nephrops norvegi- cus	nep.fu.25																

EG		Stock	Sa	ampling Desi	Stoc k ID	Methods and Definitions												
	Species		All			All	Age		Growth	Matur			y		Sex	All	Natural Mortal.	
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive 40	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGBIE	Nephrops norvegi- cus	nep.fu.2627																
WGBIE	Nephrops norvegi- cus	nep.fu.2829	0. Quality of bio- logical data not evalu- ated	Ν	N/A	0. No evi- den ce				2. Ex- trapo- lated	0. No over- view table	0. No over- view table	0. No chroni- cle (stand- ard scale) availa- ble	1. Con- ducted in a re- stricted staging period (e.g.: If Q1 is ad- vised: Q1= good, Q2&Q3= bad, Q4=mod- erate)	1. Care- less use of a type of ogive	2. In- ter- na- tiona I da- ta- base cor- rect	0. Sex- specific issues not evalu- ated	1. As- sumed
WGBIE	Nephrops norvegi- cus	nep.fu.30																
			Sa	ampling Des	ign	Stoc k ID					M	ethods and	d Definitio	ons				
-------	-------------------------------	------------	--	---	--	---	---------------------------------	-------------------------------------	--	---------------------------	---------------------------------	-------------------------------------	---	--------------------------------	---	--	--	--------------------
EG	Species	Stock		All		All		Age		Growth			Maturity	y		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGBIE	Nephrops norvegi- cus	nep.fu.31																
WGBIE	Pleu- ronectes platessa	ple.27.89a																
WGBIE	Pol- lachius pollachius	pol.27.89a	0. Quality of bio- logical data not evalu- ated	Ν	N/A	2. Mix- ing ex- ists: not ac- cou nted for	0. No over- view table	0. No over- view table	0. No com- pari- sons be- tween labs	2. Ex- trapo- lated	0. No over- view table	0. No over- view table	0. No chroni- cle (stand- ard scale) availa- ble	2. Stag- ing year- round	3. Se- lec- tion of type of ogive base d on thor- ough anal- ysis of all op- tions	2. In- ter- na- tiona I da- ta- base cor- rect	0. Sex- specific issues not evalu- ated	1. As- sumed

			Sa	ampling Desi	ign	Stoc k ID					Me	ethods and	d Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturity	1		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive 40	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGBIE	Solea solea	sol.27.8ab																
WGBIE	Solea solea	sol.27.8c9a	0. Quality of bio- logical data not evalu- ated	Ν	N/A	2. Mix- ing ex- ists: not ac- cou nted for	0. No over- view table	0. No over- view table	0. No com- pari- sons be- tween labs	2. Ex- trapo- lated	0. No over- view table	0. No over- view table	0. No chroni- cle (stand- ard scale) availa- ble	2. Stag- ing year- round	3. Se- lec- tion of type of ogive base d on thor- ough anal- ysis of all op- tions	2. In- ter- na- tiona I da- ta- base cor- rect	0. Sex- specific issues not evalu- ated	1. As- sumed
WGBIE	Merlan- gius mer- langus	whg.27.89a																

			Sa	ampling Des	ign	Stoc k ID					Me	ethods and	d Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturity	,		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGCSE	Lophius bude- gassa, Lo- phius pis- catorius	anf.27.3a46	0. Quality of bio- logical data not evalu- ated	Ν	Ν													
WGCSE	Dicen- trarchus labrax	bss.27.4bc7ad-h	0. Quality of bio- logical data not evalu- ated	Ν	Ν	2. Mix- ing ex- ists: not ac- cou nted for	0. No over- view table	0. No over- view table	0. No com- pari- sons be- tween labs		0. No over- view table	0. No over- view table	0. No chroni- cle (stand- ard scale) availa- ble	1. Con- ducted in a re- stricted staging period (e.g.: lf Q1 is ad- vised: Q1= good, Q2&Q3= bad, Q4=mod- erate)	1. Care- less use of a type of ogive	1. Po- ten- tial er- rors in in- ter- na- tiona I da- ta- base	2. De- tailed analysis of sex- specific issues	1. As- sumed
WGCSE	Dicen- trarchus labrax	bss.27.6a7bj																

			Sa	Impling Des	ign	Stoc k ID					Me	ethods and	l Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturity	1		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive 40	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGCSE	Gadus morhua	cod.27.6a																
WGCSE	Gadus morhua	cod.27.6b																
WGCSE	Gadus morhua	cod.27.7a																
WGCSE	Gadus morhua	cod.27.7e-k																
WGCSE	Melano- grammus aeglefi- nus	had.27.6b																

			S	ampling Des	ign	Stoc k ID					Me	ethods and	Definitio	ons				
EG	Species	Stock		All		All		Age		Growth			Maturit	y		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive 40	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGCSE	Melano- grammus aeglefi- nus	had.27.7a																
WGCSE	Melano- grammus aeglefi- nus	had.27.7b-k	2. De- tailed analy- sis of the quality of bio- logical data	Y	Y	2. Mix- ing ex- ists: not ac- cou nted for			1. No differ- ences 2. Dif- fer- ences be- tween labs are known but ingnore d	4. Esti- mated directly					2. Care- ful selec- tion of a type of ogive	2. In- ter- na- tiona I da- ta- base cor- rect		3. Esti- mated
WGCSE	Lepi- dorhom- bus	lez.27.4a6a																
WGCSE	Lepi- dorhom- bus	lez.27.6b																

			Sa	ampling Desi	gn	Stoc k ID					Me	thods and	Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturity	1		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGCSE	Nephrops norvegi- cus	nep.27.6aoutFU																
WGCSE	Nephrops norvegi- cus	nep.27.7outFU																
WGCSE	Nephrops norvegi- cus	nep.fu.11																
WGCSE	Nephrops norvegi- cus	nep.fu.12																
WGCSE	Nephrops norvegi- cus	nep.fu.13																

			Sa	Impling Desi	gn	Stoc k ID					Me	ethods and	d Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturity	1		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive 40	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGCSE	Nephrops norvegi- cus	nep.fu.14																
WGCSE	Nephrops norvegi- cus	nep.fu.15																
WGCSE	Nephrops norvegi- cus	nep.fu.16																
WGCSE	Nephrops norvegi- cus	nep.fu.17																
WGCSE	Nephrops norvegi- cus	nep.fu.19																

			Sa	Impling Desi	gn	Stoc k ID					Me	ethods and	d Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturit	1		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive 40	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGCSE	Nephrops norvegi- cus	nep.fu.2021																
WGCSE	Nephrops norvegi- cus	nep.fu.22																
WGCSE	Trisopte- rus es- markii	nop.27.6a																

			Sa	ampling Des	ign	Stoc k ID					Me	ethods and	d Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturity	Y		Sex	AII	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive 40	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGCSE	Pleu- ronectes platessa	ple.27.7a	0. Quality of bio- logical data not evalu- ated	Ν	Y	0. No evi- den ce	0. No over- view table	0. No over- view table	0. No com- pari- sons be- tween labs		0. No over- view table	0. No over- view table	0. No chroni- cle (stand- ard scale) availa- ble	1. Con- ducted in a re- stricted staging period (e.g.: If Q1 is ad- vised: Q1= good, Q2&Q3= bad, Q4=mod- erate)	1. Care- less use of a type of ogive	1. Po- ten- tial er- rors in in- ter- na- tiona I da- ta- base	2. De- tailed analysis of sex- specific issues	1. As- sumed
WGCSE	Pleu- ronectes platessa	ple.27.7bc																
WGCSE	Pleu- ronectes platessa	ple.27.7e																

			Sa	ampling Desi	gn	Stoc k ID					Me	thods and	d Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturity	,		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive 40	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGCSE	Pleu- ronectes platessa	ple.27.7fg																
WGCSE	Pleu- ronectes platessa	ple.27.7h-k																
WGCSE	Pol- lachius pollachius	pol.27.67																
WGCSE	Ammo- dytes	san.27.6a																

			Sa	ampling Des	ign	Stoc k ID					M	ethods and	d Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturity	,		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive 40	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGCSE	Solea solea	sol.27.7a	0. Quality of bio- logical data not evalu- ated	N/A	N/A	1. No mix- ing	0. No over- view table	1. Over- view table availa- ble	1. No differ- ences 2. Dif- fer- ences be- tween labs are known but ingnore d		0. No over- view table	0. No over- view table	1. Dif- fer- ences be- tween labs are known but ingnore d		3. Se- lec- tion of type of ogive base d on thor- ough anal- ysis of all op- tions			1. As- sumed
WGCSE	Solea solea	sol.27.7bc																
WGCSE	Solea solea	sol.27.7e																

			Sa	ampling Des	ign	Stoc k ID					Me	ethods and	d Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturity	,		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive 40	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGCSE	Solea solea	sol.27.7fg	0. Quality of bio- logical data not evalu- ated	N/A	N/A	1. No mix- ing	0. No over- view table	1. Over- view table availa- ble	1. No differ- ences 2. Dif- fer- ences be- tween labs are known but ingnore d		0. No over- view table	0. No over- view table	1. Dif- fer- ences be- tween labs are known but ingnore d		3. Se- lec- tion of type of ogive base d on thor- ough anal- ysis of all op- tions			1. As- sumed
WGCSE	Solea solea	sol.27.7h-k																
WGCSE	Merlan- gius mer- langus	whg.27.6a																

			Sa	ampling Des	ign	Stoc k ID					Me	ethods and	d Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturity	1		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive 40	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGCSE	Merlan- gius mer- langus	whg.27.6b																
WGCSE	Merlan- gius mer- langus	whg.27.7a	1. Pre- limi- nary analy- sis of quality of bio- logical data	Y	Y	2. Mix- ing ex- ists: not ac- cou nted for	0. No over- view table	0. No over- view table	0. No com- pari- sons be- tween labs	4. Esti- mated directly	0. No over- view table	0. No over- view table	0. No chroni- cle (stand- ard scale) availa- ble	1. Con- ducted in a re- stricted staging period (e.g.: If Q1 is ad- vised: Q1= good, Q2&Q3= bad, Q4=mod- erate)	1. Care- less use of a type of ogive	2. In- ter- na- tiona I da- ta- base cor- rect	0. Sex- specific issues not evalu- ated	3. Esti- mated
WGCSE	Merlan- gius mer- langus	whg.27.7b-ce-k																

			Sa	ampling Des	ign	Stoc k ID					Me	ethods and	d Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturit	y		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive 40	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGDEEP	Beryx	alf.27.nea																
WGDEEP	Argentina silus	aru.27.123a4	1. Pre- limi- nary analy- sis of quality of bio- logical data	Y	Υ	1. No mix- ing	1. Over- view table availa- ble	1. Over- view table availa- ble	3. Dif- fer- ences clearly docu- mente d and consid- ered in data compi- lation	4. Esti- mated directly	1. Over- view table avail- able	1. Over- view table availa- ble	0. No chroni- cle (stand- ard scale) availa- ble	1. Con- ducted in a re- stricted staging period (e.g.: If Q1 is ad- vised: Q1= good, Q2&Q3= bad, Q4=mod- erate)	2. Care- ful selec- tion of a type of ogive	1. Po- ten- tial er- rors in in- ter- na- tiona I da- ta- base	2. De- tailed analysis of sex- specific issues	1. As- sumed

			Sa	ampling Des	ign	Stoc k ID					Me	ethods and	d Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturity	,		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive 40	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGDEEP	Argentina silus	aru.27.5a14	2. De- tailed analy- sis of the quality of bio- logical data	γ	Υ	1. No mix- ing	0. No over- view table	0. No over- view table	3. Dif- fer- ences clearly docu- mente d and consid- ered in data compi- lation	4. Esti- mated directly	0. No over- view table	0. No over- view table	0. No chroni- cle (stand- ard scale) availa- ble	1. Con- ducted in a re- stricted staging period (e.g.: If Q1 is ad- vised: Q1= good, Q2&Q3= bad, Q4=mod- erate)	3. Se- lec- tion of type of ogive base d on thor- ough anal- ysis of all op- tions	2. In- ter- na- tiona I da- ta- base cor- rect	2. De- tailed analysis of sex- specific issues	1. As- sumed
WGDEEP	Argentina silus	aru.27.5b6a																
WGDEEP	Argentina silus	aru.27.6b7-1012	0. Quality of bio- logical data not evalu- ated	Ν	Ν	0. No evi- den ce	0. No over- view table	0. No over- view table	1. No differ- ences									

			Sa	ampling Des	ign	Stoc k ID					Me	ethods and	d Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturit	y		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGDEEP	Molva dypter- ygia	bli.27.5a14	0. Quality of bio- logical data not evalu- ated	N/A	Υ	2. Mix- ing ex- ists: not ac- cou nted for	0. No over- view table	0. No over- view table	0. No com- pari- sons be- tween labs	4. Esti- mated directly	0. No over- view table	0. No over- view table	0. No chroni- cle (stand- ard scale) availa- ble	1. Con- ducted in a re- stricted staging period (e.g.: If Q1 is ad- vised: Q1= good, Q2&Q3= bad, Q4=mod- erate)	1. Care- less use of a type of ogive	1. Po- ten- tial er- rors in in- ter- na- tiona I da- ta- base	0. Sex- specific issues not evalu- ated	1. As- sumed
WGDEEP	Molva dypter- ygia	bli.27.5b67																

			Sa	Impling Desi	ign	Stoc k ID					Me	ethods and	d Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturity	1		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGDEEP	Molva dypter- ygia	bli.27.nea	0. Quality of bio- logical data not evalu- ated	Y	Ν	2. Mix- ing ex- ists: not ac- cou nted for	0. No over- view table	0. No over- view table	0. No com- pari- sons be- tween labs		0. No over- view table	0. No over- view table	O. No chroni- cle (stand- ard scale) availa- ble			1. Po- ten- tial er- rors in in- ter- na- tiona I da- ta- base	0. Sex- specific issues not evalu- ated	1. As- sumed
WGDEEP	Aphano- pus carbo	bsf.27.nea																
WGDEEP	Phycis blen- noides	gfb.27.nea																
WGDEEP	Molva molva	lin.27.1-2																

			Sa	ampling Desi	ign	Stoc k ID					Me	ethods and	d Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturity	1		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGDEEP	Molva molva	lin.27.3a4a6-91214																
WGDEEP	Molva molva	lin.27.5a	2. De- tailed analy- sis of the quality of bio- logical data	Υ	Υ	1. No mix- ing	0. No over- view table	0. No over- view table	3. Dif- fer- ences clearly docu- mente d and consid- ered in data compi- lation	4. Esti- mated directly	0. No over- view table	0. No over- view table	2. Chroni- cle (stand- ard scale) clearly docu- mente d and consid- ered in data compi- lation	2. Stag- ing year- round	3. Se- lec- tion of type of ogive base d on thor- ough anal- ysis of all op- tions	2. In- ter- na- tiona I da- ta- base cor- rect	2. De- tailed analysis of sex- specific issues	1. As- sumed
WGDEEP	Molva molva	lin.27.5b																

			Sa	ampling Desi	ign	Stoc k ID					Me	ethods and	l Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturity	y		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGDEEP	Hoploste- thus at- lanticus	ory.27.nea																
WGDEEP	Macrouru s berglax	rhg.27.nea																
WGDEEP	Cory- phae- noides rupestris	rng.27.1245a8914ab																

			Sa	ampling Des	ign	Stoc k ID					Me	ethods and	d Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturity	1		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGDEEP	Cory- phae- noides rupestris	rng.27.3a	1. Pre- limi- nary analy- sis of quality of bio- logical data	N/A	Υ	1. No mix- ing	1. Over- view table availa- ble	1. Over- view table availa- ble	0. No com- pari- sons be- tween labs		1. Over- view table avail- able	1. Over- view table availa- ble	0. No chroni- cle (stand- ard scale) availa- ble	1. Con- ducted in a re- stricted staging period (e.g.: If Q1 is ad- vised: Q1= good, Q2&Q3= bad, Q4=mod- erate)		1. Po- ten- tial er- rors in in- ter- na- tiona I da- ta- base		1. As- sumed
WGDEEP	Cory- phae- noides rupestris	rng.27.5a10b12ac14b																

			Sa	ampling Des	ign	Stoc k ID					Me	ethods and	d Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturity	,		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive 40	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGDEEP	Cory- phae- noides rupestris	rng.27.5b6712b	0. Quality of bio- logical data not evalu- ated	Y	Ν	0. No evi- den ce	0. No over- view table	0. No over- view table	0. No com- pari- sons be- tween labs	2. Ex- trapo- lated	0. No over- view table	0. No over- view table	O. No chroni- cle (stand- ard scale) availa- ble			2. In- ter- na- tiona I da- ta- base cor- rect	0. Sex- specific issues not evalu- ated	2. Ex- trapo- lated
WGDEEP	Pagellus bo- garaveo	sbr.27.10																
WGDEEP	Pagellus bo- garaveo	sbr.27.6-8																
WGDEEP	Pagellus bo- garaveo	sbr.27.9																

			Sa	Impling Desi	gn	Stoc k ID					Me	thods and	Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturity	Y		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive 40	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGDEEP	Trachyrin cus scabrus	tsu.27.nea																
WGDEEP	Brosme brosme	usk.27.1-2																
WGDEEP	Brosme brosme	usk.27.12ac																
WGDEEP	Brosme brosme	usk.27.3a45b6a7-912b																

			Sa	ampling Desi	ign	Stoc k ID					Me	ethods and	d Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturity	,		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive 40	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGDEEP	Brosme brosme	usk.27.5a14	2. De- tailed analy- sis of the quality of bio- logical data	Υ	Υ	1. No mix- ing	0. No over- view table	0. No over- view table	3. Dif- fer- ences clearly docu- mente d and consid- ered in data compi- lation	4. Esti- mated directly	0. No over- view table	0. No over- view table	2. Chroni- cle (stand- ard scale) clearly docu- mente d and consid- ered in data compi- lation	2. Stag- ing year- round	3. Se- lec- tion of type of ogive base d on thor- ough anal- ysis of all op- tions	2. In- ter- na- tiona I da- ta- base cor- rect	2. De- tailed analysis of sex- specific issues	1. As- sumed
WGDEEP	Brosme brosme	usk.27.6b																

			Sa	ampling Des	ign	Stoc k ID					Me	thods and	Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturity	,		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGEEL	Anguilla anguilla	ele.2737.nea	1. Pre- limi- nary analy- sis of quality of bio- logical data	Ν	Ν	1. No mix- ing	0. No over- view table	0. No over- view table	1. No differ- ences							2. In- ter- na- tiona I da- ta- base cor- rect	1. Pre- limi- nary anal- yses of sex- specific issues	2. Ex- trapo- lated
WGEF	Squatina squatina	agn.27.nea																
WGEF	Cetorhi- nus maxi- mus	bsk.27.nea																
WGEF	Centroph- orus squamo- sus, Cen- troscym- nus coelolepis	cyo.27.nea																

			Sa	Impling Desi	gn	Stoc k ID					Me	thods and	l Definitio	ıs				
EG	Species	Stock		All		All		Age		Growth			Maturity	,		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive 40	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGEF	Squalus acanthias	dgs.27.nea																
WGEF	Galeorhi- nus galeus	gag.27.nea																
WGEF	Centroph- orus squamo- sus	guq.27.nea																
WGEF	Lamna nasus	por.27.nea																
WGEF	Rajidae	raj.27.1012																

			Sa	ampling Desi	gn	Stoc k ID					Me	thods and	l Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturity	y		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGEF	Rajidae	raj.27.3a47d																
WGEF	Rajidae	raj.27.67a-ce-h																
WGEF	Rajidae	raj.27.89a																
WGEF	Ros- troraja alba	rja.27.nea																
WGEF	Dipturus batis	rjb.27.3a4																

			Sa	ampling Desi	gn	Stoc k ID					Me	thods and	l Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturity	1		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive 40	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGEF	Dipturus batis	rjb.27.67a-ce-k																
WGEF	Dipturus batis	rjb.27.89a																
WGEF	Raja clav- ata	rjc.27.3a47d																
WGEF	Raja clav- ata	rjc.27.6																
WGEF	Raja clav- ata	rjc.27.7afg																

			Sa	ampling Desi	gn	Stoc k ID					Me	ethods and	l Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturity	1		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive 40	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGEF	Raja clav- ata	rjc.27.7e																
WGEF	Raja clav- ata	rjc.27.8																
WGEF	Raja clav- ata	rjc.27.9a																
WGEF	Raja mi- croocel- lata	rje.27.7de																
WGEF	Raja mi- croocel- lata	rje.27.7fg																

			Sa	ampling Desi	gn	Stoc k ID					Me	ethods and	d Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturity	1		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive 40	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGEF	Leucoraja fullonica	rjf.27.67																
WGEF	Raja brachy- ura	rjh.27.4a6																
WGEF	Raja brachy- ura	rjh.27.4c7d																
WGEF	Raja brachy- ura	rjh.27.7afg																
WGEF	Raja brachy- ura	rjh.27.7e																

			Sa	ampling Desi	gn	Stoc k ID					Me	ethods and	l Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturity	,		Sex	AII	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGEF	Raja brachy- ura	rjh.27.9a																
WGEF	Leucoraja circularis	rji.27.67																
WGEF	Raja montagui	rjm.27.3a47d																
WGEF	Raja montagui	rjm.27.67bj																
WGEF	Raja montagui	rjm.27.7ae-h																

			Sa	ampling Des	ign	Stoc k ID					Me	thods and	l Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturity	1		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive 40	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGEF	Raja montagui	rjm.27.8																
WGEF	Raja montagui	rjm.27.9a																
WGEF	Leucoraja naevus	rjn.27.3a4																
WGEF	Leucoraja naevus	rjn.27.678abd																
WGEF	Leucoraja naevus	rjn.27.8c																

			Sa	ampling Des	gn	Stoc k ID					Me	thods and	l Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturity	1		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGEF	Leucoraja naevus	rjn.27.9a																
WGEF	Ambly- raja radi- ata	rjr.27.23a4																
WGEF	Raja un- dulata	rju.27.7bj																
WGEF	Raja un- dulata	rju.27.7de																
WGEF	Raja un- dulata	rju.27.8ab																

			Sa	ampling Desi	gn	Stoc k ID					Me	ethods and	d Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturity	1		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive 40	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGEF	Raja un- dulata	rju.27.8c																
WGEF	Raja un- dulata	rju.27.9a																
WGEF	Dalatias licha	sck.27.nea																
WGEF	Mustelus asterias	sdv.27.nea																
WGEF	Galeus melasto- mus	sho.27.67																

			Sa	ampling Desi	gn	Stoc k ID					Me	thods and	l Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturity	Y		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGEF	Galeus melasto- mus	sho.27.89a																
WGEF	Scyliorhi- nus canic- ula	syc.27.3a47d																
WGEF	Scyliorhi- nus canic- ula	syc.27.67a-ce-j																
WGEF	Scyliorhi- nus canic- ula	syc.27.8abd																
WGEF	Scyliorhi- nus canic- ula	syc.27.8c9a																

			Sa	ampling Des	ign	Stoc k ID					Me	ethods and	l Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturity	Y		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGEF	Scyliorhi- nus stel- laris	syt.27.67																
WGEF	Alopias	thr.27.nea																
WGHANS A	Engraulis encra- sicolus	ane.27.8	2. De- tailed analy- sis of the quality of bio- logical data	Y	Y	0. No evi- den ce	2. Over- view table com- plete and up- to-date	2. Over- view table com- plete and up- to-date	1. No differ- ences	4. Esti- mated directly	2. Over- view table com- plete and up- to- date	2. Over- view table com- plete and up- to-date	2. Chroni- cle (stand- ard scale) clearly docu- mente d and consid- ered in data compi- lation	2. Stag- ing year- round	2. Care- ful selec- tion of a type of ogive	2. In- ter- na- tiona I da- ta- base cor- rect	0. Sex- specific issues not evalu- ated	3. Esti- mated

			Sa	ampling Desi	ign	Stoc k ID					Me	ethods and	d Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturity	y		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive 40	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGHANS A	Engraulis encra- sicolus	ane.27.9a_southcomponent	2. De- tailed analy- sis of the quality of bio- logical data	Y	Ν	0. No evi- den ce	2. Over- view table com- plete and up- to-date	2. Over- view table com- plete and up- to-date	1. No differ- ences	4. Esti- mated directly	2. Over- view table com- plete and up- to- date	2. Over- view table com- plete and up- to-date	2. Chroni- cle (stand- ard scale) clearly docu- mente d and consid- ered in data compi- lation	2. Stag- ing year- round	2. Care- ful selec- tion of a type of ogive	2. In- ter- na- tiona I da- ta- base cor- rect	0. Sex- specific issues not evalu- ated	3. Esti- mated
			Sa	ampling Des	ign	Stoc k ID					Me	ethods and	d Definitio	ns				
----	---------	-------------------------	--	---	--	---	---------------------------------	--	--	--------------	---------------------------------	-------------------------------------	--	--------------------------------	-------------	--	--	--------------------
EG	Species	Stock		All		All		Age		Growth			Maturit	y		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive 40	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
		ane.27.9a_westcomponent	2. De- tailed analy- sis of the quality of bio- logical data	N/A	Ν	0. No evi- den ce	0. No over- view table	1. Over- view table availa- ble	1. No differ- ences 2. Dif- fer- ences be- tween labs are known but ingnore d	Ν	0. No over- view table	0. No over- view table	2. Chroni- cle (stand- ard scale) clearly docu- mente d and consid- ered in data compi- lation	2. Stag- ing year- round	no	2. In- ter- na- tiona I da- ta- base cor- rect	0. Sex- specific issues not evalu- ated	Not es- timated

			Sa	mpling Des	ign	Stoc k ID					Me	ethods and	d Definitio	ns				
EG	Species	Stock		All		AII		Age		Growth			Maturity	1		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive 40	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGHANS A	Trachurus trachurus	hom.27.9a	0. Quality of bio- logical data not evalu- ated	Ν	Ν	2. Mix- ing ex- ists: not ac- cou nted for	2. Over- view table com- plete and up- to-date	2. Over- view table com- plete and up- to-date	1. No differ- ences 2. Dif- fer- ences be- tween labs are known but ingnore d	3. Esti- mated indi- rectly	1. Over- view table avail- able	1. Over- view table availa- ble	2. Chroni- cle (stand- ard scale) clearly docu- mente d and consid- ered in data compi- lation	2. Stag- ing year- round	2. Care- ful selec- tion of a type of ogive	2. In- ter- na- tiona I da- ta- base cor- rect	0. Sex- specific issues not evalu- ated	1. As- sumed

			Sa	ampling Desi	ign	Stoc k ID					Me	ethods and	d Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturity	,		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive 40	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGHANS A	Trachurus pictu- ratus	jaa.27.10a2	0. Quality of bio- logical data not evalu- ated	Y	Y	0. No evi- den ce	1. Over- view table availa- ble	1. Over- view table availa- ble	0. No com- pari- sons be- tween labs	3. Esti- mated indi- rectly	1. Over- view table avail- able	1. Over- view table availa- ble	2. Chroni- cle (stand- ard scale) clearly docu- mente d and consid- ered in data compi- lation	2. Stag- ing year- round		2. In- ter- na- tiona I da- ta- base cor- rect	4. No sexual dimor- phism occurs	3. Esti- mated

			Sa	Impling Desi	ign	Stoc k ID					Me	ethods and	l Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturity	,		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive 40	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGHANS A	Sardina pilchar- dus	pil.27.7	0. Quality of bio- logical data not evalu- ated	Ν	Ν	0. No evi- den ce	0. No over- view table	0. No over- view table	0. No com- pari- sons be- tween labs		0. No over- view table	0. No over- view table	0. No chroni- cle (stand- ard scale) availa- ble	1. Con- ducted in a re- stricted staging period (e.g.: If Q1 is ad- vised: Q1= good, Q2&Q3= bad, Q4=mod- erate)	1. Care- less use of a type of ogive		0. Sex- specific issues not evalu- ated	

			Sa	ampling Desi	ign	Stoc k ID					Me	ethods and	d Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturity	y		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGHANS A	Sardina pilchar- dus	pil.27.8abd	yes	no	no		yes	only France is doing ageing	very con- sistent. Age reading is easy on this stock	esti- mated by the model but von Ber- talanffy parame- ters, alo- metric relation- ships can be esti- mated every year	only Franc e is provi ding those data	only France is provid- ing those data	N/A	survey, 2 nd quar- ter	no	Not rele- vant	no	Esti- mated by model (Gisla- son)

			Sa	Impling Desi	ign	Stoc k ID					Me	ethods and	d Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturity	1		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive 40	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGHANS A	Sardina pilchar- dus	pil.27.8c9a	2. De- tailed analy- sis of the quality of bio- logical data	γ	Υ	0. No evi- den ce	2. Over- view table com- plete and up- to-date	2. Over- view table com- plete and up- to-date	1. No differ- ences	4. Esti- mated directly	1. Over- view table avail- able	2. Over- view table com- plete and up- to-date	2. Chroni- cle (stand- ard scale) clearly docu- mente d and consid- ered in data compi- lation	2. Stag- ing year- round	2. Care- ful selec- tion of a type of ogive	2. In- ter- na- tiona I da- ta- base cor- rect	0. Sex- specific issues not evalu- ated	3. Esti- mated
WGNAS	Salmo salar	sal.21.2-5	0. Quality of bio- logical data not evalu- ated															

			Sa	ampling Desi	gn	Stoc k ID					Me	ethods and	d Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturit	y		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive 40	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGNAS	Salmo salar	sal.2127.1a-f14	0. Quality of bio- logical data not evalu- ated	N/A	N/A	6. Mix- ing ex- ists: mar kers stud y and goo d spa- tio- tem pora l cov- er- age of mix- ing	0. No over- view table	0. No over- view table	0. No com- pari- sons be- tween labs	1. As- sumed	0. No over- view table	0. No over- view table	0. No chroni- cle (stand- ard scale) availa- ble	1. Con- ducted in a re- stricted staging period (e.g.: If Q1 is ad- vised: Q1= good, Q2&Q3= bad, Q4=mod- erate)			0. Sex- specific issues not evalu- ated	2. Ex- trapo- lated

			Sa	ampling Desi	ign	Stoc k ID					Me	ethods and	d Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturity	,		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive 40	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGNAS	Salmo salar	sal.27.nea	0. Quality of bio- logical data not evalu- ated	N/A	N/A	3. Mix- ing ex- ists: ac- cou nted for, not vali- date d	0. No over- view table	0. No over- view table	0. No com- pari- sons be- tween labs	1. As- sumed	0. No over- view table	0. No over- view table	0. No chroni- cle (stand- ard scale) availa- ble	1. Con- ducted in a re- stricted staging period (e.g.: If Q1 is ad- vised: Q1= good, Q2&Q3= bad, Q4=mod- erate)			0. Sex- specific issues not evalu- ated	2. Ex- trapo- lated
WGNSSK	Scoph- thalmus rhombus	bll.27.3a47de	0. Quality of bio- logical data not evalu- ated	N/A	N/A	0. No evi- den ce	0. No over- view table	1. Over- view table availa- ble	1. No differ- ences 2. Dif- fer- ences be- tween labs are known but ingnore d		0. No over- view table	0. No over- view table						

			Sa	ampling Des	ign	Stoc k ID					Me	ethods and	d Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturity	,		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive 40	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGNSSK	Gadus morhua	cod.27.47d20	2. De- tailed analy- sis of the quality of bio- logical data	N/A	Y	3. Mix- ing ex- ists: ac- cou nted for, not vali- date d									2. Care- ful selec- tion of a type of ogive		0. Sex- specific issues not evalu- ated	4. As- sessed (SMS key runs,)
WGNSSK	Limanda limanda	dab.27.3a4	1. Pre- limi- nary analy- sis of quality of bio- logical data	N/A	Ν	0. No evi- den ce	1. Over- view table availa- ble	2. Over- view table com- plete and up- to-date	1. No differ- ences		0. No over- view table	0. No over- view table	0. No chroni- cle (stand- ard scale) availa- ble					

			Sa	ampling Des	ign	Stoc k ID					Me	ethods and	d Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturit	y		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive 40	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGNSSK	Platich- thys fle- sus	fle.27.3a4	1. Pre- limi- nary analy- sis of quality of bio- logical data	N/A	Ν	0. No evi- den ce	0. No over- view table	0. No over- view table	0. No com- pari- sons be- tween labs		0. No over- view table	0. No over- view table	0. No chroni- cle (stand- ard scale) availa- ble					
WGNSSK	Eutrigla gurnar- dus	gug.27.3a47d																
WGNSSK	Melano- grammus aeglefi- nus	had.27.46a20	2. De- tailed analy- sis of the quality of bio- logical data	N/A	Ν	2. Mix- ing ex- ists: not ac- cou nted for	1. Over- view table availa- ble				0. No over- view table	0. No over- view table		1. Con- ducted in a re- stricted staging period (e.g.: If Q1 is ad- vised: Q1= good, Q2&Q3= bad, Q4=mod- erate)	2. Care- ful selec- tion of a type of ogive		1. Pre- limi- nary anal- yses of sex- specific issues	4. As- sessed (SMS key runs,)

			Sa	ampling Des	ign	Stoc k ID					Me	ethods and	d Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturit	,		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGNSSK	Microsto- mus kitt	lem.27.3a47d	0. Quality of bio- logical data not evalu- ated	N/A	N/A	0. No evi- den ce	0. No over- view table	0. No over- view table	0. No com- pari- sons be- tween labs	1. As- sumed	0. No over- view table	0. No over- view table	0. No chroni- cle (stand- ard scale) availa- ble	1. Con- ducted in a re- stricted staging period (e.g.: If Q1 is ad- vised: Q1= good, Q2&Q3= bad, Q4=mod- erate)	1. Care- less use of a type of ogive	2. In- ter- na- tiona I da- ta- base cor- rect	0. Sex- specific issues not evalu- ated	1. As- sumed
WGNSSK	Mullus surmule- tus	mur.27.3a47d	1. Pre- limi- nary analy- sis of quality of bio- logical data	N/A	Ν	0. No evi- den ce	0. No over- view table	0. No over- view table	0. No com- pari- sons be- tween labs		0. No over- view table	0. No over- view table		2. Stag- ing year- round	2. Care- ful selec- tion of a type of ogive		1. Pre- limi- nary anal- yses of sex- specific issues	3. Esti- mated

			Sa	ampling Desi	ign	Stoc k ID					Me	ethods and	d Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturity	1		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGNSSK	Nephrops norvegi- cus	nep.27.4outFU	0. Quality of bio- logical data not evalu- ated	Ν	Ν	0. No evi- den ce	0. No over- view table	0. No over- view table	0. No com- pari- sons be- tween labs	2. Ex- trapo- lated	0. No over- view table	0. No over- view table	0. No chroni- cle (stand- ard scale) availa- ble	1. Con- ducted in a re- stricted staging period (e.g.: If Q1 is ad- vised: Q1= good, Q2&Q3= bad, Q4=mod- erate)	1. Care- less use of a type of ogive	2. In- ter- na- tiona I da- ta- base cor- rect	0. Sex- specific issues not evalu- ated	1. As- sumed
WGNSSK	Nephrops norvegi- cus	nep.fu.10																
WGNSSK	Nephrops norvegi- cus	nep.fu.3-4																

			Sa	ampling Desi	ign	Stoc k ID					Me	ethods and	d Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturity	,		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive 40	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGNSSK	Nephrops norvegi- cus	nep.fu.32	0. Quality of bio- logical data not evalu- ated	Ν	Ν	0. No evi- den ce	0. No over- view table	0. No over- view table	0. No com- pari- sons be- tween labs	2. Ex- trapo- lated	0. No over- view table	0. No over- view table	0. No chroni- cle (stand- ard scale) availa- ble	1. Con- ducted in a re- stricted staging period (e.g.: If Q1 is ad- vised: Q1= good, Q2&Q3= bad, Q4=mod- erate)	1. Care- less use of a type of ogive	2. In- ter- na- tiona I da- ta- base cor- rect	0. Sex- specific issues not evalu- ated	2. Ex- trapo- lated

			Sa	ampling Des	ign	Stoc k ID					Me	ethods and	d Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturity	,		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGNSSK	Nephrops norvegi- cus	nep.fu.33	0. Quality of bio- logical data not evalu- ated	Ν	Ν	0. No evi- den ce	0. No over- view table	0. No over- view table	0. No com- pari- sons be- tween labs	2. Ex- trapo- lated	0. No over- view table	0. No over- view table	0. No chroni- cle (stand- ard scale) availa- ble	1. Con- ducted in a re- stricted staging period (e.g.: If Q1 is ad- vised: Q1= good, Q2&Q3= bad, Q4=mod- erate)	1. Care- less use of a type of ogive	2. In- ter- na- tiona I da- ta- base cor- rect	0. Sex- specific issues not evalu- ated	1. As- sumed

WGNSSK Nephrops ۴: norvegi- эд cus e

			Sa	ampling Desi	ign	Stoc k ID					Me	ethods and	d Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturity	,		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive 40	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGNSSK	Nephrops norvegi- cus	nep.fu.5	0. Quality of bio- logical data not evalu- ated	Ν	Ν	0. No evi- den ce	0. No over- view table	0. No over- view table	0. No com- pari- sons be- tween labs	2. Ex- trapo- lated	0. No over- view table	0. No over- view table	0. No chroni- cle (stand- ard scale) availa- ble	1. Con- ducted in a re- stricted staging period (e.g.: If Q1 is ad- vised: Q1= good, Q2&Q3= bad, Q4=mod- erate)	1. Care- less use of a type of ogive	2. In- ter- na- tiona I da- ta- base cor- rect	0. Sex- specific issues not evalu- ated	1. As- sumed

			Sa	ampling Desi	ign	Stoc k ID					Me	ethods and	d Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturit	y		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGNSSK	Nephrops norvegi- cus	nep.fu.6	0. Quality of bio- logical data not evalu- ated	Ν	Ν	0. No evi- den ce	0. No over- view table	0. No over- view table	0. No com- pari- sons be- tween labs	3. Esti- mated indi- rectly	0. No over- view table	0. No over- view table	0. No chroni- cle (stand- ard scale) availa- ble	1. Con- ducted in a re- stricted staging period (e.g.: If Q1 is ad- vised: Q1= good, Q2&Q3= bad, Q4=mod- erate)	1. Care- less use of a type of ogive	2. In- ter- na- tiona I da- ta- base cor- rect	0. Sex- specific issues not evalu- ated	1. As- sumed
WGNSSK	Nephrops norvegi- cus	nep.fu.7																
WGNSSK	Nephrops norvegi- cus	nep.fu.8																

			Sa	ampling Desi	gn	Stoc k ID					Me	ethods and	d Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturity	1		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGNSSK	Nephrops norvegi- cus	nep.fu.9																
WGNSSK	Trisopte- rus es- markii	nop.27.3a4	1. Pre- limi- nary analy- sis of quality of bio- logical data	Y	Y	0. No evi- den ce	1. Over- view table availa- ble	0. No over- view table	3. Dif- fer- ences clearly docu- mente d and consid- ered in data compi- lation	3. Esti- mated indi- rectly	0. No over- view table	0. No over- view table	2. Chroni- cle (stand- ard scale) clearly docu- mente d and consid- ered in data compi- lation	1. Con- ducted in a re- stricted staging period (e.g.: If Q1 is ad- vised: Q1= good, Q2&Q3= bad, Q4=mod- erate)	3. Se- lec- tion of type of ogive base d on thor- ough anal- ysis of all op- tions	2. In- ter- na- tiona I da- ta- base cor- rect	2. De- tailed analysis of sex- specific issues	3. Esti- mated

			Sa	ampling Des	ign	Stoc k ID					Me	thods and	Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturity	,		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive 40	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGNSSK	Pleu- ronectes platessa	ple.27.420	2. De- tailed analy- sis of the quality of bio- logical data	N/A	Ν					4. Esti- mated directly					2. Care- ful selec- tion of a type of ogive	2. In- ter- na- tiona I da- ta- base cor- rect	0. Sex- specific issues not evalu- ated	1. As- sumed
WGNSSK	Pleu- ronectes platessa	ple.27.7d	1. Pre- limi- nary analy- sis of quality of bio- logical data	N/A	Y	4. Mix- ing ex- ists: mar kers stud y as a base line	0. No over- view table	0. No over- view table	1. No differ- ences		0. No over- view table			2. Stag- ing year- round	1. Care- less use of a type of ogive	2. In- ter- na- tiona I da- ta- base cor- rect	0. Sex- specific issues not evalu- ated	3. Esti- mated

			Sa	ampling Des	ign	Stoc k ID					Me	ethods and	d Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturity	,		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive 40	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGNSSK	Pol- lachius vi- rens	pok.27.3a46	1. Pre- limi- nary analy- sis of quality of bio- logical data	Υ	Υ	2. Mix- ing ex- ists: not ac- cou nted for	0. No over- view table		1. No differ- ences		0. No over- view table	0. No over- view table	2. Chroni- cle (stand- ard scale) clearly docu- mente d and consid- ered in data compi- lation	1. Con- ducted in a re- stricted staging period (e.g.: If Q1 is ad- vised: Q1= good, Q2&Q3= bad, Q4=mod- erate)	3. Se- lec- tion of type of ogive base d on thor- ough anal- ysis of all op- tions	2. In- ter- na- tiona I da- ta- base cor- rect	0. Sex- specific issues not evalu- ated	1. As- sumed
WGNSSK	Pol- lachius pollachius	pol.27.3a4	0. Quality of bio- logical data not evalu- ated	N/A	N/A	0. No evi- den ce	0. No over- view table	0. No over- view table	0. No com- pari- sons be- tween labs		0. No over- view table	0. No over- view table	0. No chroni- cle (stand- ard scale) availa- ble			2. In- ter- na- tiona I da- ta- base cor- rect	0. Sex- specific issues not evalu- ated	

			Sa	ampling Desi	ign	Stoc k ID					Me	ethods and	d Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturity	,		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive 40	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGNSSK	Solea solea	sol.27.4	1. Pre- limi- nary analy- sis of quality of bio- logical data	N/A	N/A	3. Mix- ing ex- ists: ac- cou nted for, not vali- date d	0. No over- view table	1. Over- view table availa- ble	0. No com- pari- sons be- tween labs	2. Ex- trapo- lated	0. No over- view table	0. No over- view table	O. No chroni- cle (stand- ard scale) availa- ble	1. Con- ducted in a re- stricted staging period (e.g.: If Q1 is ad- vised: Q1= good, Q2&Q3= bad, Q4=mod- erate)	1. Care- less use of a type of ogive		0. Sex- specific issues not evalu- ated	1. As- sumed

			Sa	ampling Des	ign	Stoc k ID					Me	ethods and	d Definitio	15				
EG	Species	Stock		All		All		Age		Growth			Maturity			Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive 40	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGNSSK	Solea solea	sol.27.7d	1. Pre- limi- nary analy- sis of quality of bio- logical data	N/A	N/A	2. Mix- ing ex- ists: not ac- cou nted for	0. No over- view table	1. Over- view table availa- ble	1. No differ- ences 2. Dif- fer- ences be- tween labs are known but ingnore d		0. No over- view table	0. No over- view table	1. Dif- fer- ences be- tween labs are known but ingnore d		3. Se- lec- tion of type of ogive base d on thor- ough anal- ysis of all op- tions			1. As- sumed
WGNSSK	Scoph- thalmus maximus	tur.27.3a	0. Quality of bio- logical data not evalu- ated	N/A	N/A	2. Mix- ing ex- ists: not ac- cou nted for	0. No over- view table	0. No over- view table	0. No com- pari- sons be- tween labs		0. No over- view table	0. No over- view table	0. No chroni- cle (stand- ard scale) availa- ble				0. Sex- specific issues not evalu- ated	3. Esti- mated

			Sa	ampling Des	ign	Stoc k ID					Me	ethods and	d Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturit	y		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive 40	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGNSSK	Scoph- thalmus maximus	tur.27.4	1. Pre- limi- nary analy- sis of quality of bio- logical data	N/A	N/A	2. Mix- ing ex- ists: not ac- cou nted for	0. No over- view table	1. Over- view table availa- ble	1. No differ- ences	extrapo- lated	0. No over- view table	0. No over- view table	0. No chroni- cle (stand- ard scale) availa- ble	1. Con- ducted in a re- stricted staging period (e.g.: If Q1 is ad- vised: Q1= good, Q2&Q3= bad, Q4=mod- erate)			0. Sex- specific issues not evalu- ated	1. As- sumed
WGNSSK	Merlan- gius mer- langus	whg.27.3a				2. Mix- ing ex- ists: not ac- cou nted for	0. No over- view table	1. Over- view table availa- ble	0. No com- pari- sons be- tween labs		0. No over- view table						0. Sex- specific issues not evalu- ated	

			Sa	ampling Des	ign	Stoc k ID					Me	ethods and	d Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturit	,		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGNSSK	Merlan- gius mer- langus	whg.27.47d	2. De- tailed analy- sis of the quality of bio- logical data	N/A	Y	2. Mix- ing ex- ists: not ac- cou nted for	1. Over- view table availa- ble	1. Over- view table availa- ble	0. No com- pari- sons be- tween labs		0. No over- view table			1. Con- ducted in a re- stricted staging period (e.g.: If Q1 is ad- vised: Q1= good, Q2&Q3= bad, Q4=mod- erate)	3. Se- lec- tion of type of ogive base d on thor- ough anal- ysis of all op- tions		0. Sex- specific issues not evalu- ated	1. As- sumed
WGNSSK	Glypto- cephalus cynoglos- sus	wit.27.3a47d	1. Pre- limi- nary analy- sis of quality of bio- logical data	Ν	Ν	0. No evi- den ce	0. No over- view table	0. No over- view table	0. No com- pari- sons be- tween labs		0. No over- view table	0. No over- view table	0. No chroni- cle (stand- ard scale) availa- ble				0. Sex- specific issues not evalu- ated	1. As- sumed

			Sa	ampling Desi	gn	Stoc k ID					Me	thods and	l Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturity	1		Sex	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive 40	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGWIDE	Capros aper	boc.27.6-8																
WGWIDE	Cheli- donich- thys cu- culus	gur.27.3-8																
WGWIDE	Clupea harengus	her.27.1-24a514a																
WGWIDE	Trachurus trachurus	hom.27.2a4a5b6a7a-ce-k8																

			Sa	ampling Des	ign	Stoc k ID					Me	ethods and	d Definitio	1S Timing ³⁹ Ogive Cod- 40 ing ⁴¹ 2. Stag- ing year- round				
EG	Species	Stock		All		All		Age		Growth			Maturity	,		Sex Cod- ing ⁴¹	All	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGWIDE	Trachurus trachurus	hom.27.3a4bc7d																
WGWIDE	Scomber scombrus	mac.27.nea	2. De- tailed analy- sis of the quality of bio- logical data	N/A	Y	3. Mix- ing ex- ists: ac- cou nted for, not vali- date d	1. Over- view table availa- ble	1. Over- view table availa- ble	1. No differ- ences		0. No over- view table	0. No over- view table	1. Dif- fer- ences be- tween labs are known but ingnore d	2. Stag- ing year- round				1. As- sumed
WGWIDE	Mullus surmule- tus	mur.27.67a-ce-k89a																

			Sa	mpling Desi	ign	Stoc k ID					Me	ethods and	d Definitio	ns				
EG	Species	Stock		All		All		Age		Growth			Maturity	,		Sex	All Sex- specific Param- eters ⁴²	Natural Mortal.
			Survey De- sign ²⁸	Design Commer- cial Sam- pling ²⁹	Spatial Cover- age ³⁰	Mix- ing Ra- tio ³¹	Struc- ture ³²	Prepa- ra- tion ³³	Birthda te & "Sche me" ³⁴	Growth 35	Struc- ture ³⁶	Prepa- ra- tion ³⁷	Scal- ing ³⁸	Timing ³⁹	Ogive	Cod- ing ⁴¹	Sex- specific Param- eters ⁴²	M ⁴³
WGWIDE	Mi- cromesis- tius poutasso u	whb.27.1-91214	1. Pre- limi- nary analy- sis of quality of bio- logical data	N/A	Υ	2. Mix- ing ex- ists: not ac- cou nted for	1. Over- view table availa- ble	0. No over- view table			0. No over- view table	0. No over- view table	0. No chroni- cle (stand- ard scale) availa- ble	2. Stag- ing year- round				1. As- sumed

Annex 6-Table 7. (Part 2) Quality indicators by stock–WGBIOP 2020 answers. Part 2: Data Collection and Validation.

			Data Co	llection			Valio	Jation		
EG	Species	Stock	Maturity	Sex		Age			Maturity	
			Length/age at Maturity ⁴⁴	Sex Ratio ⁴⁵	Age Validation ⁴⁶	Absolute Bias ⁴⁷	Absolute Age Error Matrix ⁴⁸	Maturity Vali- dation ⁴⁹	Absolute Bias ⁵⁰	Absolute Maturity Error Matrix ⁵¹
NIPAG	Pandalus borealis	pra.27.4a								
NWWG	Mallotus villosus	cap.27.2a514								
NWWG	Gadus morhua	cod.21.1								

- ⁴⁷ Measure for accuracy in relation to true age (seldom available) (Quantitative estimate; evaluation stock-specific).
- ⁴⁸ Probability distribution of repeated measurements relative to true age (Quantitative estimate; evaluation stock-specific).
- ⁴⁹ Were gonad stages compared with macroscopic and histological methods?
- ⁵⁰ Measure for accuracy in relation to true maturity (histological analysis) (Quantitative estimate; evaluation stock-specific).
- ⁵¹ Probability distribution of repeated measurements relative to true maturity (Quantitative estimate; evaluation stock-specific).

⁴⁴ Was length/age at maturity estimated or extrapolated from neighbouring stocks?

⁴⁵ Was sex ratio estimated or extrapolated from neighbouring stocks?

⁴⁶ Is there an age validation study available? (What was the method of age validation?)

			Data Co	ollection			Vali	dation		
EG	Species	Stock	Maturity	Sex		Age			Maturity	
			Length/age at Maturity44	Sex Ratio ⁴⁵	Age Validation ⁴⁶	Absolute Bias ⁴⁷	Absolute Age Error Matrix ⁴⁸	Maturity Vali- dation ⁴⁹	Absolute Bias ⁵⁰	Absolute Maturity Error Matrix ⁵¹
NWWG	Gadus morhua	cod.21.1a-e								
NWWG	Gadus morhua	cod.2127.1f1 4								
NWWG	Gadus morhua	cod.27.5a								
NWWG	Gadus morhua	cod.27.5b1	2. Estimated	2. Estimated	0. No validation study			0. No validation study		
NWWG	Gadus morhua	cod.27.5b2	2. Estimated	2. Estimated	0. No validation study			0. No validation study		
NWWG	Reinhard- tius hippo- glossoides	ghl.27.56121 4								
NWWG	Melano- grammus aeglefinus	had.27.5a	2. Estimated	2. Estimated	0. No validation study			0. No validation study		
NWWG	Melano- grammus aeglefinus	had.27.5b								

			Data Co	ollection			Valio	lation		
EG	Species	Stock	Maturity	Sex		Age			Maturity	
			Length/age at Maturity ⁴⁴	Sex Ratio ⁴⁵	Age Validation ⁴⁶	Absolute Bias ⁴⁷	Absolute Age Error Matrix ⁴⁸	Maturity Vali- dation ⁴⁹	Absolute Bias ⁵⁰	Absolute Maturity Error Matrix ⁵¹
NWWG	Clupea ha- rengus	her.27.5a								
NWWG	Pollachius virens	pok.27.5a								
NWWG	Pollachius virens	pok.27.5b	2. Estimated	2. Estimated	0. No validation study			0. No validation study		
NWWG	Sebastes mentella	reb.2127.dp								
NWWG	Sebastes mentella	reb.2127.sp								
NWWG	Sebastes mentella	reb.27.14b								
NWWG	Sebastes mentella	reb.27.5a14								
NWWG	Sebastes norvegicus	reg.27.56121 4								
WGBAST	Salmo salar	sal.27.22-31								
WGBAST	Salmo salar	sal.27.32								

			Data Co	ollection			Vali	dation		
EG	Species	Stock	Maturity	Sex		Age			Maturity	
			Length/age at Maturity ⁴⁴	Sex Ratio ⁴⁵	Age Validation ⁴⁶	Absolute Bias ⁴⁷	Absolute Age Error Matrix ⁴⁸	Maturity Vali- dation ⁴⁹	Absolute Bias ⁵⁰	Absolute Maturity Error Matrix ⁵¹
WGBAST	Salmo trutta	trs.27.22-32								
WGBFAS	Scophthal- mus rhom- bus	bll.27.22-32								
WGBFAS	Gadus morhua	cod.27.21	2. Estimated	2. Estimated	0. No validation study			2. Validation maturity crite- ria based on histology avail- able		
WGBFAS	Gadus morhua	cod.27.22-24								
WGBFAS	Gadus morhua	cod.27.24-32								
WGBFAS	Limanda li- manda	dab.27.22-32	2. Estimated	0. Not esti- mated	0. No validation study			0. No validation study		
WGBFAS	Platichthys flesus	fle.27.2223	2. Estimated	0. Not esti- mated	0. No validation study			0. No validation study		
WGBFAS	Platichthys spp	bwq.27.2425	2. Estimated	0. Not esti- mated	0. No validation study			0. No validation study		

			Data Co	ollection			Valio	dation		
EG	Species	Stock	Maturity	Sex		Age			Maturity	
			Length/age at Maturity ⁴⁴	Sex Ratio ⁴⁵	Age Validation ⁴⁶	Absolute Bias ⁴⁷	Absolute Age Error Matrix ⁴⁸	Maturity Vali- dation ⁴⁹	Absolute Bias ⁵⁰	Absolute Maturity Error Matrix ⁵¹
WGBFAS	Platichthys spp	bwq.27.2628	2. Estimated	2. Estimated	1. Only one method with major limita- tions			0. No validation study		
WGBFAS	Platichthys solemdali	bwp.27.2729- 32	2. Estimated	0. Not esti- mated	1. Only one method with major limita- tions			0. No validation study		
WGBFAS	Clupea ha- rengus	her.27.25- 2932	2. Estimated	0. Not esti- mated	1. Only one method with major limita- tions	not esti- mated	not estimated	0. No validation study		
WGBFAS	Clupea ha- rengus	her.27.28	2. Estimated	0. Not esti- mated	1. Only one method with major limita- tions			0. No validation study		
WGBFAS	Clupea ha- rengus	her.27.3031								
WGBFAS	Pleu- ronectes platessa	ple.27.21-23								
WGBFAS	Pleu- ronectes platessa	ple.27.24-32	2. Estimated	0. Not esti- mated	0. No validation study			0. No validation study		
WGBFAS	Solea solea	sol.27.20-24								

			Data Co	ollection			Valio	dation		
EG	Species	Stock	Maturity	Sex		Age			Maturity	
			Length/age at Maturity ⁴⁴	Sex Ratio ⁴⁵	Age Validation ⁴⁶	Absolute Bias ⁴⁷	Absolute Age Error Matrix ⁴⁸	Maturity Vali- dation ⁴⁹	Absolute Bias ⁵⁰	Absolute Maturity Error Matrix ⁵¹
WGBFAS	Sprattus sprattus	spr.27.22-32	2. Estimated	0. Not esti- mated	1. Only one method with major limita- tions			0. No validation study		
WGBFAS	Scophthal- mus maxi- mus	tur.27.22-32	2. Estimated	0. Not esti- mated	0. No validation study			0. No validation study		
WGBIE	Lophius budegassa	ank.27.78abd	2. Estimated	0. Not esti- mated					No	No
WGBIE	Lophius budegassa	ank.27.8c9a								
WGBIE	Dicentrar- chus labrax	bss.27.8ab								
WGBIE	Dicentrar- chus labrax	bss.27.8c9a								
WGBIE	Merluccius merluccius	hke.27.3a46- 8abd	0. Not esti- mated	0. Not esti- mated	0. No validation study					

			Data Co	ollection			Valio	dation		
EG	Species	Stock	Maturity	Sex		Age			Maturity	
			Length/age at Maturity ⁴⁴	Sex Ratio ⁴⁵	Age Validation ⁴⁶	Absolute Bias ⁴⁷	Absolute Age Error Matrix ⁴⁸	Maturity Vali- dation ⁴⁹	Absolute Bias ⁵⁰	Absolute Maturity Error Matrix ⁵¹
WGBIE	Brosme brosme, Merluccius merluccius	hke.27.8c9a	2. Estimated					1. Validation by histology avail- able		
WGBIE	Lepi- dorhombus boscii	ldb.27.7b- k8abd								
WGBIE	Lepi- dorhombus boscii	ldb.27.8c9a								
WGBIE	Lepi- dorhombus whiffiago- nis	meg.27.7b- k8abd	0. Not esti- mated	0. Not esti- mated	0. No validation study			0. No validation study		
WGBIE	Lepi- dorhombus whiffiago- nis	meg.27.8c9a								
WGBIE	Lophius pis- catorius	mon.27.78ab d								
WGBIE	Lophius pis- catorius	mon.27.8c9a	0. Not esti- mated	0. Not esti- mated	0. No validation study			0. No validation study		

			Data Co	ollection			Valio	dation		
EG	Species	Stock	Maturity	Sex		Age			Maturity	
			Length/age at Maturity ⁴⁴	Sex Ratio ⁴⁵	Age Validation ⁴⁶	Absolute Bias ⁴⁷	Absolute Age Error Matrix ⁴⁸	Maturity Vali- dation ⁴⁹	Absolute Bias ⁵⁰	Absolute Maturity Error Matrix ⁵¹
WGBIE	Nephrops norvegicus	nep.fu.2324								
WGBIE	Nephrops norvegicus	nep.fu.25								
WGBIE	Nephrops norvegicus	nep.fu.2627								
WGBIE	Nephrops norvegicus	nep.fu.2829	2. Estimated	2. Estimated				0. No validation study		
WGBIE	Nephrops norvegicus	nep.fu.30								
WGBIE	Nephrops norvegicus	nep.fu.31								
WGBIE	Pleu- ronectes platessa	ple.27.89a								
WGBIE	Pollachius pollachius	pol.27.89a	0. Not esti- mated	0. Not esti- mated	0. No validation study			0. No validation study		
WGBIE	Solea solea	sol.27.8ab								

			Data Co	ollection			Vali	dation		
EG	Species	Stock	Maturity	Sex		Age			Maturity	
			Length/age at Maturity ⁴⁴	Sex Ratio ⁴⁵	Age Validation ⁴⁶	Absolute Bias ⁴⁷	Absolute Age Error Matrix ⁴⁸	Maturity Vali- dation ⁴⁹	Absolute Bias ⁵⁰	Absolute Maturity Error Matrix ⁵¹
WGBIE	Solea solea	sol.27.8c9a	0. Not esti- mated	0. Not esti- mated	0. No validation study			0. No validation study		
WGBIE	Merlangius merlangus	whg.27.89a								
WGCSE	Lophius budegassa, Lophius pis- catorius	anf.27.3a46								
WGCSE	Dicentrar- chus labrax	bss.27.4bc7a d-h	2. Estimated	0. Not esti- mated	0. No validation study	NO	NO	0. No validation study	Unknown	Unknown
WGCSE	Dicentrar- chus labrax	bss.27.6a7bj								
WGCSE	Gadus morhua	cod.27.6a								
WGCSE	Gadus morhua	cod.27.6b								
WGCSE	Gadus morhua	cod.27.7a								

			Data Co	llection			Valio	lation			
EG	Species	Stock	Maturity	Sex		Age			Maturity		
			Length/age at Maturity ⁴⁴	Sex Ratio ⁴⁵	Age Validation ⁴⁶	Absolute Bias ⁴⁷	Absolute Age Error Matrix ⁴⁸	Maturity Vali- dation ⁴⁹	Absolute Bias ⁵⁰	Absolute Maturity Error Matrix ⁵¹	
WGCSE	Gadus morhua	cod.27.7e-k									
WGCSE	Melano- grammus aeglefinus	had.27.6b									
WGCSE	Melano- grammus aeglefinus	had.27.7a									
WGCSE	Melano- grammus aeglefinus	had.27.7b-k	2. Estimated	2. Estimated							
WGCSE	Lepi- dorhombus	lez.27.4a6a									
WGCSE	Lepi- dorhombus	lez.27.6b									
WGCSE	Nephrops norvegicus	nep.27.6aout FU									
WGCSE	Nephrops norvegicus	nep.27.7outF U									
			Data Co	llection			Valio	alidation			
-------	------------------------	-------------	---	-------------------------	------------------------------	--------------------------------	--	--	-----------------------------	---	--
EG	Species	Stock	Maturity	Sex		Age			Maturity		
			Length/age at Maturity ⁴⁴	Sex Ratio ⁴⁵	Age Validation ⁴⁶	Absolute Bias ⁴⁷	Absolute Age Error Matrix ⁴⁸	Maturity Vali- dation ⁴⁹	Absolute Bias ⁵⁰	Absolute Maturity Error Matrix ⁵¹	
WGCSE	Nephrops norvegicus	nep.fu.11									
WGCSE	Nephrops norvegicus	nep.fu.12									
WGCSE	Nephrops norvegicus	nep.fu.13									
WGCSE	Nephrops norvegicus	nep.fu.14									
WGCSE	Nephrops norvegicus	nep.fu.15									
WGCSE	Nephrops norvegicus	nep.fu.16									
WGCSE	Nephrops norvegicus	nep.fu.17									
WGCSE	Nephrops norvegicus	nep.fu.19									
WGCSE	Nephrops norvegicus	nep.fu.2021									

			Data Co	ollection Validation						
EG	Species	Stock	Maturity	Sex		Age			Maturity	
			Length/age at Maturity ⁴⁴	Sex Ratio ⁴⁵	Age Validation ⁴⁶	Absolute Bias ⁴⁷	Absolute Age Error Matrix ⁴⁸	Maturity Vali- dation ⁴⁹	Absolute Bias ⁵⁰	Absolute Maturity Error Matrix ⁵¹
WGCSE	Nephrops norvegicus	nep.fu.22								
WGCSE	Trisopterus esmarkii	nop.27.6a								
WGCSE	Pleu- ronectes platessa	ple.27.7a	2. Estimated	0. Not esti- mated	0. No validation study	NO	NO	0. No validation study	Unknown	Unknown
WGCSE	Pleu- ronectes platessa	ple.27.7bc								
WGCSE	Pleu- ronectes platessa	ple.27.7e								
WGCSE	Pleu- ronectes platessa	ple.27.7fg								
WGCSE	Pleu- ronectes platessa	ple.27.7h-k								
WGCSE	Pollachius pollachius	pol.27.67								

			Data Co	llection	V			Validation			
EG	Species	Stock	Maturity	Sex		Age			Maturity		
			Length/age at Maturity ⁴⁴	Sex Ratio ⁴⁵	Age Validation ⁴⁶	Absolute Bias ⁴⁷	Absolute Age Error Matrix ⁴⁸	Maturity Vali- dation ⁴⁹	Absolute Bias ⁵⁰	Absolute Maturity Error Matrix ⁵¹	
WGCSE	Ammo- dytes	san.27.6a									
WGCSE	Solea solea	sol.27.7a	2. Estimated		0. No validation study			0. No validation study			
WGCSE	Solea solea	sol.27.7bc									
WGCSE	Solea solea	sol.27.7e									
WGCSE	Solea solea	sol.27.7fg	2. Estimated		0. No validation study			0. No validation study			
WGCSE	Solea solea	sol.27.7h-k									
WGCSE	Merlangius merlangus	whg.27.6a									
WGCSE	Merlangius merlangus	whg.27.6b									

			Data Co	ollection		Validation				
EG	Species	Stock	Maturity	Sex		Age			Maturity	
			Length/age at Maturity ⁴⁴	Sex Ratio ⁴⁵	Age Validation ⁴⁶	Absolute Bias ⁴⁷	Absolute Age Error Matrix ⁴⁸	Maturity Vali- dation ⁴⁹	Absolute Bias ⁵⁰	Absolute Maturity Error Matrix ⁵¹
WGCSE	Merlangius merlangus	whg.27.7a	0. Not esti- mated	0. Not esti- mated	0. No validation study			0. No validation study		
WGCSE	Merlangius merlangus	whg.27.7b- ce-k								
WGDEEP	Beryx	alf.27.nea								
WGDEEP	Argentina silus	aru.27.123a4	2. Estimated	2. Estimated	0. No validation study			0. No validation study		
WGDEEP	Argentina silus	aru.27.5a14	2. Estimated	0. Not esti- mated	1. Only one method with major limita- tions			0. No validation study		
WGDEEP	Argentina silus	aru.27.5b6a								
WGDEEP	Argentina silus	aru.27.6b7- 1012								
WGDEEP	Molva dyp- terygia	bli.27.5a14	0. Not esti- mated	0. Not esti- mated	0. No validation study			0. No validation study		
WGDEEP	Molva dyp- terygia	bli.27.5b67								

			Data Co	ollection	Va			Validation			
EG	Species	Stock	Maturity	Sex		Age			Maturity		
			Length/age at Maturity ⁴⁴	Sex Ratio ⁴⁵	Age Validation ⁴⁶	Absolute Bias ⁴⁷	Absolute Age Error Matrix ⁴⁸	Maturity Vali- dation ⁴⁹	Absolute Bias ⁵⁰	Absolute Maturity Error Matrix ⁵¹	
WGDEEP	Molva dyp- terygia	bli.27.nea	0. Not esti- mated	0. Not esti- mated	0. No validation study			0. No validation study			
WGDEEP	Aphanopus carbo	bsf.27.nea									
WGDEEP	Phycis blennoides	gfb.27.nea									
WGDEEP	Molva molva	lin.27.1-2									
WGDEEP	Molva molva	lin.27.3a4a6- 91214									
WGDEEP	Molva molva	lin.27.5a	2. Estimated	0. Not esti- mated	1. Only one method with major limita- tions			0. No validation study			
WGDEEP	Molva molva	lin.27.5b									
WGDEEP	Hoploste- thus atlan- ticus	ory.27.nea									

			Data Co	ollection			Vali	Validation					lidation		
EG	Species	Stock	Maturity	Sex		Age			Maturity						
			Length/age at Maturity ⁴⁴	Sex Ratio ⁴⁵	Age Validation ⁴⁶	Absolute Bias ⁴⁷	Absolute Age Error Matrix ⁴⁸	Maturity Vali- dation ⁴⁹	Absolute Bias ⁵⁰	Absolute Maturity Error Matrix ⁵¹					
WGDEEP	Macrourus berglax	rhg.27.nea													
WGDEEP	Coryphae- noides rupestris	rng.27.1245a 8914ab													
WGDEEP	Coryphae- noides rupestris	rng.27.3a	0. Not esti- mated	0. Not esti- mated	0. No validation study			0. No validation study							
WGDEEP	Coryphae- noides rupestris	rng.27.5a10b 12ac14b													
WGDEEP	Coryphae- noides rupestris	rng.27.5b671 2b	1. Not esti- mated but extrapolated	2. Estimated	0. No validation study	No	No	0. No validation study	No	No					
WGDEEP	Pagellus bogaraveo	sbr.27.10													
WGDEEP	Pagellus bogaraveo	sbr.27.6-8													
WGDEEP	Pagellus bogaraveo	sbr.27.9													

			Data Co	ollection			Vali	Validation			
EG	Species	Stock	Maturity	Sex		Age			Maturity		
			Length/age at Maturity ⁴⁴	Sex Ratio ⁴⁵	Age Validation ⁴⁶	Absolute Bias ⁴⁷	Absolute Age Error Matrix ⁴⁸	Maturity Vali- dation ⁴⁹	Absolute Bias ⁵⁰	Absolute Maturity Error Matrix ⁵¹	
WGDEEP	Trachyrincu s scabrus	tsu.27.nea									
WGDEEP	Brosme brosme	usk.27.1-2									
WGDEEP	Brosme brosme	usk.27.12ac									
WGDEEP	Brosme brosme	usk.27.3a45b 6a7-912b									
WGDEEP	Brosme brosme	usk.27.5a14	2. Estimated	0. Not esti- mated	1. Only one method with major limita- tions			0. No validation study			
WGDEEP	Brosme brosme	usk.27.6b									
WGEEL	Anguilla anguilla	ele.2737.nea	0. Not esti- mated	2. Estimated	1. Only one method with major limita- tions	No	No	1. Validation by histology avail- able			
WGEF	Squatina squatina	agn.27.nea									

			Data Co	llection			Valio	dation		
EG	Species	Stock	Maturity	Sex		Age			Maturity	
			Length/age at Maturity ⁴⁴	Sex Ratio ⁴⁵	Age Validation ⁴⁶	Absolute Bias ⁴⁷	Absolute Age Error Matrix ⁴⁸	Maturity Vali- dation ⁴⁹	Absolute Bias ⁵⁰	Absolute Maturity Error Matrix ⁵¹
WGEF	Cetorhinus maximus	bsk.27.nea								
WGEF	Centropho- rus squa- mosus, Cen- troscymnus coelolepis	cyo.27.nea								
WGEF	Squalus acanthias	dgs.27.nea								
WGEF	Galeorhi- nus galeus	gag.27.nea								
WGEF	Centropho- rus squa- mosus	guq.27.nea								
WGEF	Lamna na- sus	por.27.nea								
WGEF	Rajidae	raj.27.1012								
WGEF	Rajidae	raj.27.3a47d								

			Data Co	ollection		Validation				
EG	Species	Stock	Maturity	Sex		Age			Maturity	
			Length/age at Maturity ⁴⁴	Sex Ratio ⁴⁵	Age Validation ⁴⁶	Absolute Bias ⁴⁷	Absolute Age Error Matrix ⁴⁸	Maturity Vali- dation ⁴⁹	Absolute Bias ⁵⁰	Absolute Maturity Error Matrix ⁵¹
WGEF	Rajidae	raj.27.67a-ce- h								
WGEF	Rajidae	raj.27.89a								
WGEF	Rostroraja alba	rja.27.nea								
WGEF	Dipturus batis	rjb.27.3a4								
WGEF	Dipturus batis	rjb.27.67a-ce- k								
WGEF	Dipturus batis	rjb.27.89a								
WGEF	Raja clav- ata	rjc.27.3a47d								
WGEF	Raja clav- ata	rjc.27.6								
WGEF	Raja clav- ata	rjc.27.7afg								

			Data Co	llection	Validation					
EG	Species	Stock	Maturity	Sex		Age			Maturity	
			Length/age at Maturity ⁴⁴	Sex Ratio ⁴⁵	Age Validation ⁴⁶	Absolute Bias ⁴⁷	Absolute Age Error Matrix ⁴⁸	Maturity Vali- dation ⁴⁹	Absolute Bias ⁵⁰	Absolute Maturity Error Matrix ⁵¹
WGEF	Raja clav- ata	rjc.27.7e								
WGEF	Raja clav- ata	rjc.27.8								
WGEF	Raja clav- ata	rjc.27.9a								
WGEF	Raja mi- croocellata	rje.27.7de								
WGEF	Raja mi- croocellata	rje.27.7fg								
WGEF	Leucoraja fullonica	rjf.27.67								
WGEF	Raja brach- yura	rjh.27.4a6								
WGEF	Raja brach- yura	rjh.27.4c7d								
WGEF	Raja brach- yura	rjh.27.7afg								

			Data Co	llection	Vali			Validation			
EG	Species	Stock	Maturity	Sex		Age			Maturity		
			Length/age at Maturity ⁴⁴	Sex Ratio ⁴⁵	Age Validation ⁴⁶	Absolute Bias ⁴⁷	Absolute Age Error Matrix ⁴⁸	Maturity Vali- dation ⁴⁹	Absolute Bias ⁵⁰	Absolute Maturity Error Matrix ⁵¹	
WGEF	Raja brach- yura	rjh.27.7e									
WGEF	Raja brach- yura	rjh.27.9a									
WGEF	Leucoraja circularis	rji.27.67									
WGEF	Raja mon- tagui	rjm.27.3a47d									
WGEF	Raja mon- tagui	rjm.27.67bj									
WGEF	Raja mon- tagui	rjm.27.7ae-h									
WGEF	Raja mon- tagui	rjm.27.8									
WGEF	Raja mon- tagui	rjm.27.9a									
WGEF	Leucoraja naevus	rjn.27.3a4									

			Data Co	llection			Valio	alidation			
EG	Species	Stock	Maturity	Sex		Age			Maturity		
			Length/age at Maturity ⁴⁴	Sex Ratio ⁴⁵	Age Validation ⁴⁶	Absolute Bias ⁴⁷	Absolute Age Error Matrix ⁴⁸	Maturity Vali- dation ⁴⁹	Absolute Bias ⁵⁰	Absolute Maturity Error Matrix ⁵¹	
WGEF	Leucoraja naevus	rjn.27.678abd									
WGEF	Leucoraja naevus	rjn.27.8c									
WGEF	Leucoraja naevus	rjn.27.9a									
WGEF	Amblyraja radiata	rjr.27.23a4									
WGEF	Raja undu- lata	rju.27.7bj									
WGEF	Raja undu- lata	rju.27.7de									
WGEF	Raja undu- lata	rju.27.8ab									
WGEF	Raja undu- lata	rju.27.8c									
WGEF	Raja undu- lata	rju.27.9a									

			Data Co	ollection	Validation					
EG	Species	Stock	Maturity	Sex		Age			Maturity	
			Length/age at Maturity ⁴⁴	Sex Ratio ⁴⁵	Age Validation ⁴⁶	Absolute Bias ⁴⁷	Absolute Age Error Matrix ⁴⁸	Maturity Vali- dation ⁴⁹	Absolute Bias ⁵⁰	Absolute Maturity Error Matrix ⁵¹
WGEF	Dalatias licha	sck.27.nea								
WGEF	Mustelus asterias	sdv.27.nea								
WGEF	Galeus me- lastomus	sho.27.67								
WGEF	Galeus me- lastomus	sho.27.89a								
WGEF	Scyliorhi- nus canic- ula	syc.27.3a47d								
WGEF	Scyliorhi- nus canic- ula	syc.27.67a- ce-j								
WGEF	Scyliorhi- nus canic- ula	syc.27.8abd								
WGEF	Scyliorhi- nus canic- ula	syc.27.8c9a								

			Data Co	ollection	ion Validati				dation			
EG	Species	Stock	Maturity	Sex	Age				Maturity			
			Length/age at Maturity ⁴⁴	Sex Ratio ⁴⁵	Age Validation ⁴⁶	Absolute Bias ⁴⁷	Absolute Age Error Matrix ⁴⁸	Maturity Vali- dation ⁴⁹	Absolute Bias ⁵⁰	Absolute Maturity Error Matrix ⁵¹		
WGEF	Scyliorhi- nus stel- laris	syt.27.67										
WGEF	Alopias	thr.27.nea										
WGHANSA	Engraulis encra- sicolus	ane.27.8	2. Estimated	0. Not esti- mated	2. Several comple- mentary age valida- tion methods show- ing similar results	NA	ΝΑ	2. Validation maturity crite- ria based on histology avail- able	NA	NA		
WGHANSA	Engraulis encra- sicolus	ane.27.9a_so uthcompo- nent	0. Not esti- mated	0. Not esti- mated	1. Only one method with major limita- tions	no	no	0. No validation study	no	no		
		ane.27.9a_w estcompo- nent	0. Not esti- mated	0. Not esti- mated	0. No validation study	no	no	1. Validation by histology avail- able	yes	no		
WGHANSA	Trachurus trachurus	hom.27.9a	2. Estimated	2. Estimated	0. No validation study			2. Validation maturity crite- ria based on histology avail- able	no	no		
WGHANSA	Trachurus picturatus	jaa.27.10a2	2. Estimated	2. Estimated	0. No validation study	NA	NA	0. No validation study	NA	NA		

			Data Co	ollection		Validation				
EG	Species	Stock	Maturity	Sex		Age			Maturity	
			Length/age at Maturity ⁴⁴	Sex Ratio ⁴⁵	Age Validation ⁴⁶	Absolute Bias ⁴⁷	Absolute Age Error Matrix ⁴⁸	Maturity Vali- dation ⁴⁹	Absolute Bias ⁵⁰	Absolute Maturity Error Matrix ⁵¹
WGHANSA	Sardina pil- chardus	pil.27.7	2. Estimated	0. Not esti- mated	0. No validation study			0. No validation study		
WGHANSA	Sardina pil- chardus	pil.27.8abd	Estimated	Not relevant	Ageing is easy for this stock	unknown	unknown	unknown	unknown	unknown
WGHANSA	Sardina pil- chardus	pil.27.8c9a	2. Estimated	2. Estimated	2. Several comple- mentary age valida- tion methods show- ing similar results	NA	NA	1. Validation by histology avail- able	No	No
WGNAS	Salmo salar	sal.21.2-5								
WGNAS	Salmo salar	sal.2127.1a- f14	0. Not esti- mated	0. Not esti- mated	0. No validation study			0. No validation study		
WGNAS	Salmo salar	sal.27.nea	0. Not esti- mated	0. Not esti- mated	0. No validation study			0. No validation study		
WGNSSK	Scophthal- mus rhom- bus	bll.27.3a47de			0. No validation study			0. No validation study		
WGNSSK	Gadus morhua	cod.27.47d20	0. Not esti- mated	0. Not esti- mated						

			Data Co	ollection	Validation						
EG	Species	Stock	Maturity	Sex		Age			Maturity		
			Length/age at Maturity ⁴⁴	Sex Ratio ⁴⁵	Age Validation ⁴⁶	Absolute Bias ⁴⁷	Absolute Age Error Matrix ⁴⁸	Maturity Vali- dation ⁴⁹	Absolute Bias ⁵⁰	Absolute Maturity Error Matrix ⁵¹	
WGNSSK	Limanda li- manda	dab.27.3a4	0. Not esti- mated	0. Not esti- mated	0. No validation study						
WGNSSK	Platichthys flesus	fle.27.3a4	0. Not esti- mated	0. Not esti- mated	0. No validation study						
WGNSSK	Eutrigla gurnardus	gug.27.3a47d									
WGNSSK	Melano- grammus aeglefinus	had.27.46a20	0. Not esti- mated	0. Not esti- mated							
WGNSSK	Microsto- mus kitt	lem.27.3a47d	2. Estimated	0. Not esti- mated	0. No validation study	NA	NA	0. No validation study	NA	NA	
WGNSSK	Mullus sur- muletus	mur.27.3a47 d	2. Estimated	0. Not esti- mated	2. Several comple- mentary age valida- tion methods show- ing similar results			0. No validation study			
WGNSSK	Nephrops norvegicus	nep.27.4outF U	0. Not esti- mated	0. Not esti- mated	0. No validation study	No data	No data	0. No validation study	No data	No data	
WGNSSK	Nephrops norvegicus	nep.fu.10									

			Data Co	ollection		Vali	dation			
EG	Species	Stock	Maturity	Sex		Age			Maturity	
			Length/age at Maturity ⁴⁴	Sex Ratio ⁴⁵	Age Validation ⁴⁶	Absolute Bias ⁴⁷	Absolute Age Error Matrix ⁴⁸	Maturity Vali- dation ⁴⁹	Absolute Bias ⁵⁰	Absolute Maturity Error Matrix ⁵¹
WGNSSK	Nephrops norvegicus	nep.fu.3-4								
WGNSSK	Nephrops norvegicus	nep.fu.32	1. Not esti- mated but extrapolated	2. Estimated	0. No validation study	No age data	No age data	0. No validation study	No histological study	Not available
WGNSSK	Nephrops norvegicus	nep.fu.33	0. Not esti- mated	0. Not esti- mated	0. No validation study	No data	No data	0. No validation study	No data	No data
WGNSSK	Nephrops norvegicus	nep.fu.34								
WGNSSK	Nephrops norvegicus	nep.fu.5	0. Not esti- mated	0. Not esti- mated	0. No validation study	No data	No data	0. No validation study	No data	No data
WGNSSK	Nephrops norvegicus	nep.fu.6	0. Not esti- mated	2. Estimated	0. No validation study	No data	No data	0. No validation study	No data	No data
WGNSSK	Nephrops norvegicus	nep.fu.7								
WGNSSK	Nephrops norvegicus	nep.fu.8								
WGNSSK	Nephrops norvegicus	nep.fu.9								

			Data Co	ollection		Validation					
EG	Species	Stock	Maturity	Sex		Age			Maturity		
			Length/age at Maturity ⁴⁴	Sex Ratio ⁴⁵	Age Validation ⁴⁶	Absolute Bias ⁴⁷	Absolute Age Error Matrix ⁴⁸	Maturity Vali- dation ⁴⁹	Absolute Bias ⁵⁰	Absolute Maturity Error Matrix ⁵¹	
WGNSSK	Trisopterus esmarkii	nop.27.3a4	0. Not esti- mated	0. Not esti- mated	2. Several comple- mentary age valida- tion methods show- ing similar results	available in recent age reading re- port	avaiable in re- cent age read- ing report	0. No validation study	Yes, evaluated in scientific peer reviewed papers	yes, evaluated in scientific peer re- viewed literature	
WGNSSK	Pleu- ronectes platessa	ple.27.420	2. Estimated	0. Not esti- mated	1. Only one method with major limita- tions	avaiable in recent age reading ex- change work- shop report	avaiable in re- cent age read- ing report	0. No validation study			
WGNSSK	Pleu- ronectes platessa	ple.27.7d	2. Estimated	0. Not esti- mated		available in recent age reading ex- change work- shop report	available in re- cent age read- ing report	0. No validation study			
WGNSSK	Pollachius virens	pok.27.3a46	2. Estimated	0. Not esti- mated	1. Only one method with major limita- tions	Not available		0. No validation study	Not evaluated	Not evaluated	
WGNSSK	Pollachius pollachius	pol.27.3a4			0. No validation study			0. No validation study	Not evaluated	Not evaluated	
WGNSSK	Solea solea	sol.27.4									
WGNSSK	Solea solea	sol.27.7d	2. Estimated		0. No validation study			0. No validation study			

			Data Collection		Validation						
EG	Species	Stock	Maturity	Sex		Age			Maturity		
			Length/age at Maturity ⁴⁴	Sex Ratio ⁴⁵	Age Validation ⁴⁶	Absolute Bias ⁴⁷	Absolute Age Error Matrix ⁴⁸	Maturity Vali- dation ⁴⁹	Absolute Bias ⁵⁰	Absolute Maturity Error Matrix ⁵¹	
WGNSSK	Scophthal- mus maxi- mus	tur.27.3a		0. Not esti- mated							
WGNSSK	Scophthal- mus maxi- mus	tur.27.4	0. Not esti- mated	0. Not esti- mated	0. No validation study			0. No validation study			
WGNSSK	Merlangius merlangus	whg.27.3a	0. Not esti- mated	0. Not esti- mated	1. Only one method with major limita- tions			0. No validation study			
WGNSSK	Merlangius merlangus	whg.27.47d	2. Estimated	0. Not esti- mated	0. No validation study			0. No validation study			
WGNSSK	Glypto- cephalus cynoglos- sus	wit.27.3a47d	2. Estimated	0. Not esti- mated	0. No validation study			0. No validation study			
WGWIDE	Capros aper	boc.27.6-8									
WGWIDE	Cheli- donichthys cuculus	gur.27.3-8									

			Data Co	ollection	Validation						
EG	Species	Stock	Maturity	Sex		Age			Maturity		
			Length/age at Maturity ⁴⁴	Sex Ratio ⁴⁵	Age Validation ⁴⁶	Absolute Bias ⁴⁷	Absolute Age Error Matrix ⁴⁸	Maturity Vali- dation ⁴⁹	Absolute Bias ⁵⁰	Absolute Maturity Error Matrix ⁵¹	
WGWIDE	Clupea ha- rengus	her.27.1- 24a514a									
WGWIDE	Trachurus trachurus	hom.27.2a4a 5b6a7a-ce-k8									
WGWIDE	Trachurus trachurus	hom.27.3a4b c7d									
WGWIDE	Scomber scombrus	mac.27.nea	0. Not esti- mated	0. Not esti- mated	1. Only one method with major limita- tions			0. No validation study			
WGWIDE	Mullus sur- muletus	mur.27.67a- ce-k89a									
WGWIDE	Mi- cromesis- tius poutassou	whb.27.1- 91214	0. Not esti- mated	0. Not esti- mated	1. Only one method with major limita- tions			0. No validation study			

Annex 6-Table 7. (Part 3) Quality indicators by stock–WGBIOP 2020 answers. Part 3: Calibration.

							Calibra	ition				
EG	Species	Stock			A	ge				Maturity		
			Exchange / Work- shop ⁵²	Relative Bias ⁵³	CV or APE ⁵⁴	% Agree- ment ⁵⁵	Relative Age Error Matrix ⁵⁶	Exchange/ Work- shop ⁵⁷	Relative Bias ⁵⁸	CV or APE ⁵⁹	% Agree- ment ⁶⁰	Relative Maturity Error Ma- trix ⁶¹
NIPAG	Pandalus borealis	pra.27.4a										
NWWG	Mallotus villosus	cap.27.2a514										

⁵² When was the last exchange that included age readers from major data contributors?

- ⁵³ Measure for accuracy in relation to modal age (Quantitative estimate; evaluation stock-specific).
- ⁵⁴ Measure for precision (Quantitative estimate; evaluation stock-specific).
- ⁵⁵ Percentage agreement between age readers (Quantitative estimate; evaluation stock-specific).
- ⁵⁶ Probability distribution of repeated measurements relative to modal age (Quantitative estimate; evaluation stock-specific).
- ⁵⁷ When was the last exchange that included maturity readers from major data contributors?
- ⁵⁸ Measure for accuracy in relation to modal maturity (Quantitative estimate; evaluation stock-specific).
- ⁵⁹ Measure for precision (Quantitative estimate; evaluation stock-specific).
- ⁶⁰ Percentage agreement between maturity readers (Quantitative estimate; evaluation stock-specific).
- ⁶¹ Probability distribution of repeated measurements relative to modal maturity (Quantitative estimate; evaluation stock-specific).

			Calibration									
EG	Species	Stock			Ąį	ge				Maturity		
			Exchange / Work- shop ⁵²	Relative Bias ⁵³	CV or APE ⁵⁴	% Agree- ment ⁵⁵	Relative Age Error Matrix ⁵⁶	Exchange/ Work- shop ⁵⁷	Relative Bias ⁵⁸	CV or APE ⁵⁹	% Agree- ment ⁶⁰	Relative Maturity Error Ma- trix ⁶¹
NWWG	Gadus morhua	cod.21.1										
NWWG	Gadus morhua	cod.21.1a-e										
NWWG	Gadus morhua	cod.2127.1f14										
NWWG	Gadus morhua	cod.27.5a										
NWWG	Gadus morhua	cod.27.5b1	0. No ex- change					0. No ex- change				
NWWG	Gadus morhua	cod.27.5b2	0. No ex- change					0. No ex- change				
NWWG	Reinhard- tius hip- poglos- soides	ghl.27.561214										
NWWG	Melano- grammus aeglefi- nus	had.27.5a	4. Exchange recently, good re- sults					0. No ex- change				

				Calibration									
EG	Species	Stock			Ą	ge				Maturity			
			Exchange / Work- shop ⁵²	Relative Bias ⁵³	CV or APE ⁵⁴	% Agree- ment ⁵⁵	Relative Age Error Matrix ⁵⁶	Exchange/ Work- shop ⁵⁷	Relative Bias ⁵⁸	CV or APE ⁵⁹	% Agree- ment ⁶⁰	Relative Maturity Error Ma- trix ⁶¹	
NWWG	Melano- grammus aeglefi- nus	had.27.5b											
NWWG	Clupea harengus	her.27.5a											
NWWG	Pol- lachius virens	pok.27.5a											
NWWG	Pol- lachius virens	pok.27.5b	0. No ex- change										
NWWG	Sebastes mentella	reb.2127.dp											
NWWG	Sebastes mentella	reb.2127.sp											
NWWG	Sebastes mentella	reb.27.14b											
NWWG	Sebastes mentella	reb.27.5a14											

			Calibration									
EG	Species	Stock			4	Age				Maturity		
			Exchange / Work- shop ⁵²	Relative Bias ⁵³	CV or APE ⁵⁴	% Agree- ment ⁵⁵	Relative Age Error Matrix ⁵⁶	Exchange/ Work- shop ⁵⁷	Relative Bias ⁵⁸	CV or APE ⁵⁹	% Agree- ment ⁶⁰	Relative Maturity Error Ma- trix ⁶¹
NWWG	Sebastes norvegi- cus	reg.27.561214										
WGBAST	Salmo salar	sal.27.22-31										
WGBAST	Salmo salar	sal.27.32										
WGBAST	Salmo trutta	trs.27.22-32										
WGBFAS	Scoph- thalmus rhombus	bll.27.22-32										
WGBFAS	Gadus morhua	cod.27.21	4. Exchange recently, good re- sults	-0.08	20.3	82.1		3. Ex- change long time ago and good re- sults				
WGBFAS	Gadus morhua	cod.27.22-24										

			Calibration									
EG	Species	Stock			Д	ge				Maturity		
			Exchange / Work- shop ⁵²	Relative Bias ⁵³	CV or APE ⁵⁴	% Agree- ment ⁵⁵	Relative Age Error Matrix ⁵⁶	Exchange/ Work- shop ⁵⁷	Relative Bias ⁵⁸	CV or APE ⁵⁹	% Agree- ment ⁶⁰	Relative Maturity Error Ma- trix ⁶¹
WGBFAS	Gadus morhua	cod.27.24-32										
WGBFAS	Limanda limanda	dab.27.22-32	0. No ex- change					0. No ex- change				
WGBFAS	Platich- thys fle- sus	fle.27.2223	1. Exchange long time ago and poor results					0. No ex- change				
WGBFAS	Platich- thys spp	bwq.27.2425	 Exchange long time ago and poor results 			70,4%		0. No ex- change				
WGBFAS	Platich- thys spp	bwq.27.2628	1. Exchange long time ago and poor results					1. Ex- change long time ago and poor re- sults				
WGBFAS	Platich- thys solemdali	bwp.27.2729- 32	1. Exchange long time ago and poor results									

							Calibra	tion				
EG	Species	Stock	Age Maturity									
			Exchange / Work- shop ⁵²	Relative Bias ⁵³	CV or APE ⁵⁴	% Agree- ment ⁵⁵	Relative Age Error Matrix ⁵⁶	Exchange/ Work- shop ⁵⁷	Relative Bias ⁵⁸	CV or APE ⁵⁹	% Agree- ment ⁶⁰	Relative Maturity Error Ma- trix ⁶¹
WGBFAS	Clupea harengus	her.27.25-2932	4. Exchange recently, good re- sults	S1: ±0.00- 0.24; S2: ±0.04- 0.49; S3: ±0.02- 0.52	CV S1: 1.9– 7.5%; S2: 1.9– 7.5%; S3: 11– 20%	S1: 88–94%; S2: 52–85%; S3: 52–81%,		1. Ex- change long time ago and poor re- sults				
WGBFAS	Clupea harengus	her.27.28	5. Exchange recently, very good results			95%		0. No ex- change				
WGBFAS	Clupea harengus	her.27.3031										
WGBFAS	Pleu- ronectes platessa	ple.27.21-23										
WGBFAS	Pleu- ronectes platessa	ple.27.24-32	1. Exchange long time ago and poor results					0. No ex- change				

							Calibra	ation				
EG	Species	Stock	Age Maturity									
			Exchange / Work- shop ⁵²	Relative Bias ⁵³	CV or APE ⁵⁴	% Agree- ment ⁵⁵	Relative Age Error Matrix ⁵⁶	Exchange/ Work- shop ⁵⁷	Relative Bias ⁵⁸	CV or APE ⁵⁹	% Agree- ment ⁶⁰	Relative Maturity Error Ma- trix ⁶¹
WGBFAS	Solea solea	sol.27.20-24										
WGBFAS	Sprattus sprattus	spr.27.22-32	3. Exchange long time ago and good re- sults					0. No ex- change				
WGBFAS	Scoph- thalmus maximus	tur.27.22-32	0. No ex- change					0. No ex- change				
WGBIE	Lophius bude- gassa	ank.27.78abd						0. No ex- change				
WGBIE	Lophius bude- gassa	ank.27.8c9a										
WGBIE	Dicen- trarchus labrax	bss.27.8ab										

							Calibra	ition				
EG	Species	Stock			Ą	ge				Maturity		
			Exchange / Work- shop ⁵²	Relative Bias ⁵³	CV or APE ⁵⁴	% Agree- ment ⁵⁵	Relative Age Error Matrix ⁵⁶	Exchange/ Work- shop ⁵⁷	Relative Bias ⁵⁸	CV or APE ⁵⁹	% Agree- ment ⁶⁰	Relative Maturity Error Ma- trix ⁶¹
WGBIE	Dicen- trarchus Iabrax	bss.27.8c9a										
WGBIE	Merluc- cius mer- luccius	hke.27.3a46- 8abd										
WGBIE	Brosme brosme, Merluc- cius mer- luccius	hke.27.8c9a										
WGBIE	Lepi- dorhom- bus boscii	ldb.27.7b- k8abd										
WGBIE	Lepi- dorhom- bus boscii	ldb.27.8c9a										
WGBIE	Lepi- dorhom- bus whiffiag- onis	meg.27.7b- k8abd	2. Exchange recently, poor results					0. No ex- change				

							Calibra	ation				
EG	Species	Stock	Age Maturity									
			Exchange / Work- shop ⁵²	Relative Bias ⁵³	CV or APE ⁵⁴	% Agree- ment ⁵⁵	Relative Age Error Matrix ⁵⁶	Exchange/ Work- shop ⁵⁷	Relative Bias ⁵⁸	CV or APE ⁵⁹	% Agree- ment ⁶⁰	Relative Maturity Error Ma- trix ⁶¹
WGBIE	Lepi- dorhom- bus whiffiag- onis	meg.27.8c9a										
WGBIE	Lophius piscato- rius	mon.27.78abd										
WGBIE	Lophius piscato- rius	mon.27.8c9a	1. Exchange long time ago and poor results					3. Ex- change long time ago and good re- sults				
WGBIE	Nephrops norvegi- cus	nep.fu.2324										
WGBIE	Nephrops norvegi- cus	nep.fu.25										

			Calibration										
EG	Species	Stock			Ą	ge				Maturity			
			Exchange / Work- shop ⁵²	Relative Bias ⁵³	CV or APE ⁵⁴	% Agree- ment ⁵⁵	Relative Age Error Matrix ⁵⁶	Exchange/ Work- shop ⁵⁷	Relative Bias ⁵⁸	CV or APE ⁵⁹	% Agree- ment ⁶⁰	Relative Maturity Error Ma- trix ⁶¹	
WGBIE	Nephrops norvegi- cus	nep.fu.2627											
WGBIE	Nephrops norvegi- cus	nep.fu.2829						0. No ex- change					
WGBIE	Nephrops norvegi- cus	nep.fu.30											
WGBIE	Nephrops norvegi- cus	nep.fu.31											
WGBIE	Pleu- ronectes platessa	ple.27.89a											
WGBIE	Pol- lachius pol- lachius	pol.27.89a	0. No ex- change					0. No ex- change					
WGBIE	Solea solea	sol.27.8ab											

							Calibra	ition				
EG	Species	Stock			,	Age				Maturity		
			Exchange / Work- shop ⁵²	Relative Bias ⁵³	CV or APE ⁵⁴	% Agree- ment ⁵⁵	Relative Age Error Matrix ⁵⁶	Exchange/ Work- shop ⁵⁷	Relative Bias ⁵⁸	CV or APE ⁵⁹	% Agree- ment ⁶⁰	Relative Maturity Error Ma- trix ⁶¹
WGBIE	Solea solea	sol.27.8c9a	0. No ex- change					0. No ex- change				
WGBIE	Merlan- gius mer- langus	whg.27.89a										
WGCSE	Lophius bude- gassa, Lophius piscato- rius	anf.27.3a46										
WGCSE	Dicen- trarchus Iabrax	bss.27.4bc7ad- h	Unknown	Unknown	Un- known	Unknown	Unknown	Unknown	Unknown	Unknown	Unknown	Unknown
WGCSE	Dicen- trarchus Iabrax	bss.27.6a7bj										
WGCSE	Gadus morhua	cod.27.6a										
WGCSE	Gadus morhua	cod.27.6b										

							Calibra	ation				
EG	Species	Stock	Age Maturity									
			Exchange / Work- shop ⁵²	Relative Bias ⁵³	CV or APE ⁵⁴	% Agree- ment ⁵⁵	Relative Age Error Matrix ⁵⁶	Exchange/ Work- shop ⁵⁷	Relative Bias ⁵⁸	CV or APE ⁵⁹	% Agree- ment ⁶⁰	Relative Maturity Error Ma- trix ⁶¹
WGCSE	Gadus morhua	cod.27.7a										
WGCSE	Gadus morhua	cod.27.7e-k										
WGCSE	Melano- grammus aeglefi- nus	had.27.6b										
WGCSE	Melano- grammus aeglefi- nus	had.27.7a										
WGCSE	Melano- grammus aeglefi- nus	had.27.7b-k	4. Exchange recently, good re- sults									
WGCSE	Lepi- dorhom- bus	lez.27.4a6a										

							Calibra	tion				
EG	Species	Stock			Ą	ge				Maturity		
			Exchange / Work- shop ⁵²	Relative Bias ⁵³	CV or APE ⁵⁴	% Agree- ment ⁵⁵	Relative Age Error Matrix ⁵⁶	Exchange/ Work- shop ⁵⁷	Relative Bias ⁵⁸	CV or APE ⁵⁹	% Agree- ment ⁶⁰	Relative Maturity Error Ma- trix ⁶¹
WGCSE	Lepi- dorhom- bus	lez.27.6b										
WGCSE	Nephrops norvegi- cus	nep.27.6aoutF U										
WGCSE	Nephrops norvegi- cus	nep.27.7outFU										
WGCSE	Nephrops norvegi- cus	nep.fu.11										
WGCSE	Nephrops norvegi- cus	nep.fu.12										
WGCSE	Nephrops norvegi- cus	nep.fu.13										
WGCSE	Nephrops norvegi- cus	nep.fu.14										

							Calibra	ition				
EG	Species	Stock			А	ge				Maturity		
			Exchange / Work- shop ⁵²	Relative Bias ⁵³	CV or APE ⁵⁴	% Agree- ment ⁵⁵	Relative Age Error Matrix ⁵⁶	Exchange/ Work- shop ⁵⁷	Relative Bias ⁵⁸	CV or APE ⁵⁹	% Agree- ment ⁶⁰	Relative Maturity Error Ma- trix ⁶¹
WGCSE	Nephrops norvegi- cus	nep.fu.15										
WGCSE	Nephrops norvegi- cus	nep.fu.16										
WGCSE	Nephrops norvegi- cus	nep.fu.17										
WGCSE	Nephrops norvegi- cus	nep.fu.19										
WGCSE	Nephrops norvegi- cus	nep.fu.2021										
WGCSE	Nephrops norvegi- cus	nep.fu.22										
WGCSE	Trisopte- rus es- markii	nop.27.6a										

							Calibra	ation				
EG	Species	Stock	Age Maturity									
			Exchange / Work- shop ⁵²	Relative Bias ⁵³	CV or APE ⁵⁴	% Agree- ment ⁵⁵	Relative Age Error Matrix ⁵⁶	Exchange/ Work- shop ⁵⁷	Relative Bias ⁵⁸	CV or APE ⁵⁹	% Agree- ment ⁶⁰	Relative Maturity Error Ma- trix ⁶¹
WGCSE	Pleu- ronectes platessa	ple.27.7a	Unknown	Unknown	Un- known	Unknown	Unknown	Unknown	Unknown	Unknown	Unknown	Unknown
WGCSE	Pleu- ronectes platessa	ple.27.7bc										
WGCSE	Pleu- ronectes platessa	ple.27.7e										
WGCSE	Pleu- ronectes platessa	ple.27.7fg										
WGCSE	Pleu- ronectes platessa	ple.27.7h-k										
WGCSE	Pol- lachius pol- lachius	pol.27.67										
WGCSE	Ammo- dytes	san.27.6a										

							Calibra	ition				
EG	Species	Stock			Ą	ge				Maturity		
			Exchange / Work- shop ⁵²	Relative Bias ⁵³	CV or APE ⁵⁴	% Agree- ment ⁵⁵	Relative Age Error Matrix ⁵⁶	Exchange/ Work- shop ⁵⁷	Relative Bias ⁵⁸	CV or APE ⁵⁹	% Agree- ment ⁶⁰	Relative Maturity Error Ma- trix ⁶¹
WGCSE	Solea solea	sol.27.7a	0. No ex- change					3. Ex- change long time ago and good re- sults	stage 2 = 0.26 stage 5 = -0.90 (fresh fish, sole in gen- eral, not linked to a certain stock)	not availa- ble	82% (fresh fish)	not availa- ble
WGCSE	Solea solea	sol.27.7bc										
WGCSE	Solea solea	sol.27.7e										
WGCSE	Solea solea	sol.27.7fg	0. No ex- change					3. Ex- change long time ago and good re- sults	stage 2 = 0.26 stage 5 = -0.90 (fresh fish, sole in gen- eral, not linked to a certain stock)	not availa- ble	82% (fresh fish)	not availa- ble
							Calibra	ition				
--------	--------------------------------	----------------	---	--------------------------------	----------------------------	--------------------------------	--	---	--------------------------------	-------------------------	--------------------------------	---
EG	Species	Stock			Ąį	ge				Maturity		
			Exchange / Work- shop ⁵²	Relative Bias ⁵³	CV or APE ⁵⁴	% Agree- ment ⁵⁵	Relative Age Error Matrix ⁵⁶	Exchange/ Work- shop ⁵⁷	Relative Bias ⁵⁸	CV or APE ⁵⁹	% Agree- ment ⁶⁰	Relative Maturity Error Ma- trix ⁶¹
WGCSE	Solea solea	sol.27.7h-k										
WGCSE	Merlan- gius mer- langus	whg.27.6a										
WGCSE	Merlan- gius mer- langus	whg.27.6b										
WGCSE	Merlan- gius mer- langus	whg.27.7a	0. No ex- change					0. No ex- change				
WGCSE	Merlan- gius mer- langus	whg.27.7b-ce-k										
WGDEEP	Beryx	alf.27.nea										
WGDEEP	Argen- tina silus	aru.27.123a4	4. Exchange recently, good re- sults					3. Ex- change long time ago and good re- sults				

							Calibra	ition				
EG	Species	Stock				Age				Maturity		
			Exchange / Work- shop ⁵²	Relative Bias ⁵³	CV or APE ⁵⁴	% Agree- ment ⁵⁵	Relative Age Error Matrix ⁵⁶	Exchange/ Work- shop ⁵⁷	Relative Bias ⁵⁸	CV or APE ⁵⁹	% Agree- ment ⁶⁰	Relative Maturity Error Ma- trix ⁶¹
WGDEEP	Argen- tina silus	aru.27.5a14	4. Exchange recently, good re- sults					0. No ex- change				
WGDEEP	Argen- tina silus	aru.27.5b6a										
WGDEEP	Argen- tina silus	aru.27.6b7- 1012										
WGDEEP	Molva dypter- ygia	bli.27.5a14	0. No ex- change					0. No ex- change				
WGDEEP	Molva dypter- ygia	bli.27.5b67										
WGDEEP	Molva dypter- ygia	bli.27.nea	4. Exchange recently, good re- sults		cv=3.9	48%		0. No ex- change				
WGDEEP	Aphano- pus carbo	bsf.27.nea										

							Calibra	ition				
EG	Species	Stock	Age Maturity									
			Exchange / Work- shop ⁵²	Relative Bias ⁵³	CV or APE ⁵⁴	% Agree- ment ⁵⁵	Relative Age Error Matrix ⁵⁶	Exchange/ Work- shop ⁵⁷	Relative Bias ⁵⁸	CV or APE ⁵⁹	% Agree- ment ⁶⁰	Relative Maturity Error Ma- trix ⁶¹
WGDEEP	Phycis blen- noides	gfb.27.nea										
WGDEEP	Molva molva	lin.27.1-2										
WGDEEP	Molva molva	lin.27.3a4a6- 91214										
WGDEEP	Molva molva	lin.27.5a	4. Exchange recently, good re- sults					0. No ex- change				
WGDEEP	Molva molva	lin.27.5b										
WGDEEP	Hoploste- thus at- lanticus	ory.27.nea										
WGDEEP	Macrour us ber- glax	rhg.27.nea										

							Calibra	ition				
EG	Species	Stock			,	Age				Maturity		
			Exchange / Work- shop ⁵²	Relative Bias ⁵³	CV or APE ⁵⁴	% Agree- ment ⁵⁵	Relative Age Error Matrix ⁵⁶	Exchange/ Work- shop ⁵⁷	Relative Bias ⁵⁸	CV or APE ⁵⁹	% Agree- ment ⁶⁰	Relative Maturity Error Ma- trix ⁶¹
WGDEEP	Cory- phae- noides rupestris	rng.27.1245a8 914ab										
WGDEEP	Cory- phae- noides rupestris	rng.27.3a	3. Exchange long time ago and good re- sults		cv=11.2	30%		0. No ex- change				
WGDEEP	Cory- phae- noides rupestris	rng.27.5a10b1 2ac14b										
WGDEEP	Cory- phae- noides rupestris	rng.27.5b6712 b	0. No ex- change	No	No	No	No	0. No ex- change	No	No	No	No
WGDEEP	Pagellus bo- garaveo	sbr.27.10										

							Calibra	ition				
EG	Species	Stock	Age Maturity									
			Exchange / Work- shop ⁵²	Relative Bias ⁵³	CV or APE ⁵⁴	% Agree- ment ⁵⁵	Relative Age Error Matrix ⁵⁶	Exchange/ Work- shop ⁵⁷	Relative Bias ⁵⁸	CV or APE ⁵⁹	% Agree- ment ⁶⁰	Relative Maturity Error Ma- trix ⁶¹
WGDEEP	Pagellus bo- garaveo	sbr.27.6-8										
WGDEEP	Pagellus bo- garaveo	sbr.27.9										
WGDEEP	Trachyrin cus scabrus	tsu.27.nea										
WGDEEP	Brosme brosme	usk.27.1-2										
WGDEEP	Brosme brosme	usk.27.12ac										
WGDEEP	Brosme brosme	usk.27.3a45b6 a7-912b										
WGDEEP	Brosme brosme	usk.27.5a14	4. Exchange recently, good re- sults					0. No ex- change				

							Calibra	ition				
EG	Species	Stock		Age								
			Exchange / Work- shop ⁵²	Relative Bias ⁵³	CV or APE ⁵⁴	% Agree- ment ⁵⁵	Relative Age Error Matrix ⁵⁶	Exchange/ Work- shop ⁵⁷	Relative Bias ⁵⁸	CV or APE ⁵⁹	% Agree- ment ⁶⁰	Relative Maturity Error Ma- trix ⁶¹
WGDEEP	Brosme brosme	usk.27.6b										
WGEEL	Anguilla anguilla	ele.2737.nea	2. Exchange recently, poor results		cv=39%	40		0. No ex- change	A mature eel was never caught			
WGEF	Squatina squatina	agn.27.nea										
WGEF	Cetorhi- nus maxi- mus	bsk.27.nea										
WGEF	Cen- trophorus squamo- sus, Cen- troscym- nus coelolepis	cyo.27.nea										
WGEF	Squalus acanthias	dgs.27.nea										

							Calibra	ation				
EG	Species	Stock	Age Maturity									
			Exchange / Work- shop ⁵²	Relative Bias ⁵³	CV or APE ⁵⁴	% Agree- ment ⁵⁵	Relative Age Error Matrix ⁵⁶	Exchange/ Work- shop ⁵⁷	Relative Bias ⁵⁸	CV or APE ⁵⁹	% Agree- ment ⁶⁰	Relative Maturity Error Ma- trix ⁶¹
WGEF	Galeorhi- nus galeus	gag.27.nea										
WGEF	Cen- trophorus squamo- sus	guq.27.nea										
WGEF	Lamna nasus	por.27.nea										
WGEF	Rajidae	raj.27.1012										
WGEF	Rajidae	raj.27.3a47d										
WGEF	Rajidae	raj.27.67a-ce-h										
WGEF	Rajidae	raj.27.89a										
WGEF	Ros- troraja alba	rja.27.nea										
WGEF	Dipturus batis	rjb.27.3a4										

							Calibra	ation				
EG	Species	Stock	Age Maturity									
			Exchange / Work- shop ⁵²	Relative Bias ⁵³	CV or APE ⁵⁴	% Agree- ment ⁵⁵	Relative Age Error Matrix ⁵⁶	Exchange/ Work- shop ⁵⁷	Relative Bias ⁵⁸	CV or APE ⁵⁹	% Agree- ment ⁶⁰	Relative Maturity Error Ma- trix ⁶¹
WGEF	Dipturus batis	rjb.27.67a-ce-k										
WGEF	Dipturus batis	rjb.27.89a										
WGEF	Raja clav- ata	rjc.27.3a47d										
WGEF	Raja clav- ata	rjc.27.6										
WGEF	Raja clav- ata	rjc.27.7afg										
WGEF	Raja clav- ata	rjc.27.7e										
WGEF	Raja clav- ata	rjc.27.8										
WGEF	Raja clav- ata	rjc.27.9a										
WGEF	Raja mi- croocel- lata	rje.27.7de										

							Calibra	ation				
EG	Species	Stock		Age								
			Exchange / Work- shop ⁵²	Relative Bias ⁵³	CV or APE ⁵⁴	% Agree- ment ⁵⁵	Relative Age Error Matrix ⁵⁶	Exchange/ Work- shop ⁵⁷	Relative Bias ⁵⁸	CV or APE ⁵⁹	% Agree- ment ⁶⁰	Relative Maturity Error Ma- trix ⁶¹
WGEF	Raja mi- croocel- lata	rje.27.7fg										
WGEF	Leucoraja fullonica	rjf.27.67										
WGEF	Raja brachy- ura	rjh.27.4a6										
WGEF	Raja brachy- ura	rjh.27.4c7d										
WGEF	Raja brachy- ura	rjh.27.7afg										
WGEF	Raja brachy- ura	rjh.27.7e										
WGEF	Raja brachy- ura	rjh.27.9a										

							Calibra	ition				
EG	Species	Stock		Age								
			Exchange / Work- shop ⁵²	Relative Bias ⁵³	CV or APE ⁵⁴	% Agree- ment ⁵⁵	Relative Age Error Matrix ⁵⁶	Exchange/ Work- shop ⁵⁷	Relative Bias ⁵⁸	CV or APE ⁵⁹	% Agree- ment ⁶⁰	Relative Maturity Error Ma- trix ⁶¹
WGEF	Leucoraja circularis	rji.27.67										
WGEF	Raja montagui	rjm.27.3a47d										
WGEF	Raja montagui	rjm.27.67bj										
WGEF	Raja montagui	rjm.27.7ae-h										
WGEF	Raja montagui	rjm.27.8										
WGEF	Raja montagui	rjm.27.9a										
WGEF	Leucoraja naevus	rjn.27.3a4										
WGEF	Leucoraja naevus	rjn.27.678abd										
WGEF	Leucoraja naevus	rjn.27.8c										

							Calibra	ation				
EG	Species	Stock			Ą	ge				Maturity		
			Exchange / Work- shop ⁵²	Relative Bias ⁵³	CV or APE ⁵⁴	% Agree- ment ⁵⁵	Relative Age Error Matrix ⁵⁶	Exchange/ Work- shop ⁵⁷	Relative Bias ⁵⁸	CV or APE ⁵⁹	% Agree- ment ⁶⁰	Relative Maturity Error Ma- trix ⁶¹
WGEF	Leucoraja naevus	rjn.27.9a										
WGEF	Ambly- raja radi- ata	rjr.27.23a4										
WGEF	Raja un- dulata	rju.27.7bj										
WGEF	Raja un- dulata	rju.27.7de										
WGEF	Raja un- dulata	rju.27.8ab										
WGEF	Raja un- dulata	rju.27.8c										
WGEF	Raja un- dulata	rju.27.9a										
WGEF	Dalatias licha	sck.27.nea										
WGEF	Mustelus asterias	sdv.27.nea										

							Calibra	ntion				
EG	Species	Stock			Ą	ge				Maturity		
			Exchange / Work- shop ⁵²	Relative Bias ⁵³	CV or APE ⁵⁴	% Agree- ment ⁵⁵	Relative Age Error Matrix ⁵⁶	Exchange/ Work- shop ⁵⁷	Relative Bias ⁵⁸	CV or APE ⁵⁹	% Agree- ment ⁶⁰	Relative Maturity Error Ma- trix ⁶¹
WGEF	Galeus melasto- mus	sho.27.67										
WGEF	Galeus melasto- mus	sho.27.89a										
WGEF	Scyliorhi- nus ca- nicula	syc.27.3a47d										
WGEF	Scyliorhi- nus ca- nicula	syc.27.67a-ce-j										
WGEF	Scyliorhi- nus ca- nicula	syc.27.8abd										
WGEF	Scyliorhi- nus ca- nicula	syc.27.8c9a										
WGEF	Scyliorhi- nus stel- laris	syt.27.67										

							Calibra	ition				
EG	Species	Stock			,	Age				Maturity		
			Exchange / Work- shop ⁵²	Relative Bias ⁵³	CV or APE ⁵⁴	% Agree- ment ⁵⁵	Relative Age Error Matrix ⁵⁶	Exchange/ Work- shop ⁵⁷	Relative Bias ⁵⁸	CV or APE ⁵⁹	% Agree- ment ⁶⁰	Relative Maturity Error Ma- trix ⁶¹
WGEF	Alopias	thr.27.nea										
WGHANSA	Engraulis encra- sicolus	ane.27.8	5. Exchange recently, very good results	NA	NA	NA	NA	3. Ex- change long time ago and good re- sults	NA	NA	NA	NA
WGHANSA	Engraulis encra- sicolus	ane.27.9a_sout hcomponent	5. Exchange recently, very good results	Y	у	У	no	0. No ex- change	no	no	no	no
		ane.27.9a_wes tcomponent	5. Exchange recently, very good results	У	у	У	no	0. No ex- change	no	no	no	no
WGHANSA	Trachu- rus tra- churus	hom.27.9a	4. Exchange recently, good re- sults					0. No ex- change				
WGHANSA	Trachu- rus pictu- ratus	jaa.27.10a2	2. Exchange recently, poor results	NA	sec- tions: 36,0- 168,8%	sections: 35,3-79,3% whole: 56,3%	Not available	0. No ex- change	NA	NA	NA	NA

							Calibra	ation				
EG	Species	Stock		Age						Maturity		
			Exchange / Work- shop ⁵²	Relative Bias ⁵³	CV or APE ⁵⁴	% Agree- ment ⁵⁵	Relative Age Error Matrix ⁵⁶	Exchange/ Work- shop ⁵⁷	Relative Bias ⁵⁸	CV or APE ⁵⁹	% Agree- ment ⁶⁰	Relative Maturity Error Ma- trix ⁶¹
					whole: 69,85%							
WGHANSA	Sardina pilchar- dus	pil.27.7	0. No ex- change					0. No ex- change				
WGHANSA	Sardina pilchar- dus	pil.27.8abd	unknown	unknown	un- known	unknown	unknown	unknown	unknown	unknown	unknown	unknown
WGHANSA	Sardina pilchar- dus	pil.27.8c9a	5. Exchange recently, very good results	NA	CV=20 %, APE=22 % (ex- pert read- ers)	80% (expert readers)	NA	0. No ex- change	No	No	No	No
WGNAS	Salmo salar	sal.21.2-5										
WGNAS	Salmo salar	sal.2127.1a-f14	0. No ex- change					0. No ex- change				
WGNAS	Salmo salar	sal.27.nea	0. No ex- change					0. No ex- change				

							Calibra	tion				
EG	Species	Stock		Age						Maturity		
			Exchange / Work- shop ⁵²	Relative Bias ⁵³	CV or APE ⁵⁴	% Agree- ment ⁵⁵	Relative Age Error Matrix ⁵⁶	Exchange/ Work- shop ⁵⁷	Relative Bias ⁵⁸	CV or APE ⁵⁹	% Agree- ment ⁶⁰	Relative Maturity Error Ma- trix ⁶¹
WGNSSK	Scoph- thalmus rhombus	bll.27.3a47de	5. Exchange recently, very good results	-0.01 (ad- vanced readers, stained sections)	CV = 8% APE = 1% (ad- vanced read- ers, stained sec- tions)	95% (ad- vanced read- ers, stained sections)	available in SmartDots report	3. Ex- change long time ago and good re- sults	stage 2 = - 0.26 stage 3 = -0.67 (fresh sam- ples, brill in general, not linked to a certain stock)	not availa- ble	94% (fresh samples, ex- pert stag- ers)	not availa- ble
WGNSSK	Gadus morhua	cod.27.47d20	3. Exchange long time ago and good re- sults	74%	39.80%			3. Ex- change long time ago and good re- sults	69-77%			
WGNSSK	Limanda limanda	dab.27.3a4	4. Exchange recently, good re- sults									
WGNSSK	Platich- thys fle- sus	fle.27.3a4	0. No ex- change									

							Calibra	ation				
EG	Species	Stock		Age						Maturity		
			Exchange / Work- shop ⁵²	Relative Bias ⁵³	CV or APE ⁵⁴	% Agree- ment ⁵⁵	Relative Age Error Matrix ⁵⁶	Exchange/ Work- shop ⁵⁷	Relative Bias ⁵⁸	CV or APE ⁵⁹	% Agree- ment ⁶⁰	Relative Maturity Error Ma- trix ⁶¹
WGNSSK	Eutrigla gurnar- dus	gug.27.3a47d										
WGNSSK	Melano- grammus aeglefi- nus	had.27.46a20										
WGNSSK	Microsto- mus kitt	lem.27.3a47d	0. No ex- change	NA	NA	NA	NA					
WGNSSK	Mullus surmule- tus	mur.27.3a47d	0. No ex- change					0. No ex- change				
WGNSSK	Nephrops norvegi- cus	nep.27.4outFU	0. No ex- change	No data	No data	No data	No data	0. No ex- change	No data	No data	No data	No data
WGNSSK	Nephrops norvegi- cus	nep.fu.10										
WGNSSK	Nephrops norvegi- cus	nep.fu.3-4										

							Calibra	ition				
EG	Species	Stock				Age				Maturity		
			Exchange / Work- shop ⁵²	Relative Bias ⁵³	CV or APE ⁵⁴	% Agree- ment ⁵⁵	Relative Age Error Matrix ⁵⁶	Exchange/ Work- shop ⁵⁷	Relative Bias ⁵⁸	CV or APE ⁵⁹	% Agree- ment ⁶⁰	Relative Maturity Error Ma- trix ⁶¹
WGNSSK	Nephrops norvegi- cus	nep.fu.32	0. No ex- change	No age data	No age data	No age data	No age data	0. No ex- change	Not availa- ble	Not availa- ble	Not availa- ble	Not availa- ble
WGNSSK	Nephrops norvegi- cus	nep.fu.33	0. No ex- change	No data	No data	No data	No data	0. No ex- change	No data	No data	No data	No data
WGNSSK	Nephrops norvegi- cus	nep.fu.34										
WGNSSK	Nephrops norvegi- cus	nep.fu.5	0. No ex- change	No data	No data	No data	No data	0. No ex- change	No data	No data	No data	No data
WGNSSK	Nephrops norvegi- cus	nep.fu.6	0. No ex- change	No data	No data	No data	No data	0. No ex- change	No data	No data	No data	No data
WGNSSK	Nephrops norvegi- cus	nep.fu.7										
WGNSSK	Nephrops norvegi- cus	nep.fu.8										

							Calibra	ition				
EG	Species	Stock		Age						Maturity		
			Exchange / Work- shop ⁵²	Relative Bias ⁵³	CV or APE ⁵⁴	% Agree- ment ⁵⁵	Relative Age Error Matrix ⁵⁶	Exchange/ Work- shop ⁵⁷	Relative Bias ⁵⁸	CV or APE ⁵⁹	% Agree- ment ⁶⁰	Relative Maturity Error Ma- trix ⁶¹
WGNSSK	Nephrops norvegi- cus	nep.fu.9										
WGNSSK	Trisopte- rus es- markii	nop.27.3a4	4. Exchange recently, good re- sults	avaiable in recent age read- ing ex- change work- shop re- port	avaia- ble in recent age reading ex- change work- shop report	avaiable in recent age reading ex- change work- shop report	avaiable in recent age reading ex- change workshop report	0. No ex- change	published in scientific peer re- viewed lit- erature	published in scientific peer re- viewed lit- erature	No data	No data
WGNSSK	Pleu- ronectes platessa	ple.27.420	4. Exchange recently, good re- sults	avaiable in recent age read- ing ex- change work- shop re- port	avaia- ble in recent age reading ex- change work- shop report	avaiable in recent age reading ex- change work- shop report	avaiable in recent age reading ex- change workshop report	0. No ex- change				

							Calibra	ation				
EG	Species	Stock			,	Age				Maturity		
			Exchange / Work- shop ⁵²	Relative Bias ⁵³	CV or APE ⁵⁴	% Agree- ment ⁵⁵	Relative Age Error Matrix ⁵⁶	Exchange/ Work- shop ⁵⁷	Relative Bias ⁵⁸	CV or APE ⁵⁹	% Agree- ment ⁶⁰	Relative Maturity Error Ma- trix ⁶¹
WGNSSK	Pleu- ronectes platessa	ple.27.7d	3. Exchange long time ago and good re- sults	available in recent age read- ing ex- change work- shop re- port	availa- ble in recent age reading report	available in recent age reading ex- change work- shop report	available in recent age reading report	0. No ex- change				
WGNSSK	Pol- lachius virens	pok.27.3a46	4. Exchange recently, good re- sults	-0.04 (re- flected light) to - 0.08 (trans- mitted light)	CV = 6.2%	85.90%		1. Ex- change long time ago and poor re- sults			75% fe- males, 65% males (WKMSGAD 2013)	
WGNSSK	Pol- lachius pol- lachius	pol.27.3a4	0. No ex- change	No age data	No age data	No age data	No age data	0. No ex- change	No data	No data	No data	No data
WGNSSK	Solea solea	sol.27.4										
WGNSSK	Solea solea	sol.27.7d	4. Exchange recently,	-0.27	CV = 9% and APE=5	80%	available in SmartDots report	3. Ex- change long time	stage 2 = 0.26 stage 5 = -0.90	not availa- ble	82%	not availa- ble

							Calibra	ition				
EG	Species	Stock			,	Age				Maturity		
			Exchange / Work- shop ⁵²	Relative Bias ⁵³	CV or APE ⁵⁴	% Agree- ment ⁵⁵	Relative Age Error Matrix ⁵⁶	Exchange/ Work- shop ⁵⁷	Relative Bias ⁵⁸	CV or APE ⁵⁹	% Agree- ment ⁶⁰	Relative Maturity Error Ma- trix ⁶¹
			good re- sults		% (ex- pert read- ers)			ago and good re- sults	(fresh fish, sole in gen- eral, not linked to a certain stock)			
WGNSSK	Scoph- thalmus maximus	tur.27.3a										
WGNSSK	Scoph- thalmus maximus	tur.27.4	4. Exchange recently, good re- sults	0.09	CV = 17%	78%	available in smartdots report for event 216	3. Ex- change long time ago and good re- sults	stage 1: 0.6, stage 2: - 0.29	not availa- ble	94 % fresh staging; 79 % image- based stag- ing	not availa- ble
WGNSSK	Merlan- gius mer- langus	whg.27.3a						0. No ex- change				
WGNSSK	Merlan- gius mer- langus	whg.27.47d	4. Exchange recently, good re- sults	-0.04	CV=14. 9%	69.50%		0. No ex- change				

							Calibra	ition				
EG	Species	Stock				Age				Maturity		
			Exchange / Work- shop ⁵²	Relative Bias ⁵³	CV or APE ⁵⁴	% Agree- ment ⁵⁵	Relative Age Error Matrix ⁵⁶	Exchange/ Work- shop ⁵⁷	Relative Bias ⁵⁸	CV or APE ⁵⁹	% Agree- ment ⁶⁰	Relative Maturity Error Ma- trix ⁶¹
WGNSSK	Glypto- cephalus cynoglos- sus	wit.27.3a47d	0. No ex- change					0. No ex- change				
WGWIDE	Capros aper	boc.27.6-8										
WGWIDE	Cheli- donich- thys cu- culus	gur.27.3-8										
WGWIDE	Clupea harengus	her.27.1- 24a514a										
WGWIDE	Trachu- rus tra- churus	hom.27.2a4a5 b6a7a-ce-k8										
WGWIDE	Trachu- rus tra- churus	hom.27.3a4bc7 d										
WGWIDE	Scomber scombrus	mac.27.nea	2. Exchange recently, poor results	-0.03 (all ICES divs)	CV=30. 4 (all	66.5% (all ICES divs)	Calculated using re- sults from 2018 age reading workshop. Will be discussed at	2. Ex- change re- cently,	Stage 1:0.66, Stage 2:0.89,		61.40%	

							Calibra	tion				
EG	Species	Stock		Age						Maturity		
			Exchange / Work- shop ⁵²	Relative Bias ⁵³	CV or APE ⁵⁴	% Agree- ment ⁵⁵	Relative Age Error Matrix ⁵⁶	Exchange/ Work- shop ⁵⁷	Relative Bias ⁵⁸	CV or APE ⁵⁹	% Agree- ment ⁶⁰	Relative Maturity Error Ma- trix ⁶¹
					ICES divs)		the next benchmark for mackerel.	poor re- sults	Stage 3:- 0.08, Stage 4:-1.57 (WKMSMAC 2 2015)			
WGWIDE	Mullus surmule- tus	mur.27.67a-ce- k89a										
WGWIDE	Mi- cromesis- tius poutasso u	whb.27.1- 91214	2. Exchange recently, poor results	-0.14	CV=26	66%	Available for the all ICES areas com- bined (stock distri- bution whole area) and by stock com- ponent (southern component areas considering only the readers that read the otoliths from the southern areas and the same for the northern component)	0. No ex- change				

Stock Assessment EG Stock All General comments⁶² Species Age Maturity **New Parameters** Variance Error Ma-Variance Error Ma-Sensitivity New Parame-Structure⁶³ trix⁶⁴ Structure⁶⁵ trix⁶⁶ Analysis⁶⁷ ters⁶⁸ NIPAG Pandalus pra.27.4a borealis NWWG cap.27.2a514 Mallotus villosus NWWG Gadus cod.21.1

Annex 6-Table 7. (Part 4) Quality indicators by stock-WGBIOP 2020 answers. Part 4: Stock Assessment and General comments.

morhua

⁶² Any related information/ suggestion/ comment for the specific stock.

⁶³ Is the stock assessment model age-structured?

⁶⁴ Variance structure can directly be incorporated into stochastic stock assessment models.

⁶⁵ Is maturity function used in stock assessment model?

⁶⁶ Variance structure can directly be incorporated into stochastic stock assessment models.

⁶⁷ Sensitivity runs will show effects of different biological data sets (e.g. age) on the assessment outcomes in terms of key parameters such as fishing mortality (F) and spawning stock biomass (SSB).

⁶⁸ Use of new parameters could improve stock assessments. Has the potential of new parameters been considered or included in the data compilation and input to stock assessment?

					Stock A	1			
EG	Species	Stock	A	ge	Mat	urity	All	New Parameters	General comments ⁶²
			Variance Structure ⁶³	Error Ma- trix ⁶⁴	Variance Structure ⁶⁵	Error Ma- trix ⁶⁶	Sensitivity Analysis ⁶⁷	New Parame- ters ⁶⁸	
NWWG	Gadus morhua	cod.21.1a-e							
NWWG	Gadus morhua	cod.2127.1f14							
NWWG	Gadus morhua	cod.27.5a							
NWWG	Gadus morhua	cod.27.5b1	2. Age struc- ture used in assessment	1. Error ma- trix not used in assessment	4. Yearly ma- turity ogive at age or length in as- sessment	1. Error ma- trix not used in assessment	1. No alter- native in- put da- tasets pro- duced	1. New parame- ters not used in assessment	
NWWG	Gadus morhua	cod.27.5b2	1. Age struc- ture not used in assess- ment						
NWWG	Reinhard- tius hip- poglos- soides	ghl.27.561214							
NWWG	Melano- grammus	had.27.5a	2. Age struc- ture used in assessment	1. Error ma- trix not used in assessment	4. Yearly ma- turity ogive at age or	1. Error ma- trix not used in assessment	3. Numer- ous sensi- tivity runs	2. New parame- ters used in as- sessment	

					Stock As				
EG	Species	Stock	Ag	;e	Mat	urity	All	New Parameters	General comments ⁶²
			Variance Structure ⁶³	Error Ma- trix ⁶⁴	Variance Structure ⁶⁵	Error Ma- trix ⁶⁶	Sensitivity Analysis ⁶⁷	New Parame- ters ⁶⁸	
	aeglefi- nus				length in as- sessment		with alter- native da- tasets tested		
NWWG	Melano- grammus aeglefi- nus	had.27.5b							
NWWG	Clupea harengus	her.27.5a							
NWWG	Pol- lachius virens	pok.27.5a							
NWWG	Pol- Iachius virens	pok.27.5b	2. Age struc- ture used in assessment						
NWWG	Sebastes mentella	reb.2127.dp							
NWWG	Sebastes mentella	reb.2127.sp							

EG	Species	Stock	A	ge	Ma	turity	All	New Parameters	General comments ⁶²
			Variance Structure ⁶³	Error Ma- trix ⁶⁴	Variance Structure ⁶⁵	Error Ma- trix ⁶⁶	Sensitivity Analysis ⁶⁷	New Parame- ters ⁶⁸	
NWWG	Sebastes mentella	reb.27.14b							
NWWG	Sebastes mentella	reb.27.5a14							
NWWG	Sebastes norvegi- cus	reg.27.561214							
WGBAST	Salmo salar	sal.27.22-31							
WGBAST	Salmo salar	sal.27.32							
WGBAST	Salmo trutta	trs.27.22-32							
WGBFAS	Scoph- thalmus rhombus	bll.27.22-32							
WGBFAS	Gadus morhua	cod.27.21	2. Age struc- ture used in assessment	1. Error ma- trix not used in assessment	3. Fixed ma- turity ogive at age or length in as- sessment	1. Error ma- trix not used in assessment	1. No alter- native in- put da- tasets pro- duced	1. New parame- ters not used in assessment	

EG	Species	Stock	A	ge	Mat	turity	All	New Parameters	General comments ⁶²
			Variance Structure ⁶³	Error Ma- trix ⁶⁴	Variance Structure ⁶⁵	Error Ma- trix ⁶⁶	Sensitivity Analysis ⁶⁷	New Parame- ters ⁶⁸	
WGBFAS	Gadus morhua	cod.27.22-24							
WGBFAS	Gadus morhua	cod.27.24-32							
WGBFAS	Limanda limanda	dab.27.22-32	1. Age struc- ture not used in as- sessment	1. Error ma- trix not used in assessment	3. Fixed ma- turity ogive at age or length in as- sessment	1. Error ma- trix not used in assessment	1. No alter- native in- put da- tasets pro- duced	1. New parame- ters not used in assessment	
WGBFAS	Platich- thys fle- sus	fle.27.2223	1. Age struc- ture not used in as- sessment	1. Error ma- trix not used in assessment	3. Fixed ma- turity ogive at age or length in as- sessment	1. Error ma- trix not used in assessment	1. No alter- native in- put da- tasets pro- duced	1. New parame- ters not used in assessment	
WGBFAS	Platich- thys spp	bwq.27.2425	1. Age struc- ture not used in as- sessment	1. Error ma- trix not used in assessment	3. Fixed ma- turity ogive at age or length in as- sessment	1. Error ma- trix not used in assessment	1. No alter- native in- put da- tasets pro- duced	1. New parame- ters not used in assessment	
WGBFAS	Platich- thys spp	bwq.27.2628	1. Age struc- ture not used in as- sessment	1. Error ma- trix not used in assessment	3. Fixed ma- turity ogive at age or	1. Error ma- trix not used in assessment	1. No alter- native in- put	1. New parame- ters not used in assessment	

					Stock A				
EG	Species	Stock	A	ge	Mat	turity	All	New Parameters	General comments ⁶²
			Variance Structure ⁶³	Error Ma- trix ⁶⁴	Variance Structure ⁶⁵	Error Ma- trix ⁶⁶	Sensitivity Analysis ⁶⁷	New Parame- ters ⁶⁸	
					length in as- sessment		datasets produced		
WGBFAS	Platich- thys solemdali	bwp.27.2729- 32	1. Age struc- ture not used in as- sessment	1. Error ma- trix not used in assessment	3. Fixed ma- turity ogive at age or length in as- sessment	1. Error ma- trix not used in assessment			
WGBFAS	Clupea harengus	her.27.25-2932	2. Age struc- ture used in assessment	1. Error ma- trix not used in assessment	1. No ma- turity infor- mation in as- sessment	1. Error ma- trix not used in assessment	1. No alter- native in- put da- tasets pro- duced	1. New parame- ters not used in assessment	
WGBFAS	Clupea harengus	her.27.28	2. Age struc- ture used in assessment	1. Error ma- trix not used in assessment	3. Fixed ma- turity ogive at age or length in as- sessment	1. Error ma- trix not used in assessment	1. No alter- native in- put da- tasets pro- duced	1. New parame- ters not used in assessment	
WGBFAS	Clupea harengus	her.27.3031							
WGBFAS	Pleu- ronectes platessa	ple.27.21-23							

					Stock A				
EG	Species	Stock	Δ	ge	Mat	urity	All	New Parameters	General comments ⁶²
			Variance Structure ⁶³	Error Ma- trix ⁶⁴	Variance Structure ⁶⁵	Error Ma- trix ⁶⁶	Sensitivity Analysis ⁶⁷	New Parame- ters ⁶⁸	
WGBFAS	Pleu- ronectes platessa	ple.27.24-32	2. Age struc- ture used in assessment	1. Error ma- trix not used in assessment	4. Yearly ma- turity ogive at age or length in as- sessment	1. Error ma- trix not used in assessment	3. Numer- ous sensi- tivity runs with alter- native da- tasets tested	1. New parame- ters not used in assessment	
WGBFAS	Solea solea	sol.27.20-24							
WGBFAS	Sprattus sprattus	spr.27.22-32	2. Age struc- ture used in assessment	1. Error ma- trix not used in assessment	3. Fixed ma- turity ogive at age or length in as- sessment	1. Error ma- trix not used in assessment	1. No alter- native in- put da- tasets pro- duced	1. New parame- ters not used in assessment	
WGBFAS	Scoph- thalmus maximus	tur.27.22-32	1. Age struc- ture not used in as- sessment	1. Error ma- trix not used in assessment	3. Fixed ma- turity ogive at age or length in as- sessment	1. Error ma- trix not used in assessment	1. No alter- native in- put da- tasets pro- duced	1. New parame- ters not used in assessment	
WGBIE	Lophius bude- gassa	ank.27.78abd	1. Age struc- ture not used in as- sessment		2. Knife-edge maturity-at- age or length in assess- ment	1. Error ma- trix not used in assessment	3. Numer- ous sensi- tivity runs with alter- native	1. New parame- ters not used in assessment	As stock coordinator, I am not in a position to answer many of these questions; at assess- ment working groups we cannot evaluate the quality of the data we receive in detail; dur- ing benchmark (data compilation) workshops we investigate the data in more detail but

					Stock A				
EG	EG Species Stock		Age		Maturity		All	New Parameters	General comments ⁶²
			Variance Structure ⁶³	Error Ma- trix ⁶⁴	Variance Structure ⁶⁵	Error Ma- trix ⁶⁶	Sensitivity Analysis ⁶⁷	New Parame- ters ⁶⁸	
							datasets tested		not usually to the extent that we can answer the questions posed here. Data submitters would be in a better position to answer someof these questions for the data provided on behalf of their country. Also note that many of the stocks listed here have length-based assessments so there will not be coherent answers for age data.
WGBIE	Lophius bude- gassa	ank.27.8c9a							
WGBIE	Dicen- trarchus Iabrax	bss.27.8ab							
WGBIE	Dicen- trarchus labrax	bss.27.8c9a							
WGBIE	Merluc- cius mer- luccius	hke.27.3a46- 8abd	1. Age struc- ture not used in as- sessment		3. Fixed ma- turity ogive at age or length in as- sessment	1. Error ma- trix not used in assessment	1. No alter- native in- put da- tasets pro- duced	1. New parame- ters not used in assessment	

					Stock A				
EG	Species	Stock	A	Age		Maturity		New Parameters	General comments ⁶²
			Variance Structure ⁶³	Error Ma- trix ⁶⁴	Variance Structure ⁶⁵	Error Ma- trix ⁶⁶	Sensitivity Analysis ⁶⁷	New Parame- ters ⁶⁸	
WGBIE	Brosme brosme, Merluc- cius mer- luccius	hke.27.8c9a							
WGBIE	Lepi- dorhom- bus boscii	ldb.27.7b- k8abd							
WGBIE	Lepi- dorhom- bus boscii	ldb.27.8c9a							
WGBIE	Lepi- dorhom- bus whiffiag- onis	meg.27.7b- k8abd	2. Age struc- ture used in assessment	1. Error ma- trix not used in assessment	3. Fixed ma- turity ogive at age or length in as- sessment	1. Error ma- trix not used in assessment	1. No alter- native in- put da- tasets pro- duced	1. New parame- ters not used in assessment	
WGBIE	Lepi- dorhom- bus whiffiag- onis	meg.27.8c9a							

					Stock A	1			
EG	Species	Stock	A	ge	Mat	Maturity		New Parameters	General comments ⁶²
			Variance Structure ⁶³	Error Ma- trix ⁶⁴	Variance Structure ⁶⁵	Error Ma- trix ⁶⁶	Sensitivity Analysis ⁶⁷	New Parame- ters ⁶⁸	
WGBIE	Lophius piscato- rius	mon.27.78abd							
WGBIE	Lophius piscato- rius	mon.27.8c9a	2. Age struc- ture used in assessment	1. Error ma- trix not used in assessment	3. Fixed ma- turity ogive at age or length in as- sessment	1. Error ma- trix not used in assessment	1. No alter- native in- put da- tasets pro- duced	1. New parame- ters not used in assessment	
WGBIE	Nephrops norvegi- cus	nep.fu.2324							
WGBIE	Nephrops norvegi- cus	nep.fu.25							
WGBIE	Nephrops norvegi- cus	nep.fu.2627							
WGBIE	Nephrops norvegi- cus	nep.fu.2829			2. Knife-edge maturity-at- age or length in assess- ment	1. Error ma- trix not used in assessment	1. No alter- native in- put da- tasets pro- duced	1. New parame- ters not used in assessment	Stock in Category 3. Length-based assess- ment methods used by sex (LBI, MLZ)

					Stock A				
EG	Species	Stock	A	ge	Mat	Maturity		New Parameters	General comments ⁶²
			Variance Structure ⁶³	Error Ma- trix ⁶⁴	Variance Structure ⁶⁵	Error Ma- trix ⁶⁶	Sensitivity Analysis ⁶⁷	New Parame- ters ⁶⁸	
WGBIE	Nephrops norvegi- cus	nep.fu.30							
WGBIE	Nephrops norvegi- cus	nep.fu.31							
WGBIE	Pleu- ronectes platessa	ple.27.89a							
WGBIE	Pol- lachius pol- lachius	pol.27.89a	1. Age struc- ture not used in as- sessment	1. Error ma- trix not used in assessment	1. No ma- turity infor- mation in as- sessment	1. Error ma- trix not used in assessment	1. No alter- native in- put da- tasets pro- duced	1. New parame- ters not used in assessment	Stock in category 5, assessment based on catch information (by now)
WGBIE	Solea solea	sol.27.8ab							
WGBIE	Solea solea	sol.27.8c9a	1. Age struc- ture not used in as- sessment	1. Error ma- trix not used in assessment	1. No ma- turity infor- mation in as- sessment	1. Error ma- trix not used in assessment	1. No alter- native in- put da- tasets pro- duced	1. New parame- ters not used in assessment	Stock in category 3, lenght-based

					Stock A				
EG	Species	Stock	A	ge	Ma	turity	All	New Parameters	General comments ⁶²
			Variance Structure ⁶³	Error Ma- trix ⁶⁴	Variance Structure ⁶⁵	Error Ma- trix ⁶⁶	Sensitivity Analysis ⁶⁷	New Parame- ters ⁶⁸	
WGBIE	Merlan- gius mer- langus	whg.27.89a							
WGCSE	Lophius bude- gassa, Lophius piscato- rius	anf.27.3a46							
WGCSE	Dicen- trarchus labrax	bss.27.4bc7ad- h	2. Age struc- ture used in assessment	1. Error ma- trix not used in assessment	3. Fixed ma- turity ogive at age or length in as- sessment	1. Error ma- trix not used in assessment	1. No alter- native in- put da- tasets pro- duced	1. New parame- ters not used in assessment	
WGCSE	Dicen- trarchus labrax	bss.27.6a7bj							
WGCSE	Gadus morhua	cod.27.6a							
WGCSE	Gadus morhua	cod.27.6b							

					Stock As				
EG	Species	Stock	Ag	e	Matu	urity	All	New Parameters	General comments ⁶²
			Variance Structure ⁶³	Error Ma- trix ⁶⁴	Variance Structure ⁶⁵	Error Ma- trix ⁶⁶	Sensitivity Analysis ⁶⁷	New Parame- ters ⁶⁸	
WGCSE	Gadus morhua	cod.27.7a							
WGCSE	Gadus morhua	cod.27.7e-k							
WGCSE	Melano- grammus aeglefi- nus	had.27.6b							
WGCSE	Melano- grammus aeglefi- nus	had.27.7a							
WGCSE	Melano- grammus aeglefi- nus	had.27.7b-k	2. Age struc- ture used in assessment		3. Fixed ma- turity ogive at age or length in as- sessment		1. No alter- native in- put da- tasets pro- duced		
WGCSE	Lepi- dorhom- bus	lez.27.4a6a							

					Stock A				
EG	Species	Stock	Ag	Age		Maturity		New Parameters	General comments ⁶²
			Variance Structure ⁶³	Error Ma- trix ⁶⁴	Variance Structure ⁶⁵	Error Ma- trix ⁶⁶	Sensitivity Analysis ⁶⁷	New Parame- ters ⁶⁸	
WGCSE	Lepi- dorhom- bus	lez.27.6b							
WGCSE	Nephrops norvegi- cus	nep.27.6aoutF U							
WGCSE	Nephrops norvegi- cus	nep.27.7outFU							
WGCSE	Nephrops norvegi- cus	nep.fu.11							
WGCSE	Nephrops norvegi- cus	nep.fu.12							
WGCSE	Nephrops norvegi- cus	nep.fu.13							
WGCSE	Nephrops norvegi- cus	nep.fu.14							
					Stock A				
-------	--------------------------------	-------------	-------------------------------------	---------------------------------	-------------------------------------	---------------------------------	---------------------------------------	-----------------------------------	--------------------------------
EG	Species	Stock	Age		Mat	urity	All	New Parameters	General comments ⁶²
			Variance Structure ⁶³	Error Ma- trix ⁶⁴	Variance Structure ⁶⁵	Error Ma- trix ⁶⁶	Sensitivity Analysis ⁶⁷	New Parame- ters ⁶⁸	
WGCSE	Nephrops norvegi- cus	nep.fu.15							
WGCSE	Nephrops norvegi- cus	nep.fu.16							
WGCSE	Nephrops norvegi- cus	nep.fu.17							
WGCSE	Nephrops norvegi- cus	nep.fu.19							
WGCSE	Nephrops norvegi- cus	nep.fu.2021							
WGCSE	Nephrops norvegi- cus	nep.fu.22							
WGCSE	Trisopte- rus es- markii	nop.27.6a							

					Stock A				
EG	Species	Stock	A	ge	Ma	turity	All	New Parameters	General comments ⁶²
			Variance Structure ⁶³	Error Ma- trix ⁶⁴	Variance Structure ⁶⁵	Error Ma- trix ⁶⁶	Sensitivity Analysis ⁶⁷	New Parame- ters ⁶⁸	
WGCSE	Pleu- ronectes platessa	ple.27.7a	2. Age struc- ture used in assessment	1. Error ma- trix not used in assessment	3. Fixed ma- turity ogive at age or length in as- sessment	1. Error ma- trix not used in assessment	1. No alter- native in- put da- tasets pro- duced	1. New parame- ters not used in assessment	Unsure on history of age and maturity data
WGCSE	Pleu- ronectes platessa	ple.27.7bc							
WGCSE	Pleu- ronectes platessa	ple.27.7e							
WGCSE	Pleu- ronectes platessa	ple.27.7fg							
WGCSE	Pleu- ronectes platessa	ple.27.7h-k							
WGCSE	Pol- lachius pol- lachius	pol.27.67							

					Stock A				
EG	Species	Stock	A	ge	Ma	turity	All	New Parameters	General comments ⁶²
			Variance Structure ⁶³	Error Ma- trix ⁶⁴	Variance Structure ⁶⁵	Error Ma- trix ⁶⁶	Sensitivity Analysis ⁶⁷	New Parame- ters ⁶⁸	
WGCSE	Ammo- dytes	san.27.6a							
WGCSE	Solea solea	sol.27.7a	2. Age struc- ture used in assessment	1. Error ma- trix not used in assessment	3. Fixed ma- turity ogive at age or length in as- sessment	1. Error ma- trix not used in assessment	1. No alter- native in- put da- tasets pro- duced	1. New parame- ters not used in assessment	
WGCSE	Solea solea	sol.27.7bc							
WGCSE	Solea solea	sol.27.7e							
WGCSE	Solea solea	sol.27.7fg	2. Age struc- ture used in assessment	1. Error ma- trix not used in assessment	3. Fixed ma- turity ogive at age or length in as- sessment	1. Error ma- trix not used in assessment	1. No alter- native in- put da- tasets pro- duced	1. New parame- ters not used in assessment	
WGCSE	Solea solea	sol.27.7h-k							

					Stock A				
EG	Species	Stock	A	ge	Mat	urity	All	New Parameters	General comments ⁶²
			Variance Structure ⁶³	Error Ma- trix ⁶⁴	Variance Structure ⁶⁵	Error Ma- trix ⁶⁶	Sensitivity Analysis ⁶⁷	New Parame- ters ⁶⁸	
WGCSE	Merlan- gius mer- langus	whg.27.6a							
WGCSE	Merlan- gius mer- langus	whg.27.6b							
WGCSE	Merlan- gius mer- langus	whg.27.7a	2. Age struc- ture used in assessment	1. Error ma- trix not used in assessment	2. Knife-edge maturity-at- age or length in assess- ment	1. Error ma- trix not used in assessment	1. No alter- native in- put da- tasets pro- duced	1. New parame- ters not used in assessment	Category 1 stock
WGCSE	Merlan- gius mer- langus	whg.27.7b-ce-k							
WGDEEP	Beryx	alf.27.nea							
WGDEEP	Argen- tina silus	aru.27.123a4	1. Age struc- ture not used in as- sessment	1. Error ma- trix not used in assessment	1. No ma- turity infor- mation in as- sessment	1. Error ma- trix not used in assessment	1. No alter- native in- put da- tasets pro- duced	1. New parame- ters not used in assessment	Category 3 stock

					Stock A	1			
EG	Species	Stock	A	ge	Mat	urity	All	New Parameters	General comments ⁶²
			Variance Structure ⁶³	Error Ma- trix ⁶⁴	Variance Structure ⁶⁵	Error Ma- trix ⁶⁶	Sensitivity Analysis ⁶⁷	New Parame- ters ⁶⁸	
WGDEEP	Argen- tina silus	aru.27.5a14	2. Age struc- ture used in assessment	1. Error ma- trix not used in assessment	4. Yearly ma- turity ogive at age or length in as- sessment	1. Error ma- trix not used in assessment	1. No alter- native in- put da- tasets pro- duced	2. New parame- ters used in as- sessment	Category 1 stock
WGDEEP	Argen- tina silus	aru.27.5b6a							
WGDEEP	Argen- tina silus	aru.27.6b7- 1012							Category 3, very data-limited
WGDEEP	Molva dypter- ygia	bli.27.5a14	1. Age struc- ture not used in as- sessment	1. Error ma- trix not used in assessment	1. No ma- turity infor- mation in as- sessment	1. Error ma- trix not used in assessment	1. No alter- native in- put da- tasets pro- duced	1. New parame- ters not used in assessment	Category 3 stock
WGDEEP	Molva dypter- ygia	bli.27.5b67							
WGDEEP	Molva dypter- ygia	bli.27.nea	1. Age struc- ture not used in as- sessment	1. Error ma- trix not used in assessment	1. No ma- turity infor- mation in as- sessment	1. Error ma- trix not used in assessment	1. No alter- native in- put da- tasets pro- duced	1. New parame- ters not used in assessment	Category 5 stock

					Stock A				
EG	Species	Stock	A	ge	Ma	turity	All	New Parameters	General comments ⁶²
			Variance Structure ⁶³	Error Ma- trix ⁶⁴	Variance Structure ⁶⁵	Error Ma- trix ⁶⁶	Sensitivity Analysis ⁶⁷	New Parame- ters ⁶⁸	
WGDEEP	Aphano- pus carbo	bsf.27.nea							
WGDEEP	Phycis blen- noides	gfb.27.nea							
WGDEEP	Molva molva	lin.27.1-2							
WGDEEP	Molva molva	lin.27.3a4a6- 91214							
WGDEEP	Molva molva	lin.27.5a	2. Age struc- ture used in assessment	1. Error ma- trix not used in assessment	3. Fixed ma- turity ogive at age or length in as- sessment	1. Error ma- trix not used in assessment	1. No alter- native in- put da- tasets pro- duced	2. New parame- ters used in as- sessment	Category 1 stock
WGDEEP	Molva molva	lin.27.5b							
WGDEEP	Hoploste- thus at- lanticus	ory.27.nea							

Stock Assessment									
EG	EG Species Stock		A	ge	Mat	urity	All	New Parameters	General comments ⁶²
			Variance Structure ⁶³	Error Ma- trix ⁶⁴	Variance Structure ⁶⁵	Error Ma- trix ⁶⁶	Sensitivity Analysis ⁶⁷	New Parame- ters ⁶⁸	
WGDEEP	Macrour us ber- glax	rhg.27.nea							
WGDEEP	Cory- phae- noides rupestris	rng.27.1245a89 14ab							
WGDEEP	Cory- phae- noides rupestris	rng.27.3a	1. Age struc- ture not used in as- sessment	1. Error ma- trix not used in assessment	1. No ma- turity infor- mation in as- sessment	1. Error ma- trix not used in assessment	1. No alter- native in- put da- tasets pro- duced	1. New parame- ters not used in assessment	Category 3 stock; 2/3 rule and no reference points set.
WGDEEP	Cory- phae- noides rupestris	rng.27.5a10b12 ac14b							
WGDEEP	Cory- phae- noides rupestris	rng.27.5b6712b	1. Age struc- ture not used in as- sessment	1. Error ma- trix not used in assessment	1. No ma- turity infor- mation in as- sessment	1. Error ma- trix not used in assessment	1. No alter- native in- put da- tasets pro- duced	1. New parame- ters not used in assessment	Category 5 stock

					Stock A				
EG	Species	Stock	A	ge	Mat	turity	All	New Parameters	General comments ⁶²
			Variance Structure ⁶³	Error Ma- trix ⁶⁴	Variance Structure ⁶⁵	Error Ma- trix ⁶⁶	Sensitivity Analysis ⁶⁷	New Parame- ters ⁶⁸	
WGDEEP	Pagellus bo- garaveo	sbr.27.10							
WGDEEP	Pagellus bo- garaveo	sbr.27.6-8							
WGDEEP	Pagellus bo- garaveo	sbr.27.9							
WGDEEP	Trachyrin cus scabrus	tsu.27.nea							
WGDEEP	Brosme brosme	usk.27.1-2							
WGDEEP	Brosme brosme	usk.27.12ac							
WGDEEP	Brosme brosme	usk.27.3a45b6a 7-912b							
WGDEEP	Brosme brosme	usk.27.5a14	2. Age struc- ture used in assessment	1. Error ma- trix not used in assessment	3. Fixed ma- turity ogive at age or	1. Error ma- trix not used in assessment	1. No alter- native in- put	2. New parame- ters used in as- sessment	Category 1 stock

				1					
EG	Species	Stock	Ag	e	Maturity		All	New Parameters	General comments ⁶²
			Variance Structure ⁶³	Error Ma- trix ⁶⁴	Variance Structure ⁶⁵	Error Ma- trix ⁶⁶	Sensitivity Analysis ⁶⁷	New Parame- ters ⁶⁸	
					length in as- sessment		datasets produced		
WGDEEP	Brosme brosme	usk.27.6b							
WGEEL	Anguilla anguilla	ele.2737.nea	1. Age struc- ture not used in as- sessment		1. No ma- turity infor- mation in as- sessment		1. No alter- native in- put da- tasets pro- duced	2. New parame- ters used in as- sessment	category 3 stocks with assessment mostly based on time-series of recruitment. As such, no stock assessment model currently used and biometric data are rarely used. Growth/maturity/sex-ratio are known to be highly variable in space. Recent WKFEA work- shop promotes the development of spatial model in which biometric data would be highly relevant
WGEF	Squatina squatina	agn.27.nea							
WGEF	Cetorhi- nus maxi- mus	bsk.27.nea							
WGEF	Cen- trophorus squamo- sus,	cyo.27.nea							

EG	Species	Stock	Ag	e	Mati	urity	All	New Parameters	General comments ⁶²
			Variance Structure ⁶³	Error Ma- trix ⁶⁴	Variance Structure ⁶⁵	Error Ma- trix ⁶⁶	Sensitivity Analysis ⁶⁷	New Parame- ters ⁶⁸	
	Cen- troscym- nus coelolepis								
WGEF	Squalus acanthias	dgs.27.nea							
WGEF	Galeorhi- nus galeus	gag.27.nea							
WGEF	Cen- trophorus squamo- sus	guq.27.nea							
WGEF	Lamna nasus	por.27.nea							
WGEF	Rajidae	raj.27.1012							
WGEF	Rajidae	raj.27.3a47d							
WGEF	Rajidae	raj.27.67a-ce-h							
WGEF	Rajidae	raj.27.89a							

					Stock A				
EG	Species	Stock	Age		Mat	urity	All	New Parameters	General comments ⁶²
			Variance Structure ⁶³	Error Ma- trix ⁶⁴	Variance Structure ⁶⁵	Error Ma- trix ⁶⁶	Sensitivity Analysis ⁶⁷	New Parame- ters ⁶⁸	
WGEF	Ros- troraja alba	rja.27.nea							
WGEF	Dipturus batis	rjb.27.3a4							
WGEF	Dipturus batis	rjb.27.67a-ce-k							
WGEF	Dipturus batis	rjb.27.89a							
WGEF	Raja clav- ata	rjc.27.3a47d							
WGEF	Raja clav- ata	rjc.27.6							
WGEF	Raja clav- ata	rjc.27.7afg							
WGEF	Raja clav- ata	rjc.27.7e							
WGEF	Raja clav- ata	rjc.27.8							

					Stock As				
EG	Species	Stock	Ag	je	Mat	urity	All	New Parameters	General comments ⁶²
			Variance Structure ⁶³	Error Ma- trix ⁶⁴	Variance Structure ⁶⁵	Error Ma- trix ⁶⁶	Sensitivity Analysis ⁶⁷	New Parame- ters ⁶⁸	
WGEF	Raja clav- ata	rjc.27.9a							
WGEF	Raja mi- croocel- lata	rje.27.7de							
WGEF	Raja mi- croocel- lata	rje.27.7fg							
WGEF	Leucoraja fullonica	rjf.27.67							
WGEF	Raja brachy- ura	rjh.27.4a6							
WGEF	Raja brachy- ura	rjh.27.4c7d							
WGEF	Raja brachy- ura	rjh.27.7afg							

Stock Assessment									
EG	Species	Stock	Ag	je	Mat	urity	All	New Parameters	General comments ⁶²
			Variance Structure ⁶³	Error Ma- trix ⁶⁴	Variance Structure ⁶⁵	Error Ma- trix ⁶⁶	Sensitivity Analysis ⁶⁷	New Parame- ters ⁶⁸	
WGEF	Raja brachy- ura	rjh.27.7e							
WGEF	Raja brachy- ura	rjh.27.9a							
WGEF	Leucoraja circularis	rji.27.67							
WGEF	Raja montagui	rjm.27.3a47d							
WGEF	Raja montagui	rjm.27.67bj							
WGEF	Raja montagui	rjm.27.7ae-h							
WGEF	Raja montagui	rjm.27.8							
WGEF	Raja montagui	rjm.27.9a							

					Stock A				
EG	Species	Stock	A _E	Age		urity	All	New Parameters	General comments ⁶²
			Variance Structure ⁶³	Error Ma- trix ⁶⁴	Variance Structure ⁶⁵	Error Ma- trix ⁶⁶	Sensitivity Analysis ⁶⁷	New Parame- ters ⁶⁸	
WGEF	Leucoraja naevus	rjn.27.3a4							
WGEF	Leucoraja naevus	rjn.27.678abd							
WGEF	Leucoraja naevus	rjn.27.8c							
WGEF	Leucoraja naevus	rjn.27.9a							
WGEF	Ambly- raja radi- ata	rjr.27.23a4							
WGEF	Raja un- dulata	rju.27.7bj							
WGEF	Raja un- dulata	rju.27.7de							
WGEF	Raja un- dulata	rju.27.8ab							
WGEF	Raja un- dulata	rju.27.8c							

					Stock As				
EG	Species	Stock	Ag	Age		urity	All	New Parameters	General comments ⁶²
			Variance Structure ⁶³	Error Ma- trix ⁶⁴	Variance Structure ⁶⁵	Error Ma- trix ⁶⁶	Sensitivity Analysis ⁶⁷	New Parame- ters ⁶⁸	
WGEF	Raja un- dulata	rju.27.9a							
WGEF	Dalatias licha	sck.27.nea							
WGEF	Mustelus asterias	sdv.27.nea							
WGEF	Galeus melasto- mus	sho.27.67							
WGEF	Galeus melasto- mus	sho.27.89a							
WGEF	Scyliorhi- nus ca- nicula	syc.27.3a47d							
WGEF	Scyliorhi- nus ca- nicula	syc.27.67a-ce-j							
WGEF	Scyliorhi- nus ca- nicula	syc.27.8abd							

EG	Species	Stock	A	Age Ma		urity	All	New Parameters	General comments ⁶²
			Variance Structure ⁶³	Error Ma- trix ⁶⁴	Variance Structure ⁶⁵	Error Ma- trix ⁶⁶	Sensitivity Analysis ⁶⁷	New Parame- ters ⁶⁸	
WGEF	Scyliorhi- nus ca- nicula	syc.27.8c9a							
WGEF	Scyliorhi- nus stel- laris	syt.27.67							
WGEF	Alopias	thr.27.nea							
WGHANSA	Engraulis encra- sicolus	ane.27.8	2. Age struc- ture used in assessment	1. Error ma- trix not used in assessment	2. Knife-edge maturity-at- age or length in assess- ment	1. Error ma- trix not used in assessment	1. No alter- native in- put da- tasets pro- duced	1. New parame- ters not used in assessment	
WGHANSA	Engraulis encra- sicolus	ane.27.9a_sout hcomponent	2. Age struc- ture used in assessment	1. Error ma- trix not used in assessment	3. Fixed ma- turity ogive at age or length in as- sessment	1. Error ma- trix not used in assessment	1. No alter- native in- put da- tasets pro- duced	1. New parame- ters not used in assessment	this is a category 3 stock component, but stock biomass indicators and (relative) bio- mass-based reference points are derived from a Gadget model
		ane.27.9a_west component	1. Age struc- ture not used in as- sessment	1. Error ma- trix not used in assessment	1. No ma- turity infor- mation in as- sessment	1. Error ma- trix not used in assessment		1. New parame- ters not used in assessment	this is a category 3 stock component; no ana- lytical assessment, survey trend

					Stock A				
EG	Species	Stock	A	ge	Mat	turity	All	New Parameters	General comments ⁶²
			Variance Structure ⁶³	Error Ma- trix ⁶⁴	Variance Structure ⁶⁵	Error Ma- trix ⁶⁶	Sensitivity Analysis ⁶⁷	New Parame- ters ⁶⁸	
WGHANSA	Trachu- rus tra- churus	hom.27.9a	1. Age struc- ture not used in as- sessment	1. Error ma- trix not used in assessment	3. Fixed ma- turity ogive at age or length in as- sessment	1. Error ma- trix not used in assessment	1. No alter- native in- put da- tasets pro- duced	1. New parame- ters not used in assessment	1. No alternative input datasets produced
WGHANSA	Trachu- rus pictu- ratus	jaa.27.10a2		1. Error ma- trix not used in assessment		1. Error ma- trix not used in assessment	1. No alter- native in- put da- tasets pro- duced	1. New parame- ters not used in assessment	
WGHANSA	Sardina pilchar- dus	pil.27.7	1. Age struc- ture not used in as- sessment	1. Error ma- trix not used in assessment	1. No ma- turity infor- mation in as- sessment	1. Error ma- trix not used in assessment	1. No alter- native in- put da- tasets pro- duced	1. New parame- ters not used in assessment	
WGHANSA	Sardina pilchar- dus	pil.27.8abd		2. Error ma- trix used in assessment		2. Error ma- trix used in assessment	yes	yes, also a switch from age based to length based structure in SS3	
WGHANSA	Sardina pilchar- dus	pil.27.8c9a	2. Age struc- ture used in assessment	1. Error ma- trix not used in assessment	4. Yearly ma- turity ogive at age or length in as- sessment	1. Error ma- trix not used in assessment	1. No alter- native in- put da- tasets pro- duced	1. New parame- ters not used in assessment	

			Stock Assessment						
EG	Species	Stock	A	ge	Mat	urity	All	New Parameters	General comments ⁶²
			Variance Structure ⁶³	Error Ma- trix ⁶⁴	Variance Structure ⁶⁵	Error Ma- trix ⁶⁶	Sensitivity Analysis ⁶⁷	New Parame- ters ⁶⁸	
WGNAS	Salmo salar	sal.21.2-5							
WGNAS	Salmo salar	sal.2127.1a-f14	1. Age struc- ture not used in as- sessment	1. Error ma- trix not used in assessment	1. No ma- turity infor- mation in as- sessment	1. Error ma- trix not used in assessment	1. No alter- native in- put da- tasets pro- duced	2. New parame- ters used in as- sessment	Tried my best to fit information to this table, but salmon stock assessment is a bit of a dif- ferent kettle of fish.
WGNAS	Salmo salar	sal.27.nea	1. Age struc- ture not used in as- sessment	1. Error ma- trix not used in assessment	1. No ma- turity infor- mation in as- sessment	1. Error ma- trix not used in assessment	1. No alter- native in- put da- tasets pro- duced	2. New parame- ters used in as- sessment	
WGNSSK	Scoph- thalmus rhombus	bll.27.3a47de	1. Age struc- ture not used in as- sessment		1. No ma- turity infor- mation in as- sessment		1. No alter- native in- put da- tasets pro- duced	1. New parame- ters not used in assessment	Category 3 stock without quantitative assess- ment. Fields left blank means not applicable for this stock.
WGNSSK	Gadus morhua	cod.27.47d20	2. Age struc- ture used in assessment	1. Error ma- trix not used in assessment	4. Yearly ma- turity ogive at age or length in as- sessment	1. Error ma- trix not used in assessment	1. No alter- native in- put da- tasets pro- duced		Category 1 assessment

			Stock Assessment						
EG	Species	Stock	A	ge	Mat	urity	All	New Parameters	General comments ⁶²
			Variance Structure ⁶³	Error Ma- trix ⁶⁴	Variance Structure ⁶⁵	Error Ma- trix ⁶⁶	Sensitivity Analysis ⁶⁷	New Parame- ters ⁶⁸	
WGNSSK	Limanda limanda	dab.27.3a4							Category 3 stock without quantitative assess- ment. Fields left blank means not applicable for this stock.
WGNSSK	Platich- thys fle- sus	fle.27.3a4							Category 3 stock without quantitative assess- ment. Fields left blank means not applicable for this stock.
WGNSSK	Eutrigla gurnar- dus	gug.27.3a47d							Category 3 stock without quantitative assess- ment. Fields left blank means not applicable for this stock.
WGNSSK	Melano- grammus aeglefi- nus	had.27.46a20	2. Age struc- ture used in assessment	1. Error ma- trix not used in assessment	2. Knife-edge maturity-at- age or length in assess- ment	1. Error ma- trix not used in assessment	1. No alter- native in- put da- tasets pro- duced		Category 1 assessment. Benchmark set for early 2022
WGNSSK	Microsto- mus kitt	lem.27.3a47d	1. Age struc- ture not used in as- sessment	1. Error ma- trix not used in assessment	1. No ma- turity infor- mation in as- sessment	1. Error ma- trix not used in assessment	1. No alter- native in- put da- tasets pro- duced	1. New parame- ters not used in assessment	
WGNSSK	Mullus surmule- tus	mur.27.3a47d	1. Age struc- ture not used in as- sessment	1. Error ma- trix not used in assessment	1. No ma- turity infor- mation in as- sessment	1. Error ma- trix not used in assessment	1. No alter- native in- put	1. New parame- ters not used in assessment	Since 2021 stock was downgraded to cate- gory 5 due to the lack of age (only one coun- try sampling) and size sampling.

Stock Assessment									
EG	Species	Stock	Δ	lge	Ma	turity	All	New Parameters	General comments ⁶²
			Variance Structure ⁶³	Error Ma- trix ⁶⁴	Variance Structure ⁶⁵	Error Ma- trix ⁶⁶	Sensitivity Analysis ⁶⁷	New Parame- ters ⁶⁸	
							datasets produced		
WGNSSK	Nephrops norvegi- cus	nep.27.4outFU	1. Age struc- ture not used in as- sessment	1. Error ma- trix not used in assessment	1. No ma- turity infor- mation in as- sessment	1. Error ma- trix not used in assessment	1. No alter- native in- put da- tasets pro- duced	1. New parame- ters not used in assessment	Category 5 stock without quantitative assessment
WGNSSK	Nephrops norvegi- cus	nep.fu.10							
WGNSSK	Nephrops norvegi- cus	nep.fu.3-4							
WGNSSK	Nephrops norvegi- cus	nep.fu.32	1. Age struc- ture not used in as- sessment	1. Error ma- trix not used in assessment	1. No ma- turity infor- mation in as- sessment	1. Error ma- trix not used in assessment	1. No alter- native in- put da- tasets pro- duced	1. New parame- ters not used in assessment	Data limited stock with no quantitative as- sessment. Fishery has decreased
WGNSSK	Nephrops norvegi- cus	nep.fu.33	1. Age struc- ture not used in as- sessment	1. Error ma- trix not used in assessment	1. No ma- turity infor- mation in as- sessment	1. Error ma- trix not used in assessment	1. No alter- native in- put da- tasets pro- duced	1. New parame- ters not used in assessment	Category 4 stock without quantitative assessment

					Stock A	1			
EG	Species	Stock	A	ge	Maturity		All	New Parameters	General comments ⁶²
			Variance Structure ⁶³	Error Ma- trix ⁶⁴	Variance Structure ⁶⁵	Error Ma- trix ⁶⁶	Sensitivity Analysis ⁶⁷	New Parame- ters ⁶⁸	
WGNSSK	Nephrops norvegi- cus	nep.fu.34							
WGNSSK	Nephrops norvegi- cus	nep.fu.5	1. Age struc- ture not used in as- sessment	1. Error ma- trix not used in assessment	1. No ma- turity infor- mation in as- sessment	1. Error ma- trix not used in assessment	1. No alter- native in- put da- tasets pro- duced	1. New parame- ters not used in assessment	Category 4 stock without quantitative assessment
WGNSSK	Nephrops norvegi- cus	nep.fu.6	1. Age struc- ture not used in as- sessment	1. Error ma- trix not used in assessment	1. No ma- turity infor- mation in as- sessment	1. Error ma- trix not used in assessment	1. No alter- native in- put da- tasets pro- duced	1. New parame- ters not used in assessment	Category 1 stock with quantitative assess- ment based on a separable cohort analysis, with MSY proxy of 35% of virgin spawners per recruit
WGNSSK	Nephrops norvegi- cus	nep.fu.7							
WGNSSK	Nephrops norvegi- cus	nep.fu.8							
WGNSSK	Nephrops norvegi- cus	nep.fu.9							

	Stock Assessment							1	
EG	Species	Stock	A	ge	Mat	turity	All	New Parameters	General comments ⁶²
			Variance Structure ⁶³	Error Ma- trix ⁶⁴	Variance Structure ⁶⁵	Error Ma- trix ⁶⁶	Sensitivity Analysis ⁶⁷	New Parame- ters ⁶⁸	
WGNSSK	Trisopte- rus es- markii	nop.27.3a4	2. Age struc- ture used in assessment	1. Error ma- trix not used in assessment	3. Fixed ma- turity ogive at age or length in as- sessment	1. Error ma- trix not used in assessment	3. Numer- ous sensi- tivity runs with alter- native da- tasets tested	2. New parame- ters used in as- sessment	
WGNSSK	Pleu- ronectes platessa	ple.27.420	2. Age struc- ture used in assessment	1. Error ma- trix not used in assessment	2. Knife-edge maturity-at- age or length in assess- ment	1. Error ma- trix not used in assessment	1. No alter- native in- put da- tasets pro- duced	1. New parame- ters not used in assessment	
WGNSSK	Pleu- ronectes platessa	ple.27.7d	2. Age struc- ture used in assessment	1. Error ma- trix not used in assessment	3. Fixed ma- turity ogive at age or length in as- sessment	1. Error ma- trix not used in assessment	1. No alter- native in- put da- tasets pro- duced	1. New parame- ters not used in assessment	
WGNSSK	Pol- lachius virens	pok.27.3a46	2. Age struc- ture used in assessment	1. Error ma- trix not used in assessment	3. Fixed ma- turity ogive at age or length in as- sessment	1. Error ma- trix not used in assessment	1. No alter- native in- put da- tasets pro- duced	1. New parame- ters not used in assessment	Some fields left blank as no information read- ily available
WGNSSK	Pol- Iachius	pol.27.3a4							No stock assessment for pollack

					Stock A				
EG	Species	Stock	A	ge	Mat	turity	All	New Parameters	General comments ⁶²
			Variance Structure ⁶³	Error Ma- trix ⁶⁴	Variance Structure ⁶⁵	Error Ma- trix ⁶⁶	Sensitivity Analysis ⁶⁷	New Parame- ters ⁶⁸	
	pol- lachius								
WGNSSK	Solea solea	sol.27.4	2. Age struc- ture used in assessment	1. Error ma- trix not used in assessment	2. Knife-edge maturity-at- age or length in assess- ment	1. Error ma- trix not used in assessment	1. No alter- native in- put da- tasets pro- duced	1. New parame- ters not used in assessment	
WGNSSK	Solea solea	sol.27.7d	2. Age struc- ture used in assessment	1. Error ma- trix not used in assessment	3. Fixed ma- turity ogive at age or length in as- sessment	1. Error ma- trix not used in assessment	1. No alter- native in- put da- tasets pro- duced	1. New parame- ters not used in assessment	Some fields are left blank (or I filled in N/A) because not applicable.
WGNSSK	Scoph- thalmus maximus	tur.27.3a	1. Age struc- ture not used in as- sessment		1. No ma- turity infor- mation in as- sessment				Category 3 stock assessed with a surplus pro- duction model
WGNSSK	Scoph- thalmus maximus	tur.27.4							
WGNSSK	Merlan- gius mer- langus	whg.27.3a	1. Age struc- ture not used in as- sessment	1. Error ma- trix not used in assessment	1. No ma- turity infor- mation in as- sessment	1. Error ma- trix not used in assessment	1. No alter- native in- put	1. New parame- ters not used in assessment	Category 3 stock assessed with surplus pro- duction model and advice based on trends of estimated relative biomass

Stock Assessment									
EG	Species	Stock	A	ge	Mat	urity	All	New Parameters	General comments ⁶²
			Variance Structure ⁶³	Error Ma- trix ⁶⁴	Variance Structure ⁶⁵	Error Ma- trix ⁶⁶	Sensitivity Analysis ⁶⁷	New Parame- ters ⁶⁸	
							datasets produced		
WGNSSK	Merlan- gius mer- langus	whg.27.47d	2. Age struc- ture used in assessment	1. Error ma- trix not used in assessment	4. Yearly ma- turity ogive at age or length in as- sessment	1. Error ma- trix not used in assessment	1. No alter- native in- put da- tasets pro- duced	1. New parame- ters not used in assessment	
WGNSSK	Glypto- cephalus cynoglos- sus	wit.27.3a47d	2. Age struc- ture used in assessment	1. Error ma- trix not used in assessment	3. Fixed ma- turity ogive at age or length in as- sessment	1. Error ma- trix not used in assessment	1. No alter- native in- put da- tasets pro- duced	1. New parame- ters not used in assessment	Category 1 stock with a SAM assessment us- ing a biomass survey index and total landings until 2008 and age specific information from 2009 onward
WGWIDE	Capros aper	boc.27.6-8							
WGWIDE	Cheli- donich- thys cu- culus	gur.27.3-8							
WGWIDE	Clupea harengus	her.27.1- 24a514a							

			Stock Assessment						
EG	Species	Stock	A	ge	Mat	turity	All	New Parameters	General comments ⁶²
			Variance Structure ⁶³	Error Ma- trix ⁶⁴	Variance Structure ⁶⁵	Error Ma- trix ⁶⁶	Sensitivity Analysis ⁶⁷	New Parame- ters ⁶⁸	
WGWIDE	Trachu- rus tra- churus	hom.27.2a4a5b 6a7a-ce-k8							
WGWIDE	Trachu- rus tra- churus	hom.27.3a4bc7 d							
WGWIDE	Scomber scombrus	mac.27.nea	2. Age struc- ture used in assessment	1. Error ma- trix not used in assessment	4. Yearly ma- turity ogive at age or length in as- sessment	1. Error ma- trix not used in assessment	3. Numer- ous sensi- tivity runs with alter- native da- tasets tested	1. New parame- ters not used in assessment	
WGWIDE	Mullus surmule- tus	mur.27.67a-ce- k89a							
WGWIDE	Mi- cromesis- tius poutasso u	whb.27.1- 91214	2. Age struc- ture used in assessment	1. Error ma- trix not used in assessment	3. Fixed ma- turity ogive at age or length in as- sessment	1. Error ma- trix not used in assessment		1. New parame- ters not used in assessment	

Sampling Design_All_Survey Design			
Were possible weaknesses of the survey design critically assessed?		n	%
0. Quality of biological data not evaluated		36	47
1. Preliminary analysis of quality of biological data		25	33
2. Detailed analysis of the quality of biological data		15	20
Total		76	100
	 Quality of biological data not evaluated 1. Preliminary analysis of quality of biological data 2. Detailed analysis of the quality of biological data 	_	
Sampling Design_All_Design Commercial Sampling Has the quality of (national) sampling schemes used to collect biological material been thoroughly evaluated? (Refer to annual evaluation of national work plans by STECF)			%
Υ		25	33
Ν		25	33
N/A		25	33
Total		75	99

Annex 6-Table 7. (Part 5) Quality indicators by stock–WGBIOP 2020 answers. Part 5: Summary Table–Corrected Answers and Figures.

	■ Y	N N	N/A	_	
Sampling Design_All_Spatial Coverage Is the full range of the stock covered by biological sampling? (commercial samples)	E.g. evaluate distributi	ion maps of natio	nal VMS tracks and		
				n	%
Y				34	45
Ν				23	30
N/A				19	25
Total				76	100
	■ Y	N N	■ N/A	_	

Stock Identity_All_Mixing Ratio								
Is there any evidence of mixing? What methods are used to identify stock components? How reliable are spatio-tem- poral patterns in mixing resolved?								
	n	%						
0. No evidence	26	35						
1. No mixing	15	20						
2. Mixing exists: not accounted for	24	32						
3. Mixing exists: accounted for, not validated	6	8						
4. Mixing exists: markers study as a baseline	1	1						
6. Mixing exists: markers study and good spatio-temporal coverage of mixing	2	3						
Total	74	100						
0. No evidence	_							

■ 1. No mixing
2. Mixing exists: not accounted for
■ 3. Mixing exists: accounted for, not validated
4. Mixing exists: markers study as a baseline
6. Mixing exists: markers study and good spatio-temporal coverage of mixi

Methods and Definitions_Age_Structure		
Documentation of different structures used by country and stock	n	%
0. No overview table	53	76

1. Overview table available		13	19
2. Overview table complete and up-to-date	4	6	
Total		70	100
Ouepriew table			
		_	
Methods and Definitions_Age_Preparation			
Documentation of different preparation techniques used by count	ry and stock	n	%
0. No overview table		36	54
1. Overview table available		26	39
2. Overview table complete and up-to-date		5	7
Total		67	100
	0. No overview table		
	 Overview table available 		
	2. Overview table complete and up-to-date		

Methods and Definitions_Age_Birthdate & "Scheme" Consistency in the definition of the birthdate (usually Jan tion of opaque and translucent material (the "scheme")	<i>nuary 1st)</i> and in the interpretation of the seasonality in deposi-	n	%
0. No comparisons between labs		37	60
1. No differences		17	27
2. Differences between labs are known but ingnored			3
3. Differences clearly documented and considered in data	compilation	6	10
Total		62	100
	 0. No comparisons between labs 1. No differences 2. Differences between labs are known but ingnored 3. Differences clearly documented and considered in data compile 	3	
Methods and Definitions_Growth_Growth Growth parameters are used in assessments (e.g. Nephr mated by direct or indirect methods (e.g. tagging studies	ops). On what information are growth parameters based? Esti- s), extrapolated (from neighbouring regions), or assumed?	n	%
1. Assumed		6	12
2. Extrapolated		10	20
3. Estimated indirectly		8	16

4. Estimated directly		25	51
Total		49	100
	1. Assumed 2. Extrapolated 3. Estimated indirectly 4. Estimated		
Methods and Definitions_Maturity_Structure			
Documentation of different structures used by country	and stock	n	%
0. No overview table		61	88
1. Overview table available		5	7
2. Overview table complete and up-to-date		3	4
Total		69	100
	0. No overview table1. Overview table available		
	2. Overview table complete and up-to-date		
Methods and Definitions_Maturity_Preparation			

Documentation of different preparation techniques used by country a	and stock		
0. No overview table		54	82
1. Overview table available		8	12
2. Overview table complete and up-to-date		4	6
Total		66	100
	 0. No overview table 1. Overview table available 2. Overview table complete and up-to-date 	_	
Methods and Definitions_Maturity_Scaling Do differences between countries exist(ed)? Have different national n international standard?	naturity scales been successfully merged into one	n	%
0. No chronicle (standard scale) available		37	60
1. Differences between labs are known but ingnored		7	11
2. Chronicle (standard scale) clearly documented and considered in dat	a compilation	18	29
Total		62	100

	 0. No chronicle (standard scale) available 1. Differences between labs are known but ingnored 	-	
	2. Chronicle (standard scale) clearly documented and considered in compilation	1	
Methods and Definitions_Maturity_Timing			
Is the maturity staging conducted during the whole	e year or only during a specified period of the year?	n	%
1. Conducted in a restricted staging period (e.g.: If C	11 is advised: Q1= good, Q2&Q3=bad, Q4=moderate)	29	51
2. Staging year-round		28	49
Total		57	100
	 1. Conducted in a restricted staging period (e.g.: If Q1 is advised: Q1: Q2&Q3=bad, Q4=moderate) 	-	
	2. Staging year-round		
Methods and Definitions_Maturity_Ogive			
If sufficient maturity data are available, then spatia	ally and/or temporally varying ogives can be considered	n	%
1. Careless use of a type of ogive		22	40
2. Careful selection of a type of ogive		20	36

3. Selection of type of ogive based on thorough analysis of a	13	24	
Total		55	100
	 1. Careless use of a type of ogive 2. Careful selection of a type of ogive 3. Selection of type of ogive based on thorough analysis of all optimized on the section of type of ogive based on thorough analysis of all optimized on the section of type of ogive based on thorough analysis of all optimized on the section of type of ogive based on the section of type o	-	
Methods and Definitions_Sex_Coding Different countries use different coding for male and fema before the data are submitted to ICES/GFCM, but there is a	n	%	
1. Potential errors in international database		7	14
2. International database correct		42	86
Total		49	100
	 1. Potential errors in international database 2. International database correct 	-	
Methods and Definitions All Sex-specific Parameters			

Sexual dimorphism occurs in many species, but sex-specific parameters are only applicable in sex-specific stock assess- ments. Is sex-specific information available and needed? Are the sample sizes per strata representative enough to allow sex-specific conclusions?		n	%
0. Sex-specific issues not evaluated		45	71
1. Preliminary analyses of sex-specific issues		9	14
2. Detailed analysis of sex-specific issues		8	13
4. No sexual dimorphism occurs		1	2
Total		63	100
Methods and Definitions_Natural Mortality_M On what information is the value for natural mortality based? Estimation neighbouring regions or assumed?	 0. Sex-specific issues not evaluated 1. Preliminary analyses of sex-specific issues 2. Detailed analysis of sex-specific issues 4. No sexual dimorphism occurs 	n	%
1. Assumed		45	68
2. Extrapolated		5	8
3. Estimated		13	20
4. Assessed (SMS key runs,)		3	5

Total 66 100 ■ 1. Assumed ■ 2. Extrapolated ■ 3. Estimated ■ 4. Assessed (SMS key ru Data Collection_Maturity_Length/age at Maturity Was length/age at maturity estimated or extrapolated from neighbouring stocks? n % 0. Not estimated 27 39 1. Not estimated but extrapolated 2 3 2. Estimated 41 59 Total 70 100 ■ 0. Not estimated ■ 1. Not estimated but extrapolated ■ 2. Estimated Data Collection_Maturity_Sex Ratio Was sex ratio estimated or extrapolated from neighbouring stocks? n %
0. Not estimated			50	76
2. Estimated			16	24
Total			66	100
	 0. Not estimated 2. Estimated 		_	
Validation_Age_Age Validation				
Is there an age validation study available? (What was th	e method of age validation?)		n	%
0. No validation study			45	70
1. Only one method with major limitations			15	23
2. Several complementary age validation methods showing	ng similar results		4	6
Total			64	100
	 0. No validation study 1. Only one method with major limitations 2. Several complementary age validation methods shorts and sho	nowing similar r	-	

Validation_Age_Absolute Bias		
Measure for accuracy in relation to true age (seldom available) (Quantitative estimate; evaluation stock-specific)	n	%
available in recent age reading exchange workshop report	3	15
Not available	17	85
Total	20	100
	_	

available in recent age reading exchange workshop report

Validation_Age_Absolute Age Error MatrixProbability distribution of repeated measurements relative to true age (Quantitative estimate; evaluation stock-spe-
cific)n%available in recent age reading report316Not available1684Total19100



	15 17	88
	17	
		100
■ No		
ative estimate; evaluation stock-	n	%
	1	6
	16	94
	17	100
No		
	No ative estimate; evaluation stock-	No ative estimate; evaluation stock-

When was the last exchange that included age readers from major dat	a contributors?	n	%
0. No exchange		25	40
1. Exchange long time ago and poor results		6	10
2. Exchange recently, poor results		5	8
3. Exchange long time ago and good results		4	6
4. Exchange recently, good results		17	27
5. Exchange recently, very good results		6	10
Total		63	100
	 0. No exchange 1. Exchange long time ago and poor results 2. Exchange recently, poor results 3. Exchange long time ago and good results 4. Exchange recently, good results 5. Exchange recently, very good results 	_	
Calibration_Age_Relative Bias	evaluation stock-specific)	_	

Most (6/9) of the Age_Relative Bias of the stocks lower than ± 0.1

Calibration_Age_CV or APE

Measure for precision (Quantitative estimate; evaluation stock-specific)				
Mean CV of 17% and range 4-39% from 12 stocks				
39	20	17	4	39
	17			
	6			
	8			
	9			
	11			
	15			
	20			
	26			
	4			
	30			
	39			

Calibration_Age_% Agreement

Percentage agreement between age readers (Quantitative estimate; evaluation stock-specific)

Mean agreement of 70% and range 30-95% from 14 stocks

95	30		70	30	95
	48				
	66				
	70				
	78				
	80				
	86				
	95				
	40				
	82				
	67				
	70				
	80				
	95				
Calibration_Age_Relative Age Error Matrix					
Probability distribution of repeated measurements relative to cific)	o modal age (Quantitative estimate; evaluation stock-spe-	n	%		
Available		8	38		
Not available		13	62		



Measure for accuracy in relation to modal maturity (Quantitative estimate; evaluation stock-specific)	n	
Answers with values	7	Highly variable relative bias values depending on the ma- turity stage
Calibration_Maturity_CV or APE		
Measure for precision (Quantitative estimate; evaluation stock-specific)	n	
Answers with values	1	
Calibration_Maturity_% Agreement		
Percentage agreement between maturity readers (Quantitative estimate; evaluation stock-specific)	n	
Answers with values	7	Values between 61-94%
Calibration_Maturity_Relative Maturity Error Matrix		
Probability distribution of repeated measurements relative to modal maturity (Quantitative estimate; evaluation stock-specific)	n	
No values available		
Stock Assessment_Age_Variance Structure		
Is the stock assessment model age-structured?	n	%
1. Age structure not used in assessment	32	48
2. Age structure used in assessment	34	52
Total	66	100



Stock Assessment_Age_Error Matrix		
Variance structure can directly be incorporated into stochastic stock assessment models	n	%
1. Error matrix not used in assessment	59	98
2. Error matrix used in assessment	1	2
Total	60	100



1. Error matrix not used in assessment 2. Error matrix used in asse

Stock Assessment_Maturity_Variance Structure Is maturity function used in stock assessment model?

1. No maturity information in assessment	23	35
2. Knife-edge maturity-at-age or length in assessment	7	11
3. Fixed maturity ogive at age or length in assessment	27	42
4. Yearly maturity ogive at age or length in assessment	8	12
Total	65	100



Stock Assessment_Maturity_Error Matrix		
Variance structure can directly be incorporated into stochastic stock assessment models	n	%
1. Error matrix not used in assessment	62	98
2. Error matrix used in assessment	1	2
Total	63	100

	1. Error matrix not used in assessment 🔳 2. Error matrix used in ass	
--	--	--

Stock Assessment_All_Sensitivity Analysis Sensitivity runs will show effects of different biological datasets (e.g. age) on the assessment outcomes in terms of key parameters such as fishing mortality (F) and spawning-stock biomass (SSB)	n	%
1. No alternative input datasets produced	57	90
3. Numerous sensitivity runs with alternative datasets tested	5	8
yes	1	2
Total	63	100



Annex 6-Table 7. (Part 6) Quality indicators by stock–WGBIOP 2020 answers. Part 6: Summary Table–Summary of Results.

Summary of Quality Indicators Table questionnaire

1. Sampling Design

Regarding the survey design, the quality of the biological data were not evaluated in almost half of the stocks. Related to commercial sampling design, the quality of (national) sampling schemes used to collect biological material has been thoroughly evaluated in a third of the stocks. Regarding spatial coverage, the full range of 45% of the stocks is covered by biological sampling.

2. Stock Identity

For 35% of the stocks there is no evidence of mixing. In case of 20% of stocks mixing does not exist. Mixing exists but is not accounted for in case of 32% of stocks.

3. Methods and Definitions

3.1. Age. 3/4 of the stocks do not have an overview table documenting ageing structures used by country and stock. Regarding the documentation of preparation techniques used by country and stock, there is no overview table for half (54%) of the stocks. Regarding the consistency in the definition of the birthdate (usually January 1st) and in the interpretation of the seasonality in deposition of opaque and translucent material (the "scheme"), there is no comparisons between labs for 60% of the stocks.

3.2. Growth. Growth parameters used in stock assessments are estimated directly in half of the stocks.

3.3. Maturity. The vast majority of the stocks (88 and 82%, respectively) do not have an overview table documenting the structures and different preparation techniques used by country and stock. For 60% of the stocks, maturity standard scale is not available. In half of the stocks, the maturity staging is conducted during the whole year, while in the other half it is only based in a restricted staging period. When sufficient maturity data are available, then spatially and/or temporally varying ogives can be considered. Careless use (spatially and/or temporally variation is not considered) of a type of ogive occurs in 40% of the stocks, however a careful selection of an ogive type takes place in 36% of the stocks.

3.4. Sex. Regarding the coding, the answers showed that International database is correct in the vast majority of the stocks (86%).

3.5. Regarding if sex-specific information is available and needed and if the sample sizes per strata are representative enough to allow sex-specific conclusions, sex-specific issues are not evaluated in 71% of the stocks.

3.6. Natural Mortality. The natural mortality is assumed for 2/3 and estimated for 20% of the stocks.

4. Data collection

Length/age at Maturity was estimated in 59% of the stocks. Sex Ratio is estimated for 1/4 of the stocks.

5. Validation

Age Validation study is available for 30% of the stocks. Absolute Bias is only available in recent age reading reports for 15% of the stocks (answers from only 21 stocks). Absolute Age Error Matrix is only available in recent age reading reports for 16% of the stocks (answers from only 21 stocks).

Maturity Validation study comparing macroscopic and histological methods is available for the vast minority of the stocks (11%). Absolute Bias is available only in recent age reading reports for 12% of the stocks (answers in only 20 stocks). Absolute Maturity Error Matrix is available only in recent age reading reports for 6% of the stocks (answers from only 20 stocks).

6. Calibration

6.1. Age. Exchange / Workshop: No exchange was performed for 40% of the stocks.

The results of exchanges/workshops given in the table were as follows:

I

Summary of Quality Indicators Table questionnaire

Relative Bias lower than ± 0.1 for most (6 out of 9) stocks.

Mean CV of 17% with range 4-39% from 12 stocks.

Mean agreement of 70% with range 30-95% from 14 stocks.

Absolute Age Error Matrix is available for only 38% of the stocks (answers from only 21 stocks).

6.2. Maturity. No Maturity exchange was performed for 77% of the stocks. Relative Bias values are available for 7 stocks, and CV values are available for only 1 stock . with Agreement values are available for 7 stocks with range: 61-94%. Maturity Error Matrix: no values available for any of the stocks.

7. Stock Assessment

7.1 Age. Age structure models are used in the assessment in the half of the stocks. Error Matrix is not usually (98%) used in the stock assessment.

7.2 Maturity. In case of 35% of the stocks maturity information is not used in the stock assessment . Error Matrix is not usually (98%) used in the stock assessment.

7.3. Regarding Sensitivity Analysis, alternative input datasets are produced for 10% of the stocks.

7.4. 90% of the stocks do not use New Parameters in the assessment.

Annex 7: Recommendations & responses (ToR e)

Recommendation from WGIPS

WGIPS recommend that WGBIOP investigate how differences in preparation of herring otoliths (mounted/unmounted/different mediums such as water, oil, ethanol, etc.) affect age reading results, particularly for older ages.

Background:

HAWG has recommended that WGIPS give consideration to how herring otoliths have been aged by institutes contributing ages to the HERAS survey index on North Sea herring over the time-series and if / when changes have occurred how such changes might have affected aging results especially at older ages (recommendation 29 in 2020 from HAWG to WGIPS).

WGIPS can provide a review of methods used in each institute involved and the timing of changes where they have occurred. However, how the preparation of herring otoliths for aging might affect the age reading results is beyond the expertise of WGIPS, and therefore we cannot comment on how these changes might have affected aging results without drawing on expertise from WGBIOP.

WGIPS recommend that WGBIOP look into this, and ask that if this is indeed an issue of concern for the integrity of the survey index, that studies are reviewed or carried out to investigate the magnitude of the issue. WGIPS notes that if this is considered an issue for concern that it has wider implications than the North Sea herring survey index as the same institutes provide ages to the catch data and survey indices used in the assessment of most herring stocks assessed in HAWG.

Response from WGBIOP

WGBIOP recommends that when an institute changes the preparation method they are using for a particular species or stock it is their responsibility to make sure that the results from this new method are consistent with those achieved using the previous method. This is similar to when a new reader is introduced in that the same precautions would need to be taken in that situation to make sure that results were the same as those achieved by other experienced readers. WGBIOPs role is to ensure consistency of results across different institutes with an interest in the same species/stock and this is done via exchanges and workshops and is most usually applied to species/stocks that are up for benchmark but can also be arranged on a more adhoc basis if required.

Recommendation from WGBEAM

WGBEAM noted requirements for further developments of DATRAS and recommends that this is discussed in WGDG:

Record methodology of distance (calculated by speed and duration, by ship's log, by calculation shoot-haul position, etc.)

Record conservation status of species: fresh, frozen, cooked,

Although WGBEAM suggests not to add so-called 'seeded ages' and upload individual fish for which no age has been collected with Age=-9, it may be considered to add additional coding in TSAgeSource, e.g. 'estimate'.

It appeared that DATRAS does not allow for submission of HH records of valid tows without HL and/or CA records. WGBEAM concluded that this should be allowed, as valid tows may occur, but in single-species surveys (stdspecrec=1, bycspecrec=0) it may lead to wrong estimates of average catches if 0-hauls are not taken into account.

Response from WGBIOP

In the context of this recommendation WGBIOP understands 'conservation status' to mean the way the fish specimen is preserved. WGBIOP would suggested that rather than having a separate conservation status this would be merged with METFP, where the suggested states could be added. With regard to 'seeded' otoliths, WGBIOP supports the use of Age =-9 for individual fish for which no age data has been collected.

Recommendation from WGNSSK

We recommend to consider an otolith exchange workshop to calibrate age readings across participating national laboratories (i.e. for cod and plaice in the North Sea)

Response from WGBIOP

WGBIOP plans exchanges and workshops following the benchmark schedule. It may be possible to arrange an exchange or workshop associated with an inter benchmark meeting if a particular issue is identified and communicated to WGBIOP by another Expert Group. There has been a plaice exchange recently and a follow up workshop is planned for later on this year. A cod exchange is also planned for 2022.

Recommendation from WKNSEA

We see in a lot of stocks that fish mature at an earlier age / length. If an annual maturity ogive is used, this will give an increase in the SSB. However, there are some uncertainties on the fecundity between ages and this is often not accounted for. Is it possible the give different species / stock different weighting by age to account for the different fecundity?

Response from WGBIOP

Fecundity data are not collected routinely. WGBIOP agrees that these data would be valuable but acknowledges that further studies would need to be planned and delivered in order to gather this information for specific stocks. Suggest further conversation between WGBIOP chairs and WKNSEA to establish a more detailed proposal for this work.

Recommendation from WKCOLIAS

The WKCOLIAS2 proposes to WGBIOP that S. colias maturity and otoliths/age exchanges using SmartDots to be held in 2022 and, if possible, a physical workshop in 2023, involving both European and African participants

Response from WGBIOP

WGBIOP propose a Chub Mackerel Scomber colias otolith exchange to take place in 2022, coordinators have been allocated for this work. A workshop has also been discussed.