



## IEA Wind Task 51 “Forecasting for the Weather Driven Energy System”

**Giebel, Gregor**

*Publication date:*  
2023

*Document Version*  
Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

*Citation (APA):*  
Giebel, G. (Author). (2023). IEA Wind Task 51 “Forecasting for the Weather Driven Energy System”.  
Sound/Visual production (digital)

---

### General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

# IEA Wind Task 51 “Forecasting for the Weather Driven Energy System”

Gregor Giebel, DTU Wind and Energy Systems

H. Frank, C. Draxl, J. Zack, J. Browell, C. Möhrle, G. Kariniotakis, R. Bessa, D. Lenaghan


24 May 2023




Technology Collaboration Programme

by **iea**






**Numerical Weather Prediction**



**Prediction model**




**End user**



Australian Government  
Bureau of Meteorology

Deterministic approaches

Hybrid approaches



Next generation of tools

Focus on extremes

**Diversify predicted information**

Spatio-temp

Ramp forecasting

Cut-off forecasting

Alarming, risk indices

Link to meteorology etc


1990

2002 Anemos

2008 ANEMOS./plus

SafeWind

2016



Probabilistic approaches

1st Benchmarking

Towards standardisation

Combined forecasts (multi model/NWPs)

Functions considered:



ANEMOS.plus  
demos

End-users :

- TSOs
- DSOs
- Island system operators
- Utilities
- Traders

Link forecasts to the application

Power system management/trading

Stochastic optimisation

Demonstration

# Forecasting for Wind Energy

2016-2018

2019-2021

T36 Phase 1

T36 Phase 2

Redefinition

T51 Phase 1

2022-2025

Forecasting for the  
Weather Driven  
Energy System

Work Streams:	WP1 Weather	WP2 Power	WP3 Applications	Deliverable	#, Due	Collaboration
Atmospheric physics and modelling (WP1)	<div><div></div><div>★</div><div></div></div>	<div><div></div><div></div><div></div></div>		List of experiments and data	D1.1, Ongoing	WMO, PVPS T16
Airborne Wind Energy Systems (WP1)	<div><div></div><div>★</div><div></div></div>	<div><div></div><div></div><div></div></div>		Presentations on workshops	Part of D2.1	Task 48 Airborne Wind Energy
Seasonal forecasting (WP1)	<div><div></div><div>★</div><div></div></div>	<div><div></div><div></div><div></div></div>		Workshop / Paper	D1.6 / M19 = May '23, Reading	Hydro TCP, Hydrogen TCP, Biomass TCP
State of the Art for energy system forecasting (WP2)	<div><div></div><div></div><div></div></div>	<div><div></div><div></div><div>★</div></div>		Workshop / Paper RecPract on Forecast Solution Selection v3	D2.1 / M7, M12= Sept '22, Dublin M2.1 / M36	PVPS Task 16, Hydro TCP, Hydrogen TCP, ...
Forecasting for underserved areas (WP2)	<div><div></div><div></div><div>★</div></div>	<div><div></div><div></div><div></div></div>		Public dataset	D2.4 / M24	WMO
Minute scale forecasting (WP2)	<div><div></div><div></div><div></div></div>	<div><div></div><div>★</div><div></div></div>		Workshop / Paper	D2.5 / M31, M36 = Summer 2024	Wind Tasks 32 Lidar, 44 Farm Flow Control and 50 Hybrids
Uncertainty / probabilistic forecasting (WP3)	<div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div></div>	<div><div></div><div></div><div>★</div></div>	Uncertainty propagation paper with data RecPract v3	D 2.6 / M42 M48	PVPS T16
Decision making under uncertainty (WP3)	<div><div></div><div></div><div></div></div>	<div><div></div><div></div><div>★</div></div>		Training course Games	M12 M18	
Extreme power system events (WP3)	<div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div></div>	<div><div></div><div></div><div>★</div></div>	Workshop	D3.6 / M42 = Summer 2025	Task 25, ESIG, IEA ISGAN, PVPS T16, G-PST
Data science and artificial intelligence (WP3)	<div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div></div>	<div><div></div><div></div><div>★</div></div>	Report	D2.3 / M30	
Privacy, data markets and sharing (WP3)	<div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div></div>	<div><div></div><div></div><div>★</div></div>	Workshop / Paper Data format standard	D3.5 / M15	ESIG IEEE WG Energy Forecasting
Value of forecasting (WP3)	<div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div></div>	<div><div></div><div></div><div>★</div></div>	Paper	D 3.4 / M33	
Forecasting in the design phase (WP3)	<div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div></div>	<div><div></div><div></div><div>★</div></div>			Task 50 (hybrids), PV T16, hydrogen TCP



# Information Portal

---

The Task 51 Information Portal aims to be a useful resource for people in forecasting, especially providing links to publically available data for model development.

<https://iea-wind.org/task-51/t51-information-portal/>

The Task members identified several issues which might be useful in an information portal for wind power forecasting. Those are:





- [A list of meteorology masts](#) with online data over 100m height, useful for verification of wind speed predictions
- [A list of meteorological experiments](#) going on currently or recently, either to participate or to verify a flow model against
- [A list of publicly available wind power forecasting benchmarks](#), to test your model against
- [A list of current or finished research projects](#) in the field of wind power forecasting
- [A list of future research issues](#)
- [A list of open weather data](#)

For all of those, we would be happy to accept input, so head over to the site and see where you can help, or what you can use!

Please find the full text of the task description [here](#).

The task is led by [Gregor Giebel](#) from DTU Wind Energy.

# IEA Best Practice Recommendations for the Selection of a Wind Forecasting Solution v2: Set of 4 Documents



Also as book!

Introduction: <https://www.youtube.com/watch?v=XVO37hLE03M>



# Elsevier Open Book

ISBN: 978-0-443-18681-3

PUB DATE: November 2022

FORMAT: Paperback

Editors: Corinna Möhrlen, John W. Zack, and Gregor Giebel

<https://www.elsevier.com/books/iea-wind-recommended-practice-for-the-implementation-of-renewable-energy-forecasting-solutions/mohrlen/978-0-443-18681-3>

Chapter downloads:

<https://www.sciencedirect.com/book/9780443186813/iea-wind-recommended-practice-for-the-implementation-of-renewable-energy-forecasting-solutions>



## IEA Wind Recommended Practice for the Implementation of Renewable Energy Forecasting Solutions



Corinna Möhrlen  
John W. Zack  
Gregor Giebel


# Work stream Atmospheric Physics

WS:	WP1 Weather	WP2 Power	WP3 Applications	Deliverable	#, Due	Collaboration
Atmospheric physics and modelling (WP1)				List of experiments and data	D1.1, Ongoing	WMO, PVPS T16

Knowing the atmosphere and its developments is the basis for forecasting for all horizons beyond a few hours. Especially with the new emphasis on seasonal forecasting and forecasts for storage management, the weather forecasts are in focus. This work stream spans mostly WP1, where the larger meteorological centres are at home, but crosses over into WP2, where the derived application variables need knowledge of the meteorology.

D 1.1: Online summary of major field studies supportive of wind forecast improvement; list of available data (ongoing)

# Work stream Airborne Wind Energy



(b) AWE farm

Work Streams:	WP1 Weather	WP2 Power	WP3 Applications	Deliverable	#, Due	Collaboration
<b>Airborne Wind Energy Systems (WP1)</b>				Presentations on workshops	Part of D2.1	Task 48 Airborne Wind Energy



EnerKite



- Novel topic, winds in 300-600m height
- Mapping state of the art on workshop
- Collaboration with Task 48

Image source: Task 48 presentation on IEA Wind ExCo 88, Nov 2021



**SkySails  
POWER**



**RWTH AACHEN  
UNIVERSITY**

**KITE//KRAFT**





# WS State of the Art and Research Gaps

WS:	WP1 Weather	WP2 Power	WP3 Applications	Deliverable	#, Due	Collaboration
State of the Art for energy system forecasting (WP2)				Workshop / Paper	D2.1 / M7, M12	PVPS Task 16, Hydro TCP, Hydrogen TCP, ...
				RecPract on Forecast Solution Selection v3	M2.1 / M36	

In year 1, the new Task will organise a **workshop** on the state of the art and future research issues in energy forecasting, inviting other TCPs (PVPS Task 16 already has voiced interest). The workshop is modelled after the first workshop in Task 36, which established a baseline and research agenda. The established state-of-the art will be carried forward in the recommended practice guideline for forecasting solution selection and its dissemination to the industry at workshops, webinars, conferences, white papers and a book publications. Every WP contributes to this activity.

D 2.1: **Workshop** and paper on **state-of-the-art and future research issues** in the forecasting of weather-dependent energy system variables (M7=Summer 2022, M12=Dec 2022) -> **September 2022 in Dublin!**

M 2.1: Version 3 of IEA Recommended Practice on Forecast Solution Selection (M36=Dec 2024)



# Workshop

## State of the Art and Research Gaps in Forecasting for the Weather Driven Energy System

September 12/13 2022, University College Dublin

<http://www.iea-wind.org/task51/>





# State of the Art and Research Gaps Workshop, Dublin 2022

- Personal and online some 60 participants
- Slides and video on <https://iea-wind.org/task51/task51-work-streams/ws-state-of-the-art-for-energy-system-forecasting/>
- Journal paper being worked on



# WS Seasonal Forecasting

WS:	WP1 Weather	WP2 Power	WP3 Applications	Deliverable	#, Due	Collaboration
Seasonal forecasting (WP1)				Workshop / Paper	D1.5 / M19	Hydro TCP, Hydrogen TCP, Biomass TCP

Seasonal forecasts are growing in importance for the power grid planning, especially, where hydropower, storage and other technologies are involved. This topic is also interlinked to the uncertainty forecasting work stream and will focus on the communication between weather and energy community. Seasonal forecasts are a subset of weather forecasting, and are therefore managed by WP1. WP3 will interlink these communities and serve as a platform to establish new applications for the use of seasonal forecasting in the energy community and the transformation into a carbon free energy system.

**D 1.5: Convene workshop and develop paper on seasonal forecasting, emphasizing hydro and storage (M19)**

Data source SEASS ensemble mean from C3S ECMWF | Reference 1993-2016 | Run

Background image: Vortex FdC

Wind Speed Anomaly @ 100m - [ % ]







# Workshop Seasonal Forecasting for the Weather Driven Energy System

Stakeholders in the electric energy system have expressed a growing interest in sub-seasonal to seasonal (S2S) forecasting information in their applications. Therefore, to facilitate the dissemination of information about S2S forecasting products, skill, applications, issues, and best practices to members of the electric energy community, the team of the International Energy Agency's (IEA) Wind Task 51 (<https://iea-wind.org/task51/>), entitled "Forecasting for the Weather Driven Energy System", would like to invite you to a S2S forecasting workshop with the goal of gathering information about methods used to produce S2S forecasts, the current state-of-the-art skill in S2S forecasting for variables relevant for energy system applications, current and planned research activities intended to improve the current level of skill, types of public and private sector operational S2S forecasting products, the range of S2S applications in the energy community and the quantified or perceived value obtained from those applications, the sensitivity of user's application performance to variations in forecast skill, and the unmet S2S-forecasting-related needs or desires of the energy user community.

MAY 17–19, 2023 | University of Reading, UK  
All times are British Summer Time (UTC+1)

DRAFT AGENDA







## WS Minute scale forecasting

WS:	WP1 Weather	WP2 Power	WP3 Applications	Deliverable	#, Due	Collaboration
Minute scale forecasting (WP2)				Workshop / Paper	D2.5 / M31, M36	Wind Tasks 32 Lidar, 44 Farm Flow Control and 50 Hybrids, PVPS T16

On the power plant level, forecasts some minutes ahead can be used for battery control in hybrid power plants, in wind farm flow control (it takes minutes for the wind field to pass through a larger wind farm), and sometimes also in market structures like the Australian market, which operates on a 5-min schedule. Advances in minute-scale forecasting have been investigated in phase 2 and will be further developed and communicated to the industry. Since minute scale forecasting mainly uses data driven tools (statistical or machine learning), the WS is administered by WP2, but has connections to WP1 for knowing the wind flow through a farm, and to WP3 with regards to usage of the forecasts. We plan to have a workshop together with the IEA Wind Tasks on Lidar and on Hybrid Power Plants, and possibly others.

D 2.5: Workshop and paper on minute-scale forecasting for hybrid power plants or wind farm control, in conjunction with Task 32 on Lidars, Task 44 on Farm Flow Control and Task 50 on Hybrid Power Plants (M31=Summer 2024, M36)



# Minute scale forecasting

Article

## Minute-Scale Forecasting of Wind Power—Results from the Collaborative Workshop of IEA Wind Task 32 and 36

Ines Würth <sup>1,\*</sup>, Laura Valdecabres <sup>2</sup>, Elliot Simon <sup>3</sup>, Corinna Möhrlein <sup>4</sup>, Bahri Uzunoglu <sup>5,6</sup>, Ciaran Gilbert <sup>7</sup>, Gregor Giebel <sup>3</sup>, David Schlipf <sup>8</sup> and Anton Kaifel <sup>9</sup>

- <sup>1</sup> Stuttgart Wind Energy, University of Stuttgart, Allmandring 5b, 70569 Stuttgart, Germany
  - <sup>2</sup> ForWind-University of Oldenburg, Institute of Physics, Küppersweg 70, 26129 Oldenburg, Germany; laura.valdecabres@forwind.de
  - <sup>3</sup> DTU Wind Energy (Riso Campus), Technical University of Denmark, Frederiksborgvej 399, 4000 Roskilde, Denmark; ellsim@dtu.dk (E.S.); greg@dtu.dk (G.G.)
  - <sup>4</sup> WEPROG, Willemoesgade 15B, 5610 Assens, Denmark; com@weprog.com
  - <sup>5</sup> Department of Engineering Sciences, Division of Electricity, Uppsala University, The Ångström Laboratory, Box 534, 751 21 Uppsala, Sweden; bahriuzunoglu@computationalrenewables.com
  - <sup>6</sup> Department of Mathematics, Florida State University, Tallahassee, FL 32310, USA
  - <sup>7</sup> Department of Electronic and Electrical Engineering, University of Strathclyde, 204 George St, Glasgow G11XW, UK; ciaran.gilbert@strath.ac.uk
  - <sup>8</sup> Wind Energy Technology Institute, Flensburg University of Applied Sciences, Kanzleistraße 91–93, 24943 Flensburg, Germany; david.schlipf@hs-flensburg.de
  - <sup>9</sup> Zentrum für Sonnenenergie- und Wasserstoff-Forschung Baden-Württemberg, Meitnerstraße 1, 70563 Stuttgart, Germany; anton.kaifel@zsw-bw.de
- \* Correspondence: wuerth@ifb.uni-stuttgart.de; Tel: +49-711-685-68285

Received: 14 December 2018; Accepted: 14 February 2019; Published: 21 February 2019



**Abstract:** The demand for minute-scale forecasts of wind power is continuously increasing with the growing penetration of renewable energy into the power grid, as grid operators need to ensure grid stability in the presence of variable power generation. For this reason, IEA Wind Tasks 32 and 36 together organized a workshop on “Very Short-Term Forecasting of Wind Power” in 2018 to discuss different approaches for the implementation of minute-scale forecasts into the power industry. The workshop is an international platform for the research community and industry. Task 32 tries to investigate barriers to the use of lidars in wind energy applications, while IEA Wind Task 36 tries to investigate the value of wind energy forecasts to the wind energy industry. The workshop identified that need minute-scale forecasts: (1) wind turbine and wind farm control, (2) energy trading and ancillary services. The forecasting horizons for wind turbine control to 60 min for energy market and grid control are applied to generate minute-scale forecasts rely on forecasting lidars or radars, or are based on point sensing devices. Upstream data needs to be processed and can either be used in statistical time series models or have advantages but also shortcomings. The workshop is intended for further investigations into the minute-scale forecasting as a cross-disciplinary exchange of different method experts showed that more efforts should be directed towards enhancing quality and reliability of the forecast data.

**Keywords:** wind energy; minute-scale forecasting; forecasting horizon; Doppler lidar; Doppler radar; numerical weather prediction models


Spring / Summer 2024!





# WS Forecasting for underserved areas

WS:	WP1 Weather	WP2 Power	WP3 Applications	Deliverable	#, Due	Collaboration
Forecasting for underserved areas (WP2)				Public dataset	D2.4 / M24	WMO



Forecasting in the established markets like Europe, North America or China has both a long tradition, and a well-established infrastructure. But in sync with the wind industry opening up new markets for the technology, the grid operators and/or market participants need good solutions to deal with the novel influx of power. However, both data availability and possibly market or grid code structures might be quite different in those places. The quality of the forecast needs to be provided by the vendors, which is why this WS is run by WP2. The recommended practices for the implementation of renewable energy forecasting solutions will also serve the under-served markets as valuable guidelines. An adaptation considering the limitations of under-served or emerging countries will be one focus area in collaboration with WP1.

D 2.4: Inventory and web interface of data and tools for forecasting applications in underserved areas. (M24)

# WS Uncertainty / Probabilistic FC / Decision making

WS:	WP1 Weather	WP2 Power	WP3 Applications	Deliverable	#, Due	Collaboration
Uncertainty / probabilistic forecasting / decision making under uncertainty (WP3)				Uncertainty propagation paper with data	D 2.6 / M42	PVPS T16
				Games	M18	
				RecPract v3	M48	
				Training course	M12	

Uncertainty is inherent in the forecasting of weather driven power generation. The preparation of calibrated uncertainty measures is done by the WP2 stakeholders. In WP3, the integration of forecast uncertainty into power grid management, wind power bidding strategies, and storage operation, will be analysed considering the role of humans (and their perception of uncertainty and risk), costs and benefits of end-users. Since this is the research topic needing more attention, WP3 is responsible for this WS. Analysis of critical bottlenecks in forecasting accuracy, as well as validation and value determination, are topics that will be dealt with in interdisciplinary groups and collaborations with associated partners and other WPs. Additionally, a qualitative overview paper of the propagation of uncertainty through the modelling chain was submitted in mid-2021. A natural extension of the work is to use the techniques on real data, to calculate the results and to publish it as a new paper.

D 2.6: Paper on uncertainty propagation in the modelling chain, using quantitative data (M42)

M 2.1: Version 3 of IEA Recom. Practice on Forecast Solution Selection (M36)

# WS Data Science and Artificial Intelligence

WS:	WP1 Weather	WP2 Power	WP3 Applications	Deliverable	#, Due	Collaboration
Data science and artificial intelligence (WP3)				Report or paper	D2.3 / M30	

Data-driven decision-making under risk and uncertainty is being augmented with advances in data science (e.g., deep learning with heterogeneous data sources) and artificial intelligence (e.g., reinforcement learning for optimization) techniques. WP3 will administer the WS and will collect success cases of application in the forecasting and decision-making domain of wind power forecasting, and study different paradigms for integrating uncertainty, data science and AI, such as: human-in-the-loop decision making, digital twins for decision support, interactive machine learning, etc. Finally, trust and security of data-driven methods will be a topic of analysis, in particularly considering industry requirements for integrating new technologies in their business processes. For meteorologists, the numerical weather prediction models change faster than the climate. How can the local adaption or some kind of AI adapt to this without running a new and old model in parallel for a long time? To shorten this parallel time would free up some effort to be used somewhere else.

D 2.3: Report and conference papers on techniques to optimize the use of data science/AI tools for the forecasting of energy-application variables (M30)



# WS Extreme Power System Events

WS:	WP1 Weather	WP2 Power	WP3 Applications	Deliverable	#, Due	Collaboration
Extreme power system events (WP3)				Workshop	D3.6 / M42	Task 25, ESIG, IEA ISGAN, PVPS T16, G-PST

Weather extremes are a threat to the power system, not only due to destruction of hardware, but also due to inadequate unit commitment, grid planning and available generation units. The challenges are broad and reach into the power markets, where extreme prices can be caused by extreme weather events. Knowledge and exchange of information on how to forecast extremes and mitigate effects from such extremes are topics that need attention in the next phase. While there is a strong weather dependency in this WS, the work will be structured according to the needs of the end users, and therefore administered by WP3.

D 3.6: Convene **workshop** on extreme power system events (M42, summer 2025)

# Review of uncertainty propagation

- Conceptual paper on the origins and propagation of uncertainty through the forecasting chain (D2.2)
- Wind and solar power
- Renewable and Sustainable Energy Reviews 2022
- Next paper should use data and quantify the contributions

## Uncovering wind power forecasting uncertainty origins and development through the whole modelling chain<sup>\*,\*\*</sup>

Jie Yan<sup>a</sup>, Corinna Möhrlein<sup>b</sup>, Tuhfe Göçmen<sup>c</sup>, Mark Kelly<sup>c</sup>, Arne Wessel<sup>d</sup> and Gregor Giebel<sup>\*,\*\*</sup>

<sup>a</sup>North China Electric Power University, State Key Lab of Alternate Electrical Power System with Renewable Energy Sources, Beijing, P.R. China

<sup>b</sup>WEPROG, Dreijerveienget 8, 5610 Assens, Denmark

<sup>c</sup>Technical University of Denmark, Department of Wind Energy, Frederiksborgvej 399, 4000 Roskilde, Denmark

<sup>d</sup>Fraunhofer Institute for Energy Economics and Energy System Technology IEE, Kassel, Germany

### ARTICLE INFO

*Keywords:*  
wind power  
forecast uncertainty  
modelling chain

### ABSTRACT

Wind power forecasting has been supporting operational decision-making for power system and electricity markets since 30 years. Efforts of improving the accuracy and/or certainty of wind power forecasts, either deterministic or probabilistic, are continuously exerted by academics and industries. Forecast errors and associated uncertainties, which propagate through the whole forecasting chain, from weather provider to the end user, cannot be eliminated completely due to many reasons; for instance, endogenous randomness of weather systems and varying wind turbine performance. Therefore, understanding the sources of uncertainty and how these uncertainties propagate throughout the modelling chain is significant to implement more rational and targeted uncertainty mitigation strategies and standardise the uncertainty validation. This paper presents a thorough review of the uncertainty propagation through the modelling chain, from the planning phase of the wind farm and the forecasting system through the operational phase and market phase. Moreover, the definition of the uncertainty sources throughout these phases build the guiding line of uncertainty mitigation throughout this review. In the end, a discussion on uncertainty validation is provided along with some examples. Highlights of this paper include: 1) forecasting uncertainty exists and propagates everywhere throughout the entire modelling chain and from planning phase to market phase; 2) the mitigation efforts should be exerted in every modelling step; 3) standardised uncertainty validation practice and global data samples are required for forecasters to improve model performance and for forecast users to select and evaluate the model's output.


### 1. Introduction


High penetration of wind power has been recognised globally as one of the most important features of current and future sustainable power systems. The natural randomness and variability of the wind itself can aggravate negative impacts of wind power on power system operation and market trading, which strengthens the significance of forecasting technology. Wind power forecasting (WPF) started more than three decades ago [16], with the first operational forecasting tools arriving at system operation level some 10 years later at the Danish transmission system operator ELSAM [10]. Since then, researchers have been making continuous efforts to improve the forecasting accuracy and reliability.

It is impossible to achieve perfect predictions of wind power at any given time or location, due to chaotic atmospheric motions having temporal and spatial scales that typically span more than six orders of magnitude [17, 18, 19]. Along with the complex wind field, wind turbine performance creates nonlinear and time-varying uncertainties in wind power forecasting. To improve the value of forecasts and their usage, we practically consider three questions: why, when and to what extent the forecasting uncertainty will happen [20]. Accordingly, this further guides the mitigation of forecasting uncertainty. There is plenty of literature in this area, and can be clarified into following three categories.

<sup>\*</sup> This paper was coordinated under the auspices of IEA Wind Task 36 'Forecasting for Wind Energy'. Corinna Möhrlein, Tuhfe Göçmen, Mark Kelly and Gregor Giebel were funded by the Danish EUDP project 'IEA Wind Task 36 Phase II Danish Consortium', Grant Number 64018-0515.

<sup>\*\*</sup> Corresponding Author: Gregor Giebel

 grg1@dtu.dk (G. Giebel)

 ww.dtu.dk (G. Giebel)

ORCID(s): 0000-0002-9412-0999(0000-0002-9412-0999) (J. Yan); 0000-0002-8842-1533(0000-0002-8842-1533) (C. Möhrlein); 0000-0002-4453-8756(0000-0002-4453-8756) (G. Giebel)



# WS Privacy, Data Markets and Sharing

WS:	WP1 Weather	WP2 Power	WP3 Applications	Deliverable	#, Due	Collaboration
Privacy, data markets and sharing (WP3)				Workshop / Paper Data format standard	D3.5 / M15	ESIG, IEEE WG Energy Forecasting

The transformation of the energy system towards a carbon free generation, and the EU strategy for Common European data spaces that will ensure that more data becomes available for use in the economy and society, requires new policies for data sharing (monetary and non-monetary incentives) and privacy, but also developments of regulatory frameworks and data market designs. This will cover different use cases, such as forecasting and operation & maintenance of wind power plants, where data sharing across the energy value chain can bring benefits for multiple stakeholders (e.g., improved predictability, reduced O&M costs, improvement of turbine component reliability, etc.). The Task also develops its own API, to become a common open-source framework, standardised across vendors, and looks into other data transfer issues.

D 3.5: Summary of use cases, such as forecasting and operation & maintenance of wind power plants to show benefits of data sharing across the energy value chain (M15)

# WS Value of Forecasting

WS:	WP1 Weather	WP2 Power	WP3 Applications	Deliverable	#, Due	Collaboration
Value of forecasting (WP3)				Paper	D 3.4 / M33	

Without value for the end users, there wouldn't be a market for forecasts. The incremental value of increase accuracy is though much harder to assess. The value proposition is though quite country and market specific. Therefore, we will analyse different market structures w.r.t. to the regulatory framework, the amount of renewable power in the system (i.e. whether it is a price taker or price maker), the possibilities for gaming and the implications of gaming for the system.

D.3.4: Documentation and communication of the assessment of the value of probabilistic forecasts in selected markets, bidding strategies (M24)

# WP3 End-user Workshop in Glasgow

## “Maximising Value from State-of-the-art Wind Power Forecasting Solutions”

hosted by Jethro Browell at Strathclyde University, Glasgow, 21 Jan 2020

- Talks by academia and industry (e.g. UK National Grid, WindPoint, UStrathclyde )
- Open Space discussion on RP, data and forecast value
- Game on value of probabilistic forecasts:  
[https://mpib.eu.qualtrics.com/jfe/form/SV\\_d5aAY95q2mGI8EI](https://mpib.eu.qualtrics.com/jfe/form/SV_d5aAY95q2mGI8EI)
- Streamed on YouTube: <https://www.youtube.com/watch?v=1NOlr7jluXI>



# WS Forecasting in the Design Phase

WS:	WP1 Weather	WP2 Power	WP3 Applications	Deliverable	#, Due	Collaboration
Forecasting in the design phase (WP3)						Task 50 (hybrids), PV T16, hydrogen TCP

An assessment of the expected forecasting accuracy for a given site was already investigated for a single case in Europe. However, since then it has been quiet.

- Case in Denmark analyzed during SafeWind project

The new Task will analyse the tradeoffs between normal siting of the turbines, and the forecast capability type.

# Summary Forecasting for the Weather Driven Energy System

- Relaunch of Task 36
- Framework conditions changed since first phase of Task 36: RES is not small addition to system, but IS the system; sector coupling to transport, heat, X...
- Has new challenges for new forecast horizons (seasonal forecasting...)
- Needs strong **collaboration with related TCPs** (solar, hydro, hydrogen, ...) and related Tasks (Integration, Lidar, Farm Flow Control, Hybrids, ...)
- Data markets coming into focus
- 4 public workshops: State of the art (2022), Seasonal Forecasting (2023), Minute Scale Forecasting (2024) and Extreme Power System Events (2025).

[www.IEA-Wind.org/task-51](http://www.IEA-Wind.org/task-51)



Gregor Giebel

Frederiksborgvej 399, 4000 Roskilde, DK

[grgi@dtu.dk](mailto:grgi@dtu.dk)

Caroline Draxl

Golden (CO), USA

[caroline.draxl@nrel.gov](mailto:caroline.draxl@nrel.gov)

The IEA Wind TCP agreement, also known as the Implementing Agreement for Co-operation in the Research, Development, and Deployment of Wind Energy Systems, functions within a framework created by the International Energy Agency (IEA). Views, findings, and publications of IEA Wind do not necessarily represent the views or policies of the IEA Secretariat or of all its individual member countries.

Technology Collaboration Programme

by **iea**