

DTU Library

Brændstoffer og energiforbrug i fremtidens transport Schramm, Jesper Publication date: 2012 Link back to DTU Orbit Citation (APA): Schramm, J. (Author). (2012). Brændstoffer og energiforbrug i fremtidens transport. Sound/Visual production (digital)

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.


- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.



Brændstoffer og energiforbrug i fremtidens transport

By Jesper Schramm




DTU Mechanical Engineering

Department of Mechanical Engineering



- Transportformer
 - Vejtransport
 - Tog
 - Skibe
 - Fly







Fremtidens teknologi til vejtransport


- Forbrændingsmotorer
 - Benzin, diesel
 - Naturgas
 - GTL, CTL, BTL
 - Biobrændstoffer
- Brændselsceller
- Elektriske biler



Background assumptions for the different IEA transport scenarios.

ETP Transport Scenarios

- Baseline business as usual through 2050
- ACT measures costing up to \$50/tonne; stabilization of CO₂
 - Efficiency measures dominate
- BLUE measures costing up to \$200-500;
 reduction of global CO₂ to below 2005 levels with downward trend
 - BLUE Map mix of biofuels, fuel cell vehicles (FCVs),
 and electric vehicles (EVs) for cars and light trucks in 2050
 - BLUE Conservative no FCVs or EVs (only plug-ins)
 - BLUE FCV Success FCVs dominate by 2050
 - BLUE EV Success EVs dominate by 2050



Biofuels

Electrification

Scenarios in 2050

Hydrogen

FCVs



CO₂ emissions

Conv. and Hybrid

Vehicle Efficiency








Figure 24

Comparative data for the VW Golf diesel from 1976 and 2011 [45].

VW Golf VI diesel 2011

VW Golf diesel 1978







Displacement (I)	1.6	1.5
Max output (kW)	77	37
Torque (Nm)	250	84
Max speed (km/h)	190	144
Acceleration 0-100 km/h (s)	11.3	18
Kerb weight	1318	780
Fuel comsumption (EU comb. I/100 km)	3.8	6.4
CO ₂ emission (g/km)	99	163
Particulate filter	yes	no



Forbruger behov og prioritering







Everything has to fit togetherdifferent stakeholders have to work together!







Figure 28 Comparison of fuel economy (km/l petrol equivalent) for vehicles using various technologies, 2009. The performance of European cars appears somewhat higher than their US counterparts due to differences in the test procedures and car models [52]. km/l Renewable Fossil 35 30 25 20 15 10 5 d ZWO
Smart Fortwo
Smart Fortwo
Toyota Camt Hybrid
Toyota Varis (manual)
Honda FCX Fuel Cell
Honda FCX 0 ELROPA:
VWLUPO (diesell
Toyota Prius Hybrid
Ford Fiesta ECOnetic (diesell) Toyota Prius Hybrid
Nissan Altima Hybrid
Mazda tribute Hybrid ZwD

Ford Escape Hybrid tribute Hybrid ZwD

Mazda tribute Hybrid ZwD

Mercuri Mariner Hybrid ZwD Km/litre of gasoline eqv.





Energistyrelsen:



Danmark

Energipolitiske milepæle frem mod 2050

- 2020: Halvdelen af det traditionelle elforbrug er dækket af vind
 - VE-andel i transport øges til 10 pct.
 - CO2-udledning fra ikke kvoteomfattede sektorer reduceres med 20 pct. i forhold til 2005
- 2030: Kul udfases fra de danske kraftværker, oliefyr udfases
- 2035: El- og varmeforsyningen dækkes af vedvarende energi
- 2050: Hele energiforsyningen el, varme, industri og transport – dækkes af vedvarende energi.

Energistyrelsen:



	Vej		Bane	Luftfart	søfart
	Personbiler/varebil er:	<u>Lastbiler</u>			
Kort sigt	Diesel/biodiesel Benzin/bioethanol El	Diesel/biodiesel CNG (evt. hybrid)	El Diesel/ Biodiesel (Hybrider)	Jetfuel Flydende biobrændsto ffer	Diesel Flydende biobrænd- stoffer CNG / LNG
Mellem- langt sigt	Flydende bio- brændstoffer (benzin/diesel) El og brint Biogas Hybridteknologier	Diesel/bio-diesel Biogas/CNG/LNG Brint	El Hybrider (diesel/el/ biodiesel)	Flydende biobrænd- stoffer	Flydende biobrænd- stoffer Biogas
Langt sigt	El og brint Biogas (Biobrændstoffer) (Hybridteknologi)	Flydende bio- brændstoffer - 2.g. El og brint Biogas	El	Flydende biobrænd- stoffer 2.g.	Flydende biobrænd- stoffer 2.g. Biogas



Konventionelle brændstoffer til transport i 2050:

• DK energiaftale 2012: 0%

World Energy Council forecast: 80%

Danske ambitioner er banebrydende!

Conclusions:



- Motor fuels have been based almost entirely on crude oil for the last century
- During the last couple of decades engines built for traditional fuels have become more advanced and efficient; this has reduced fuel consumption by around 40%
- Natural gas is also becoming an interesting fuel due to its large ressources worldwide
- GTL, CTL and BTL are liquid fuels produced from solid or gaseous sources
 - GTL and CTL are not very CO₂ friendly, but easy to implement
 - Methanol and DME produced from biomass are among the most CO2reducing fuels
- FCV progress is heavily dependent on an infrastructure
- With an acceptable fast charging infrastructure at least 85% of the one-car families in Denmark could be potential EV customers
- Range improvements resulting from better batteries are expected to create a large increase in the number of EVs in Denmark between 2020 and 2030
- PHEV's will be an important step in the transition to future EV's
- The future transport will be driven by dramatic efficiency improvements in modes of transport based on fossil fuels. At the same time it is necessary to promote research and demonstration of new power train technologies which can be used beyond 2050
- The Danish ambitions for 2050 are exceptional and challenging



Thank you for your attention!