

**DTU Library** 

### Emerging risks from fires and explosions in solid biofuels - some evidence from Denmark

Hedlund, Frank Huess

Publication date: 2013

Link back to DTU Orbit

Citation (APA):

Hedlund, F. H. (Author). (2013). Emerging risks from fires and explosions in solid biofuels - some evidence from Denmark. 2D/3D (physical products)

#### General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.



### Key arguments of this presentation

- Trend: convert coal fired thermal power plants to solid biomass fuel to reduce carbon dioxide emissions (renewable energy source, CO<sub>2</sub> neutral)
- Solid biomass fuel (wood pellets) is not only greener and more expensive than coal, it is also more dangerous (fire, explosion)
- Not classified as a dangerous substance (probably should) not a "chemical hazard"

2 21 MAY 2013 SOLID BIOFUELS - AN EMERGING RISK?



### Wood pellet hazards

- > Biomass pellets give off dust in quantities that present a serious dust explosion hazard
- Compared to coal, the blast from the explosion is more severe and because pellets are sensitive to moisture they are handled in enclosures, which increase the dust explosion risk (both probability and severity).
- > They easily ignite, from friction or sparks, and may even self-ignite if moist.
- Smoldering fires are difficult to detect and embers may migrate in the conveyor systems and develop into massive storage fires that cause extensive damage.

3 21 MAY 2013 SOLID BIOFUELS - AN EMERGING RISK?

**COWI** 

#### An emerging risk issue (ERI)?

- > While wood dust accidents may have been grandfathered as tolerable risks, the intensification and complexities that come with the rapid scale-up and the handling of unprecedented quantities of solid biomass fuels call for increased attention.
- > The number of serious accidents indicate that biomass pellets represent an emerging risk for which proper control strategies have yet to be developed.

4 21 MAY 2013 SOLID BIOFUELS - AN EMERGING RISK?



### Hazards of wood pellets

Table 4.0 Results from testing dust from white pellets and bark pellets								
Test			White	Bark	Coal	Lycopodium		
Mode	Test Parameter (dust <63 μm)		Measure	Dust	Dust	Dust	Spores	Testing Standards
Dust cloud	Auto-ignition Temp (Godbert-Greenwald)	T <sub>c</sub>	°c	450	450	585	430	ASTM E1491
	Min Ignition Energy	MIE	mJoule <	17	17	110	17	ASTM E2019
	Max Explosion Pressure	P max	bar	8.1	8.4	7.3	7.4	ASTM E1226
	Max Explosion Pressure Rate	dP/dt max	bar/sec	537	595	426	511	ASTM E1226
	Deflagration Index	K St	bar.m/sec	146	162	124	139	ASTM E1226
	Min Explosible Concentration	MEC	g/m³	70	70	65	30	ASTM E1515
	Limiting Oxygen Concentration	LOC	%	10.5	10.5	12.5	14	ASTM E1515 mod
Dust Layer	Hot Surface Ignition Temp (5 mm)	Ts	°C	300	310			ASTM E2021
	Hot Surface Ignition Temp (19 mm)	T <sub>s</sub>	°C	260	250			ASTM E2021
								USBM (Bureau of
	Auto-ignition Temp	TL	°C	225	215			Mines) RI 5624
	Dust Class (>0 to 200 bar.m/sec) Dust Class (Explosion Severity (ES > 0.5)				St 1	St 1	St 1	ASTM E1226
					Class II			OSHA CPL 03-00-06

5 | 21 MAY 2013 SOLID BIOFUELS - AN EMERGING RISK? **COWI** 

Source: Melin S (2012) Determination of Explosibility of Dust Layers in Pellet Manufacturing Plants. *Wood Pellets Association of Canada* 

### Ambition in Denmark – the global leader

- > In 2012, the minister for climate change, Martin Lidegaard, hailed the "broadest, greenest, and most long-term energy agreement that has ever been reached in Denmark". The audacious plan would elevate Denmark as "the global leader in the transition to green energy".
- > The ambition is to have 50% of electricity consumption supplied by wind power, and to have more than 35% of final energy consumption supplied from renewable energy sources

6 21 MAY 2013 SOLID BIOFUELS - AN EMERGING RISK?




## Substitution of coal for solid biomass fuel in thermal power plants - costs

- > A socio-economic analysis estimates a benefit cost ratio of 0.4, i.e. that benefits amount to only 0.40 cent for each Euro spent
- > The net present value for the entire conversion is estimated at minus 5.4 million Euros per MW converted effect
- > Total negative net present value of 15.5 billion Euros for the anticipated Danish biomass conversion
- For scale and magnitude, this figure corresponds to about 12 percent of Denmark's 2012 gross national product.

7 21 MAY 2013 SOLID BIOFUELS - AN EMERGING RISK?

**COWI** 


### Global production, wood pellets




8 21 MAY 2013 SOLID BIOFUELS - AN EMERGING RISK? COWI


Source: Verhoest C, Ruckmanns Y (2012) Industrial wood pellets report 2012. Laborelec








































# Dust, primary explosion makes dust airborne, powerful secondary explosion





19 21 MAY 2013 SOLID BIOFUELS - AN EMERGING RISK?

**COWI** 

## Explosion - Imperial Sugar Company, USA, 2008, with 14 killed and 36 injured




CSB, USA

- (sugar is not a dangerous substance)
- > There have been two deadly sawmill explosion in Canada this year alone. One of the explosions was powerful enough to blow debris 400 metres away from the sawmill, and shake buildings and rattle windows several kilometres away (Vancouver Sun 2012)
- > (wood dust is not a dangerous substance)

**COWI** 

20 21 MAY 2013 SOLID BIOFUELS - AN EMERGING RISK?







### Foreign bodies end up in hammer mill, pelletizer

- inherent generation of friction, sparks
- > routinely, fires, explosions in hammer mills , pelletizers
- In case of fire, how to handle and what to do with contents (dust) ?


22 SOLID BIOFUELS - AN EMERGING RISK?
















February 2012, Tilbury Power Station (UK), fire in 4,000 tons wood pellets, 3½ months of repairs

27 SOLID BIOFUELS - AN EMERGING RISK?

**COWI** 

#### Structural issues

- > Wood dust is not classified as a dangerous substance
- > Accident investigations are kept internal and lessons learnt are not shared widely. This is a familiar and age old problem across industries and there are no indications that this will change without regulatory intervention
- While wood dust accidents may have been grandfathered as tolerable risks, the intensification and complexities that come with the rapid scale-up and the handling of unprecedented quantities of solid biomass fuels call for increased attention

28 SOLID BIOFUELS - AN EMERGING RISK?



### Emerging risk issues (ERIs)

- > The number of serious accidents indicates that biomass pellets represent an emerging risk issue (ERI) for which proper control strategies have yet to be developed.
- > Some evidence of media-shifting that the 'resolution' of a problem within the environmental domain creates a new problem in the workplace safety domain.
- > Seems that minimal consideration has been given to this in environmental LCA studies, or in the audacious (and costly) plan to elevate Denmark as "the global leader in the transition to green energy".

29 21 MAY 2013 SOLID BIOFUELS - AN EMERGING RISK?

**COWI** 

Thank you for your attention!

30 | 21 MAY 2013 SOLID BIOFUELS - AN EMERGING RISK?

