

LCA case studies: Textile and printed matter (paper)

Larsen, Henrik Fred

Publication date: 2011

Document Version Publisher's PDF, also known as Version of record

Link back to DTU Orbit

Citation (APA): Larsen, H. F. (Author). (2011). LCA case studies: Textile and printed matter (paper). Sound/Visual production (digital)

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

• Users may download and print one copy of any publication from the public portal for the purpose of private study or research.

- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.



EUROPEAN

COMMISSION



DTU

Community Research

SEVENTH FRAMEWORK

LCA case studies Textile and printed matter (paper)

RISKCYCLE

Henrik Fred Larsen QSA, DTU Management Engineering Technical University of Denmark, DTU

4th "RiskCycle" workshop

TERI, 13th October 2011, New Delhi, India

Sustainable Waste Management of additives in products: A global challenge



Outline

- What is LCA: characteristics, elements; goal and scope, inventory, life cycle impact assessment (LCIA)
- LCA impact profile on printed matter

European Commission

- Significant contributing chemical emissions
- Data lack regarding additives, impurities etc.
- LCA impact profile on textile (T-shirt)
 - Significant contributing chemical emissions
- Examples on potential "additives" in recycled paper and textiles: Hazardous substances found in the Danish printing industry and in textiles on the Danish marked



European Commission



The life cycle of printed matter





European Commission



The life cycle of printed matter



hfl@man.dtu.dk





System boundary



(Larsen et al. 2009)





What is Life Cycle Assessment, LCA?

Characteristic features of LCA:

- A decision supporting tool
- Focus on services typically represented by a product (the "functional unit") For example: 1 ton printed matter
- Comparative (relative statements). For example: Distribution of relative impacts from emissions and resource consumption during the life cycle
- Holistic perspective

European Commission

- life cycle from cradle to grave
- all relevant environmental impacts, e.g. Global warming, acidification, ecotoxicity......
- resource consumption (biotic and abiotic), e.g. Kaolin, Al, Ag, coal....
- Aggregation over time and space
 - life cycle is global
 - life cycle may span over decades or even centuries



European Commission





Goal and Scope definition

- defining goal: For example identify the distribution of potential impacts... defining scope: For example scoping the product system
- decisive for interpretation and use of results: For example identifying the importance of additives for the impact profile when recycling resources like paper
- Inventory analysis (LCI)
 - collecting in- and output data for all processes





System boundary



(Larsen et al. 2009)



Classification: "What does this emission contribute to?"

- Assignment of emissions to impact categories according to their potential effects
 - Global warming (e.g. CO₂, CH₄)
 - Acidification (e.g. NO₂, SO₃)
 - Ecotoxicity (e.g. phthalates, heavy metals)
 - Human toxicity (e.g. benzene, PAH's)
 -

Characterisation: "How much may it contribute?"

Quantification of contributions to the different impact categories by estimating impact potentials, IPs (e.g. multiplying the characterisation factors (CFs) for each chemical by the emitted amount (Q) per functional unit (fu)):

IP = Q*CF

Example (GWP):

Substance	Q (g/fu)	CF (g CO ₂ -eq/g)	IP (g CO ₂ -eq/fu)
Carbon dioxid (CO ₂)	250	1	250
Methane (CH ₄)	10	25	250
Total			500





Life cycle impact assessment (LCIA) and interpretation



Normalisation: "Is that much?"

European Commission

RESEARCH

Expression of the impact potentials relative to a reference situation (person-equivalence, PE), e.g. normalisation reference (NR) for GWP: 8,700 kg CO₂-eq/pers/year. The normalised impact potential (nIP):

nIP = IP/NR

Impact category	NR (kg CO ₂ -eq/pers/year)	IP/fu (kg CO ₂ -eq/fu)	nIP (mPE/fu)
Global warming (GWP)	8700	0,5	0,057

Valuation: "Is it important?"

Ranking, grouping or assignment of weights (weighting factors, WFs) to the different impact potentials (EDIP: political reduction targets), e.g. for global warming a targeted 10 years reduction of 20% => WF=1/(1-0.2) = 1.3. The weighted impact potential (wIP):

wIP = nIP*WF

Impact category	WF	nIP (mPE/fu)	wIP (mPET/fu)
Global warming (GWP)	1,3	0,057	0,074

Interpretation: "Where is the hotspots in the life cycle and for what reason?"
Is paper production a hotspot for printed matter life cycle? Due to energy consumption?





Case 1: Impact profile on printed matter





European Commission

- Emissions of ink residues (tetradecane) and cleaning agents (hexane, tetradecane) during the printing process and cleaning (35%)
- Emissions (dichlorobenzidine, chloroaniline, cuprous chloride) during pigment production (17-20%)
- Emissions of heavy metals and AOX (as dichloro benzene) during paper production (>3%)
- Emissions of fountain chemicals (i.e. isopropyl alcohol, IPA) during the printing process (6%)
- Emissions of biocides and hydroquinone from the repro- and plate making process (3%)



Known additives/impurities/production emissions that might play an important role for the paper/printed matter LCA impact profile but for which knowledge/data is lacking

European Commission

- Ink components (and their precursors) production: siccatives, antioxidants, pigments, dyes and more
- Water emissions from paper production: softeners (BPA), other phenolic compounds (NPE, APE), other surfactants (LAS), biocides (benzothiazoler, dibromocompounds), wood extractions (terpenoids, resin acids), fluorescent whitening agents and more
- Recycling of paper: Fate of paper chemicals (wet strength agents, biocides, dyes), ink chemicals (phthalates, hydrocarbons), glue chemicals and more
- Treatment of chemical waste: Fate of (hazardous) waste from printing (ink waste, used cleaning agents, used rinsing water etc.) and from recycling of paper (sludge from repulping)





Case 2: Impact profile on textile (T-shirt)



hfl@man.dtu.dk



Pesticide emissions from cotton cultivation (Fiber production)

European Commission

- Minor contribution from emissions of reactive dyes, like Reactive Black 5 (Dying)
- Emissions of softening agents, e.g. cationic tensides (Finishing)
- □ Washing agent emissions, e.g. LAS (Use stage)
- Case less comprehensive on chemical emissions than case 1 on printed matter





Comparison: Case 1 and case 2





Substances of very high concern (SVHC) appearing on the recently updated EU REACH Annex XIV candidate list and found in the Danish printing industry

Name	CAS No.	Annex XIV criteria	Use
Chromtrioxide	1333-82-0	Carc 1, mut 2	Chrome plating (gravure)
Trichloroethylene	79-01-6	Carc 2	Inks
Cobalt-siccatives *	(10124-43-3)	(Carc 2)	Inks (off-set, screen printing)
Acrylamide	79-06-1	Carc 2, mut 2	Unknown (impurity?)
Pigment Yellow 34 (lead-chromate)	1344-37-2	Rep 1	Inks (screen printing)
Pigment Red 104 (lead-chromate)	12656-85-8	Rep 1	Inks (screen printing)
2-Methoxy ethanol	109-86-4	Rep 2	Photochemistry
Di(2-ethylhexyl)phthalate, DEHP	117-81-7	Rep 2, EDS-list	Inks
Dibutylphthalate, DBT	84-74-2	Rep 2, EDS-list	Inks (screen printing, flexo)
Benzylbutylphthalate, BBT	85-68-7	Rep 2, EDS-list	Inks
Boric acid and borax	10043-35-3 and 1301-96-4	Rep 2	Photochemistry

* Possible content of soluble cobalt(II)salts. Cobalt(II)sulphate, cobalt dichloride, cobalt(II)rbonate, cobalt(II)dinitrate and cobalt(II)diacetate all appears on the recently updated REACH Annex XIV candidate list [25]. IARC classify all soluble cobalt(II)salts as possible carcinogenic, i.e. group 2B (http://monographs.iarc.fr/ENG/Monographs/vol86/mono86.pdf)

(Larsen 2011)



Substances meeting Annex XIV candidate list criteria and found in the Danish printing industry (not listed on the REACH Annex XIV candidate list but potential candidates that may be listed in the future)

Name	CAS No.	Annex XIV criteria	Use
Benzene	71-43-2	Carc 1, mut 2	Inks, cleaning agents
Epichlorohydrin	106-89-8	Carc 2	Unknown (impurity?)
2-Methylaziridine	75-55-8	Carc 2	Inks (flexo)
Aziridine	151-56-4	Carc 2, mut 2	Inks (flexo, screen printing)
Propylenoxide	75-56-9	Carc 2, mut 2	Inks, cleaning agents
2-Methoxy propylacetate	70657-70-4	Rep 2	Inks (screen printing)
Triethylene glycol dimethylether	112-49-2	Rep 2	Brakefluid
2-Methoxypropan-1-ol	1589-47-5	Rep 2	Unknown
Alkylphenolethoxylates	(25154-52-3)	EDS-list	Inks, cleaning agents
Chloroalkanes, C14-17	85535 -8 5-9	Possible PBT/vPvB-substance	Chain oil
Octamethylcyclotetrasiloxane (polydimethylsiloxane)	556-67-2 (9016-00-6)	Possible PBT/vPvB-substance	Inks
Bisphenol A	80-05-7	EDS-list	Inks, thermal paper
Resorcinol	108-46-3	EDSHist	Glue
Styrene	100-42-5	EDSHist	Inks, glue
Decamethyl-cyclopentasiloxane	541-02-6	Possible PBT/vPvB-substance	Inks
Stoddard solvent	8052-41-3	Carc 2	Unknown
Solventnaphtha (crude oil), hydrogen treated light naphthen-(benzene $\geq 0.1\%$)	92062-15-2	Carc 2	Cleaning agent

(Larsen 2011)



Substances found in textiles on the Danish market and assessed to pose a risk to consumer health and/or the aquatic environment (22 textiles analyzed)

	Name	CAS No.	Use
	2,6-Dichloro-4-nitroaniline	99-30-9	Impurity in dye/pigment
	2-Chloro-4-nitroaniline	121-87-9	Impurity in dye/pigment
Q	6-Methyl-3-nitroaniline	119-32-4	Impurity in dye/pigment
	p-Chloroaniline	106-47-8	Impurity in dye/pigment
Q	p-Nitroanilie	100-01-6	Impurity in dye/pigment
	Diphenylamine	122-39-4	Impurity in dye/pigment
	Acridine	260-94-6	Impurity in dye/pigment
	Nitrobenzene	98-95-3	Impurity in dye/pigment
	Toluene diisocyanate	584-84-9	Impurity in polyurethane
	DEHP	117-81-7	Softener/fixer
	Alkyl benzenes	95-63-6 and more	Carrier for use in textile dying, spinning oils and more
	Nicotine	54-11-5/65-30-5	Biocide/impurity in dye
	Tetrachloroethylene	127-18-4	Carrier for use in textile dying
	Nonylphenol ethoxylates	9016-45-9	Dispersing agent in dying/detergent in post treatment
	Chromium	7440-47-3	Impurity in or part of dye/pigment
	Zinc	7440-66-6	Catalyst in dying, post treatment: anti-curl agents
	Lead	7439-92-1	Impurity in or part of dye/pigment
	Cadmium	7440-43-9	Impurity in dye/pigment, PVC stabilizer

(Larsen et al. 2000)



Substances found in textiles on the Danish market and assessed to pose a risk to consumer health and/or the aquatic environment (22 textiles analyzed)

Chemical	Amount in textile (mg/kg)	% washed out in first wash at consumer
2,6-Dichloro-4-nitroaniline	2 - 9	< 0,5
2-Chloro-4-nitroaniline	0,5 - 3	< 0,5 - 16
6-Methyl-3-nitroaniline	7 - 64	15 - 41
p-Chloroaniline	4 - 18	4
p-Nitroanilie	1 - 110	< 1
Diphenylamine	36	62
Acridine	5	8
Nitrobenzene	2	< 0,4
Toluene diisocyanate	1 - 48	0,3 - < 1,6
DEHP	4 - 1000	0,02 - 80
Alkyl benzenes	70 - 110	<0,01 - <0,02
Nicotine	0,5 - 16	< 2 - 62
Tetrachloroethylene	55	0,03
Nonylphenol ethoxylates	>26 - >85	< 1 - 100
Chromium	0,5 - 250 (1140)	0,3 – 48 (2)
Zinc	2 - 910	11 - 100
Lead	0,3 - 90	0,3 - 100 (PVC; 1)
Cadmium	0,1 - 18	(60) (PVC; 2)

(Larsen et al. 2000)







References

- Larsen HF, Hansen MS, Hauschild M (2009). Life-cycle assessment of offset printed matter with EDIP97 – how important are emissions of chemicals? J Clean Prod 17, 115 – 128.
- Larsen HF (2004). Assessment of chemical emissions in life cycle impact assessmentfocus on low substance data availability and ecotoxicity effect indicators. Ph.D. Thesis, October 2004. Department of Manufacturing, Engineering and Management. Technical University of Denmark.
- Larsen, H.F., Hansen, M.S. and Hauschild, M. (2006). Ecolabelling of printed matter. Part II: Life cycle assessment of model sheet fed offset printed matter. Working Report No. 24. Danish Ministry of the Environment. Environmental Protection Agency. (peer reviewed). <u>http://www.mst.dk/udgiv/publications/2006/87-7052-173-5/pdf/87-7052-174-3.pdf</u>
- Larsen HF (2011). Case study on printed matter in Denmark. Chapter 9 in: Global Risk-Based Management of Chemical Additives, Volume I. Production, usage and environmental occurrence. Editors: Billitewski B, Darbra PM, Barcelo D. Submitted to Springer Verlag.
- Ginebreda A, Guillén D, Barceló D, Darbra R (2011). Additives in the Paper Industry. Chapter 2 in: Global Risk-Based Management of Chemical Additives, Volume I. Production, usage and environmental occurrence. Editors: Billitewski B, Darbra PM, Barcelo D. Submitted to Springer Verlag.
- Laursen SE, Hansen J, Knudsen HH, Wenzel H, Larsen HF, Kristensen FM (2007). EDIPTEX – Environmental assessment of textiles. Working Report No. 24. Danish Ministry of the Environment. Environmental Protection Agency.
- Larsen, H.F., Helweg, C., Pedersen, A.R., Boyd, H.B, Laursen, S.E., Hansen, J. (2000). Chemicals in textiles (in Danish with English summary). Environmental Project No. 534. Danish Ministry of the Environment. Environmental Protection Agency.
- Poulsen PB, Schmidt A, Nielsen KD (2001). Kortlægning af kemiske stoffer i tekstiler (Mapping of chemicals in textiles: in Danish with English summary). Kørtlægning af kemiske stoffer i forbrugerprodukter Nr. 113, 2011. Danish Ministry of the Environment. Environmental Protection Agency.



Thank you for your attention