



## Guiding Simulations and Experiments using Continuation

**Bureau, Emil; Schilder, Frank; Avrutin, Viktor; Starke, Jens; Santos, Ilmar; Thomsen, Jon Juel**

*Publication date:*  
2011

*Document Version*  
Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

*Citation (APA):*  
Bureau, E. (Author), Schilder, F. (Author), Avrutin, V. (Author), Starke, J. (Author), Santos, I. (Author), & Thomsen, J. J. (Author). (2011). Guiding Simulations and Experiments using Continuation. Sound/Visual production (digital)

---

### General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

# Guiding Simulations and Experiments using Continuation



**Emil Bureau**  
DTU Mech. Eng.



**Frank Schilder**  
DTU Mathematics




**Viktor Avrutin**  
IPVS Stuttgart



**Jens Starke**  
DTU Mathematics




**Ilmar Santos**  
DTU Mech. Eng.



**Jon Juel Thomsen**  
DTU Mech. Eng.

# Guiding Simulations and Experiments using Continuation



The image shows a screenshot of a web browser window. The address bar contains the URL <http://galileoandeinstein.physics.virginia.edu/lectures/tycho.htm>. The browser has several tabs, with the active one titled "Tycho Brahe and Johannes Kepler". The page content includes navigation links ([previous](#), [index](#), [next](#), [PDF](#)), a main heading "Tycho Brahe and Johannes Kepler", a note "(Condensed Version: see below for links to fuller version)", the author "Michael Fowler University of Virginia", a paragraph about their contributions to astronomy, and a section "What you should know:" followed by a detailed paragraph about Tycho Brahe's life and work.

[previous](#) [index](#) [next](#) [PDF](#)

## Tycho Brahe and Johannes Kepler

(Condensed Version: see below for links to fuller version)

*Michael Fowler University of Virginia*

These two colorful characters made crucial contributions to our understanding of the universe: Tycho's observations were accurate enough for Kepler to discover that the planets moved in elliptic orbits, and his other laws, which gave Newton the clues he needed to establish universal inverse-square gravitation.

*What you should know:*

**Tycho Brahe** (1546-1601), from a rich Danish noble family, was fascinated by astronomy, but disappointed with the accuracy of tables of planetary motion at the time. He decided to dedicate his life and considerable resources to recording planetary positions ten times more accurately than the best previous work. After some early successes, and in gratitude for having his life saved by Tycho's uncle, the king of Denmark gave Tycho tremendous resources: an island with many families on it, and money to build an observatory. (One estimate is that this was 10% of the gross national product at the time!) Tycho built vast instruments to set accurate sights on the stars, and used multiple clocks and timekeepers.

# Guiding Simulations and Experiments using Continuation




The screenshot shows the website for Rundetaarn. At the top left is a logo of a building. Below it, the text reads "RUNDETAARN.DK" followed by a series of links: "Billetbutik | Firmaarrangement | Omvisning | Presse | Nyhedsbrev | Kontakt | Links | FAQ | Language" with a small Danish flag icon. The main content area features a large photograph of the Rundetaarn building, a circular stone tower with a green dome, set against a blue sky with white clouds. To the right of the photograph is a vertical navigation menu with the following items: "RUND", "Efter", "Solkig", and "Lille M".





<http://www.imm.dtu.dk/~ht/>


# Guiding Simulations and Experiments using Continuation



# Guiding Simulations and Experiments using Continuation




# Guiding Simulations and Experiments using Continuation




$z_k$

$y_k(z_{k-1})$




# Guiding Simulations and Experiments using Continuation



$\mathbf{z}_k$

$\mathbf{y}_k(\mathbf{z}_{k-N})$

$N \gg 1$






# Guiding Simulations and Experiments using Continuation

**Sources of delay in dynamic sub-structuring:**


- **Computation time of time step of model**
- **Delayed actuation of physical experiment**

**This delay is usually sufficiently large to destabilise the combined system.**


# Guiding Simulations and Experiments using Continuation




$$\begin{array}{c} \xrightarrow{z_k} \\ y_k(z_{k-N}) \\ \xleftarrow{N \gg 1} \end{array}$$




# Guiding Simulations and Experiments using Continuation



# Guiding Simulations and Experiments using Continuation



# Guiding Simulations and Experiments using Continuation




# Vertically excited pendulum


## Set-up

feedback control for angle  $\theta$

reference signal  $\theta_{ref}$



## Continuation of rotations




Sieber and Krauskopf, *Nonlinear Dynamics*, 2008


Sieber, Krauskopf, Wagg, Neild and Gonzalez-Buelga, *JCND*, 2011

# Continuation in an energy harvester

continuation experiment by David Barton and Stephen Burrow




setup



nonlinear frequency response

[Barton & Burrow, ASME 2009 Proceedings]

# Guiding Simulations and Experiments using Continuation



**Test rig with impact oscillator.**



# Control based Continuation

Continuation rests upon the Implicit Function Theorem. Assume we are given an equation of the form

$$F(u, \mu) = 0, \quad F : X \times \mathbb{R}^m \rightarrow Y$$

and we know an initial solution. Then, a continuation algorithm will compute a covering of the solution manifold through the initial solution.

To apply continuation we need to construct a zero problem for our experiment.

# Control based Continuation

Fundamental idea: introduce feed back control that uses

$$\mathbf{0} \stackrel{!}{=} \mathbf{x}(t) - \mathbf{z}(t)$$

as a control target and apply Newton (like) method to solve the equation

$$\mathbf{x}_Q - \mathbf{z}_Q = \mathbf{0},$$

where  $\mathbf{x}_Q$  and  $\mathbf{z}_Q$  are discretisations of  $\mathbf{x}(t)$  and  $\mathbf{z}(t)$  .

# Control based Continuation

The control scheme must satisfy a number of conditions.

Notation:

- Experiments  $Y, Z_u$
- Measurements  $y(\mu, t), z(\mu, t, x(t))$
- Samples  $Y(\mu, N) = \{y_0, \dots, y_{N-1}\}, Z_u(\mu, N, x)$

# Control based Continuation

1. Consistent:

$$Y \equiv Z_0$$

[ Continuous? , Smooth? ]

# Control based Continuation

1. Consistent:

$$Y \equiv Z_0$$

2. Locally stabilising: any equilibrium state  $y$  of  $Y$  must become an asymptotically stable equilibrium state of  $Z_u$ . In other words, if a controlled experiment  $Z_u$  with control target

$$\mathbf{0} \stackrel{!}{=} \mathbf{y}(t) - \mathbf{z}(t)$$

is initialized close to an equilibrium state of  $Y$ , then the state  $z$  must converge to the state  $y$  over time.

# Control based Continuation

3. Non-invasive:  $\|u\| \leq \delta \|x - z\|, \quad x \in U_\varepsilon(y)$

Remember, the control target is  $\mathbf{0} \stackrel{!}{=} x(t) - z(t)$ , so any linear control scheme will typically be consistent and non-invasive.

In many applications a PD controller will be locally stabilising.

In our implementation we use Simulink's PID block, which is non-linear and time-dependent, but locally monotonic around 0.

# Control based Continuation

## Discretisation.

- **Fourier transformation**  $\Phi_Q : \mathbf{R}^N \rightarrow \mathbf{R}^{2Q+1}, \Phi_Q^{-1} : \mathbf{R}^{2Q+1} \rightarrow \mathbf{C}^\infty$
- **Target function**  $\mathbf{c} \in \mathbf{R}^{2Q+1}, \mathbf{x}(t) := \Phi_Q^{-1}(\mathbf{c})$
- **Control force**  $\mathbf{u}(t) := \mathbf{G}(\mathbf{x}(t)) := \mathbf{PD}(\mathbf{x}(t) - \mathbf{z}(t))$
- **Zero problem**  $F(\mathbf{c}, \mu) := \Phi_Q(\mathbf{Z}_u(\mu, N, \mathbf{G}(\Phi_Q^{-1}(\mathbf{c})))) - \mathbf{c}$



# Control based Continuation

Proof of concept.



$$\begin{aligned}\|\mathbf{u}\| &= \|\mathbf{PD}(\mathbf{x} - \mathbf{z})\| \\ &\leq \delta \|\mathbf{x} - \mathbf{z}\| \\ &\leq \delta \kappa \|\Phi_\infty(\mathbf{x}) - \Phi_\infty(\mathbf{z})\| \\ &\leq \delta \kappa (\|\mathbf{F}(\mathbf{c}, \mu)\| + \mathbf{R}_{Q+1})\end{aligned}$$



# Example: Impact Oscillator



# Example: Impact Oscillator







# Example: Duffing Oscillator

Simulations by  
Viktor.

Experimental  
results.



# Current and Future Work

## Matlab toolbox for:

- Guided simulations
- Guided experiments
- Equation free methods

## Techniques for:

- Measuring stability
- Detecting bifurcations
- Branch-switching etc.

# Current and Future Work

**Unstable solutions are useful!**

**Pyragas control:**  $\mathbf{0} \stackrel{!}{=} \mathbf{z}(t) - \mathbf{z}(t - T)$

**Sieber control:**  $\mathbf{0} \stackrel{!}{=} \mathbf{y}(t) - \mathbf{z}(t)$

**Very simple (low-tech) auto-adaptive control schemes.**

**Exploit, don't destroy natural dynamics!**