Origin of electrolyte dopant dependent sulfur poisoning of SOFC anodes

Zeng, Zhenhua; Björketun, Mårten; Ebbesen, Sune Dalgaard; Mogensen, Mogens Bjerg; Rossmeisl, Jan

Published in:
ABSTRACTS OF PAPERS OF THE AMERICAN CHEMICAL SOCIETY

Publication date:
2013

Document Version
Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

Citation (APA):
Zeng, Z., Björketun, M., Ebbesen, S. D., Mogensen, M. B., & Rossmeisl, J. (2013). Origin of electrolyte dopant dependent sulfur poisoning of SOFC anodes. *ABSTRACTS OF PAPERS OF THE AMERICAN CHEMICAL SOCIETY*, 246.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

126 - Origin of electrolyte-dopant dependent sulfur poisoning of SOFC anodes

ZhenHua Zeng^{1,2}, zhzheng@purdue.edu, Mårten E. Björketun², Sune Ebbesen³, Mogens B. Mogensen³, Jan Rossmeis³. (1) School of Chemical Engineering, Purdue University, West Lafayette, Indiana 47906, United States, (2) Department of Physics, Technical University of Denmark, Kgs. Lyngby, Denmark, (3) Department of Energy Conversion and Storage, Technical University of Denmark, Roskilde, Denmark

The mechanisms governing the sulfur poisoning of the triple phase boundary (TPB) of Ni-XSZ (X_2O_3 stabilized zirconia) anodes have been investigated using density functional theory. Calculated sulfur adsorption energies reveal a clear correlation between the size of the cation dopant X^{3+} and the sulfur tolerance of the Ni-XSZ anode; the smaller the ionic radius, the higher the sulfur tolerance. The mechanistic study shows that the size of X^{3+} strongly influences XSZ's surface energy, which in turn determines the adhesion of Ni to XSZ. The Ni-XSZ interaction has a direct impact on the Ni-S interaction and on the relative stability of reconstructed and pristine Ni(100) facets at the TPB. Together, these two effects control the sulfur adsorption on the Ni atoms at the TPB. The established relations explain experimentally observed dopant-dependent anode performances and provide a blueprint for future search for and preparation of highly sulfur tolerant anodes.

Figure 1 Sulfur adsorption energy on Ni-XSZ, relative to the corresponding value on a Ni(111) terrace, plotted versus the ionic radius of X^{3+} . HCP11 and Hollow14 are adsorption sites on reconstructed and pristine Ni(100) facets, respectively. The dotted line indicates the ionic radius of Zr^{4+} .

Reference

ZhenHua Zeng, Mårten E. Björketun, Sune Ebbesen, Mogens B. Mogensén and Jan Rossmeisl, *Phys. Chem. Chem. Phys.*, DOI:10.1039/C3CP51099A.