



## Microfluidic System for Long Term Culturing of Organotypic Brain Tissue

Bakmand, Tanya; Andersen, Karsten Brandt; Sasso, Luigi; Svendsen, Winnie Edith

*Published in:*

Proceedings of The Gordon Research Conference on the Physics and Chemistry of Microfluidics

*Publication date:*

2013

[Link back to DTU Orbit](#)

*Citation (APA):*

Bakmand, T., Andersen, K. B., Sasso, L., & Svendsen, W. E. (2013). Microfluidic System for Long Term Culturing of Organotypic Brain Tissue. In *Proceedings of The Gordon Research Conference on the Physics and Chemistry of Microfluidics*

---

### General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

# Microfluidic System for Long Term Culturing of Organotypic Brain Tissue

Tanya Bakmand\*, Karsten B. Andersen\*, Luigi Sasso\* and Winnie E. Svendsen\*

\*Technical University of Denmark (DTU), Department of Micro- and Nanotechnology (Nanotech), Nano Bio Integrated Systems (NBIS) group

Research in neurodegenerative diseases often utilises explanted organotypic brain tissue for experiments on the effect of various drugs and chemicals. The most widely used method for culturing brain tissue over longer time periods is the membrane interface method [1], which utilises a well plate systems situated inside a standard incubator.

In this work an open microfluidic system for long term culturing of organotypic brain tissue has been developed. The system mimics the in vivo environment of brain tissue by utilising a flow of growth medium underneath a culturing membrane to ensure an adequate supply of nutrients as well as proper waste disposal. The appropriability of the system has been demonstrated by culturing of embryonic brain tissue over the course of three weeks.

In addition to the development of the microfluidic culturing system an integrated electrochemical sensor for real time monitoring of analytes is described.

[1] L. Stoppini, P.-A. Buchs and D. Muller. (1991). A simple method for organotypic cultures of nervous tissue. *Journal of Neuroscience Methods*. 37. pp. 173-182.