



Quantitative Risk Assessment of *Salmonella* spp. in fresh pork

Møller, Cleide Oliveira de Almeida; Nauta, Maarten; Schaffner, Don; Dalgaard, Paw; Christensen, Bjarke Bak; Hansen, Tina Beck

Publication date:
2013

Document Version
Early version, also known as pre-print

[Link back to DTU Orbit](#)

Citation (APA):
Møller, C. O. D. A., Nauta, M., Schaffner, D., Dalgaard, P., Christensen, B. B., & Hansen, T. B. (2013). *Quantitative Risk Assessment of Salmonella spp. in fresh pork*. Abstract from *Advances in Predictive Modeling and Quantitative Microbiological Risk Assessment of Foods*, Sao Paulo, Brazil.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Quantitative Risk Assessment of *Salmonella* spp. in fresh pork

Møller, C.O.A.^{*a}, Nauta M.J.^a, Schaffner D.W.^b, Dalgaard P.^c, Christensen B.B.^{a,1}, Hansen T.B.^a

* Presenter author

^a National Food Institute, Technical University of Denmark, Mørkhøj Bygade 19, DK-2860 Søborg, Denmark.

^b Department of Food Science, School of Environmental and Biological Science, Rutgers University, 65 Dudley Road, Food Science Building, Room 207, New Brunswick, NJ 08901-8520 USA.

^c National Food Institute, Technical University of Denmark, Søtofts Plads, Bygning 221, DK-2800 Kgs. Lyngby, Denmark.

¹ Present address: Faculty of Sciences, University of Copenhagen, Rolighedsvej 30, DK-1958 Frederiksberg C, Copenhagen, Denmark.

Correspondence

Cleide Oliveira de Almeida Møller, National Food Institute, Technical University of Denmark, Mørkhøj Bygade 19, DK-2860 Søborg, Denmark. Telephone: (+45) 35 88 75 39. E-mail: clemo@food.dtu.dk

Summary

1. Introduction and objective: Catering is an important segment of the food industry, as an estimated 70 % of worldwide foodborne illness is linked to food prepared at food service establishments. The aim of this study was to develop a risk model to provide more accurate estimates of salmonellosis by combining observational studies with models developed specifically to pork processing.

2. Methodology: A risk assessment was conducted to assess health risks associated with *Salmonella* spp. by consumption of the Danish meatballs (frikadeller), made with fresh pork, produced in a catering unit. Meatball production and consumption were described as a series of processes (modules), from 1.3 kg meat pieces to 70 g meatballs, followed by a dose response model to assess the risk of illness from consumption of these meatballs using the modular process

risk model approach. Changes in bacterial prevalence, concentration, and unit size were modelled within each module. Fourteen production scenarios were evaluated with the model, to test the impact of heat treatment and cooling rate.

3. Results: The risk estimates revealed that a process comprising heat treatment of meatballs to core temperatures higher than 71°C, and subsequent holding at room temperatures lower than 25°C, for no longer than 3.5 h prior to refrigeration at temperatures of 6°C or lower, were very effective in *Salmonella* control.

4. Conclusion: Survival and growth of *Salmonella* during cooling had significant impact on the risk estimates, and therefore cooling should be considered as an additional critical step to heat treatment during meatball processing.

Keywords: ground meat, *Salmonella*, QMRA, pork, catering

Acknowledgments

This research was financially supported by the Technical University of Denmark through the FoodDTU programme.