



## The Simulation of Wind Farm Wakes with Mesoscale Models

Volker, Patrick; Badger, Jake; Hahmann, Andrea N.; Badger, Merete; Hasager, Charlotte Bay

*Publication date:*  
2015

*Document Version*  
Peer reviewed version

[Link back to DTU Orbit](#)

*Citation (APA):*

Volker, P., Badger, J., Hahmann, A. N., Badger, M., & Hasager, C. B. (2015). *The Simulation of Wind Farm Wakes with Mesoscale Models*. Abstract from Windfarms 2015: Large Windpower Plants: Interaction, Control and Integration, Leuven, Belgium.

---

### General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

## The Simulation of Wind Farm Wakes with Mesoscale Models

P.J.H. VOLKER,<sup>1</sup> J. BAGDER,<sup>1</sup> A. N. HAHMANN<sup>1</sup>, M. BADGER<sup>1</sup> AND C. B. HASAGER<sup>1</sup>

<sup>1</sup> Wind Energy Department, Technical University of Denmark, Risø Campus  
Frederiksborgvej 399, 4000 Roskilde, Denmark

*Key words:* Wind farm paramtrisation, Mesoscale Model, Satellite images

With an increasing density of large wind farms in the North-Sea area, a better understanding of the interaction between individual wind farms is required. Mesoscale models simulate the atmospheric flow over large areas, which can cover the whole North Sea. This makes them suitable to model wakes behind large wind farms and study the influence of the wind farms to the atmosphere. However, the grid-mesh of the model is in the order of kilometres. Processes smaller than the grid-size remain unresolved and have to be accounted for in paramtrisations. The effects of wind turbines to the flow is one example of an unresolved process.

The Weather Research and Forecast model [1] is released, from version 3.4 onwards, with a wind farm paramtrisation (WRF-WF) [2]. The WRF-WF parametrization applies a local drag force to the grid-cell averaged Reynold Averaged Navier-Stokes (RANS) equations. Additionally, it adds a source term to the model's Turbulence Kinetic Energy (TKE) equation. At DTU Wind Energy a different approach has been developed [3]. In the Explicit Wake Paramtrisation (EWP), we apply a grid-cell averaged drag force to the RANS equation, in which the volume averaged force accounts for the sub-grid scale turbine induced wake expansion. The additional TKE comes from the (vertical) shear (in mean horizontal velocity) production term of the Planetary Boundary Layer scheme, whereas the local turbine induced turbulence is on the grid-cell average neglected. The EWP approach has been implemented in the WRF model and compared to the WRF-WF paramtrisation. The differences in the TKE budget between the WRF-WF and the EWP scheme, as well as the impact on relevant variables in the boundary layer will be presented.

For the European Energy Research Alliance - Design Tool for Offshore Wind Farm Cluster (EERA-DTOC) project, the EWP approach has been compared to Synthetic Aperture Radar (SAR) images. In the SAR images a flow reduction of several tens of kilometres behind offshore wind farms in the North-Sea can be recognised. The images show, furthermore, how large scale dynamics influence the wake propagation. For the selected cases, the extensions of the wind farm wakes, as well as their shape could be captured with the mesoscale model with wind farm paramtrisation.

- [1] Skamarock, W., Klemp J., Dudhia J., Gill, D., Barker, D., Duda M., Huang X., Wang W., and Powers, J., A Description of the Advanced Research WRF Version 3. *NCAR Technical note*, 2008.
- [2] Fitch, A., Olson, J., Lundquist, J., Dudhia, J., Gupta, A., Michalakes J., and Barstad, I., Local and mesoscale impacts of wind farms as parameterized in a mesoscale NWP model. *Mon. Weather Rev.*, 140, 3017–3038, 2012.
- [3] Volker, P.J.H. "Wake Effects of Large Offshore Wind Farms - a study of the Mesoscale Atmosphere," DTU Wind Energy, 132 (2014).