



Introduction to Component A - international perspectives and main results

Mortensen, Niels Gylling

Publication date:
2010

Document Version
Peer reviewed version

[Link back to DTU Orbit](#)

Citation (APA):
Mortensen, N. G. (2010). *Introduction to Component A - international perspectives and main results*. Abstract from Final Workshop of Component A of the Sino-Danish Wind Energy Development (WED) Programme, China.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.


- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.



Introduction to Component A – international perspectives and main results

Niels G. Mortensen



Risø DTU
National Laboratory for Sustainable Energy



Mesoscale and microscale modelling in NE China

- Funded by the “Sino-Danish Wind Energy Development Programme – WED”
- Project focuses on Dongbei
- Project period 2008-2010


- Wind resource assessment in Dongbei
 - Measurements
 - Microscale modelling
 - Mesoscale modelling
 - Application

- Project emphasis
 - research and development
 - measurement practices
 - numerical wind atlas methodologies
 - verification and uncertainties
 - application aspects for wind energy planning and project preparation

Dongbei



Project A01 – Mesoscale modelling



Project A01 – Mesoscale modelling

Summary and achievements

- Numerical wind atlases have been calculated for Dongbei using Risø DTU's KAMM/WAsP and CMA's WERAS (WRF).
- Wind classification system developed for Dongbei
- Verification method used with KAMM/WAsP and WERAS
- Sensitivity and uncertainty assessed
- Comprehensive model-derived datasets created for users application

Main conclusions

- KAMM/WAsP mean absolute error evaluated to be 10%
- WERAS (WRF) requires modified verification method for optimal use
- Risø DTU's and CMA's method comparisons and the sensitivity analysis have given better understanding of important model parameters and meteorological conditions influencing wind resources.

Main recommendations

- Methods to pass WRF simulation results into WAsP need to be improved
- Research required to link sensitivity to model uncertainties
- Continue measurements at current sites for multi-year assessment

Project A02 – Measurements



Project A02 – Measurements

Summary


- Twelve 70-m meteorological stations are in operation
- Databases of measurements available for one full year (2009)
- Risø DTU and CMA instrumentations have been compared

Main conclusions

- Measurement uncertainty lower with P2546A setup
- Mast instrumentation training successful

Main recommendations

- Follow international standards for high-quality measurements
 - Top-mounted anemometer
 - Select boom directions carefully and mount anemometers on poles
 - Sensor quality and calibrations should refer to traceable wind tunnels
- Data acquisition memory redundancy to get >95% data recovery and continuous surveillance.



Project A03 – Microscale modelling

Summary


- Observational wind atlas for 12 sites in Dongbei has been established
- WAsP modelling has been verified by comparison to measurements
- Sensitivity analyses and uncertainty estimation has been studied

Main conclusions

- WAsP generally works well in Dongbei!
 - Default modelling parameters work well for most sites
 - Modelling can be improved slightly by a few model adaptations
 - Hilly and very steep sites with forest are less well modelled

Main recommendations

- Compare wind atlas to nearby long-term data
- Update observational wind atlas every year!



Project A04 – Applications

Summary

- Wind atlas databases available for planning and project development
- Wind atlas databases will be available from public web site at CMA
- Wind atlas useful for resource assessment and design of wind turbines
- 3 case studies using the Wind Atlas compared with observations

Main conclusions

- Bankability of wind farm projects requires on-site measurements

Recommendations

- Use sensitivity analyses for uncertainty assessment
- Additional uncertainties, such as inter-annual variations and large-scale wind farm effects, should be taken into account.
- Component A masts should remain operational as reference masts
- Update NWA every year with improved verification
- Courses in application of the wind atlas and correct use of database