



Water levels of lakes and Rivers observed from space

Nielsen, Karina; Villadsen, Heidi; Stenseng, Lars; Andersen, Ole Baltazar; Knudsen, Per

Published in:
Book of Abstracts. DTU's Sustain Conference 2015

Publication date:
2015

Document Version
Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

Citation (APA):
Nielsen, K., Villadsen, H., Stenseng, L., Andersen, O. B., & Knudsen, P. (2015). Water levels of lakes and Rivers observed from space. In *Book of Abstracts. DTU's Sustain Conference 2015* [S-11] Technical University of Denmark.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Water levels of lakes and Rivers observed from space

Karina Nielsen^{1*}, Heidi Villadsen¹, Lars Stenseng¹, Ole B. Andersen¹ and Per Knudsen¹

1: DTU Space

*Corresponding author email: karni@space.dtu.dk

Satellite radar altimetry has been used for more than 20 years to monitor the water level of the Earth's continental water resources. The launch of CryoSat-2 in 2010 has marked a new era in satellite radar altimetry. CryoSat-2 is the first satellite that carries a synthetic aperture radar (SAR) altimeter on-board. The SAR technology provides an along-track resolution of approximately 300 m. The higher resolution makes it possible to accurately monitor much smaller water bodies than previously. Here we demonstrate the potential of SAR altimetry to derive water levels of continental water bodies. We consider lakes at various sizes and evaluate the CryoSat-2 derived lake levels in terms of along-track precision and agreement with in-situ data. As a reference we compare our CryoSat based results with conventional altimetry such as Envisat. We find that the precision of the along-track mean water level is a few cm, even for lakes with a surface area of just 9 km². The high precision makes it possible to detect water level variation below the decimeter level. Some of the results is now available in a new open service AltWater (altwater.dtu.space/), where along-track water levels and water level time series can be obtained for a subset of globally distributed lakes.

The Work was partly funded by the FP7 project Land and Ocean take up from Sentinel-3 (LOTUS).