



The load-balanced multi-dimensional bin-packing problem

Trivella, Alessio; Pisinger, David

Published in:
Computers and Operations Research

Link to article, DOI:
[10.1016/j.cor.2016.04.020](https://doi.org/10.1016/j.cor.2016.04.020)

Publication date:
2016

Document Version
Peer reviewed version

[Link back to DTU Orbit](#)

Citation (APA):
Trivella, A., & Pisinger, D. (2016). The load-balanced multi-dimensional bin-packing problem. *Computers and Operations Research*, 74, 152-164. <https://doi.org/10.1016/j.cor.2016.04.020>

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

The load-balanced multi-dimensional bin-packing problem

Alessio Trivella^{a,*}, David Pisinger^a

^a*Department of Management Engineering, Technical University of Denmark,
Produktionstorvet, Building 426, DK-2800 Kgs. Lyngby, Denmark*

Abstract

The bin-packing problem is one of the most investigated and applicable combinatorial optimization problems. In this paper we consider its multi-dimensional version with the practical extension of load balancing, i.e. to find the packing requiring the minimum number of bins while ensuring that the average center of mass of the loaded bins falls as close as possible to an ideal point, for instance the center of the bin. We formally describe the problem using mixed-integer linear programming models, from the simple case where we want to optimally balance a set of items already assigned to a single bin, to the general balanced bin-packing problem. Given the difficulty for standard solvers to deal even with small size instances, a multi-level local search heuristic is presented. The algorithm takes advantage of the Fekete-Schepers representation of feasible packings in terms of particular classes of interval graphs, and iteratively improves the load balancing of a bin-packing solution using different search levels. The first level explores the space of transitive orientations of the complement graphs associated with the packing, the second modifies the structure itself of the interval graphs, the third exchanges items between bins repacking proper n-tuples of weakly balanced bins. Computational experiments show very promising results on a set of 3D bin-packing instances from the literature.

Keywords: multi-dimensional bin-packing, load balancing, MILP modeling,

*Corresponding author

Email addresses: `atri@dtu.dk` (Alessio Trivella), `dapi@dtu.dk` (David Pisinger)

1. Introduction

The bin-packing problem is one of the most investigated and applicable models in combinatorial optimization. The problem consists of packing objects of different sizes into a finite number of similar bins/containers, in a way that the number of used bins is minimized. The bin-packing problem can be seen as a special case of the cutting stock problem, in which each item has also a demand, i.e. it must appear a specific number of times in the bins. There exist practical applications of the bin-packing problem in a broad range of disciplines, such as transportation and logistics, computer science, engineering, economics and manufacturing. For the variety and importance of its applications, the bin-packing problem has been intensively studied and several interesting ideas for solving it have arisen during the years.

In some real-life situations, mostly related to the two- and three-dimensional cases, we are not only interested in determining a packing with fewest bins, but also obtaining well-balanced packings. Consider for example the problem of arranging items into an aircraft cargo area such that the center of mass, or *barycenter*, of the loaded plane falls as close as possible to an ideal point given by the aircraft's specifications. The position of the barycenter has an impact on the flight performance in terms of safety and efficiency, and even a minor displacement from the ideal barycenter can lead to a high increase of fuel consumption [1]. Similar considerations apply in the loading of trucks and container ships.

Packing and balancing a set of items represent two conflicting objectives and in this paper we will investigate how to integrate them into a single problem. The goal is to arrange the items in the smallest number of bins, while ensuring the best overall load balancing of the used bins.

1.1. Related Literature

In the following we present the essential literature along two main lines: the classical multi-dimensional bin-packing problem and variants based on load balancing.
30

The literature about multi-dimensional bin-packing is vast and a huge number of heuristic algorithms and dedicated exact procedures have been developed. Martello and Vigo [2] proposed the first exact method for the 2D bin-packing problem using a two-level Branch-and-Bound method. Using a similar procedure, Martello et al. [3] described an exact algorithm for the 3D case and
35 introduced the discrete set of *Corner Points* to reduce the search space.

Fekete and Schepers [4, 5] defined an implicit representation of multi-dimensional packings by means of interval graphs, built by checking whether the projections of items on the coordinate axes are pairwise overlapping. With such character-
40 ization the authors successfully developed a two-level search tree.

Several promising heuristics are based on a local search framework. Lodi et al. [6] proposed a unified tabu search, called *TSpack*, which can be used for solving many variants of any multi-dimensional bin-packing problem. Faroe et al. [7] presented the *Guided Local Search* method where memory guides the search to
45 promising regions of the solution space.

Crainic et al. [8] developed constructive heuristics based on an efficient way to place items into a bin, exploiting the free volume better than previous methods. This is done introducing the *Extreme Points*, which extend the concept of Corner Points. The same authors presented the *TS²pack* [9], a two-level tabu
50 search algorithm which, among others, makes use of the graph representation of Fekete and Schepers to verify the feasibility of a packing and developed *GASP* [10], a meta-heuristic framework for solving the multi-dimensional bin-packing which combines the simplicity of greedy algorithms with learning mechanisms. Other heuristic approaches for multi-dimensional bin-packing problems can be
55 found in Egeblad and Pisinger [11], Lodi et al. [12], Pisinger and Sigurd [13].

In recent years some authors started to examine different packing-related problems involving the load balancing of items. The literature is however still quite

scarce, perhaps due to the fact that considering the load balancing adds further complexity to the already \mathcal{NP} -hard packing problems.

60 Davies and Bischoff [14] and Junqueira et al. [15] considered load balancing in the 3D container loading problem. Paquay et al. [16] provided a formulation of 3D bin-packing deriving from an air cargo application which takes into account weight distribution constraints. Mongeau, Bes [1] and Kaluzny and Shaw [17] also focused on the optimal aircraft load balancing. In papers [1, 14, 15, 16, 17] 65 the target is balancing a single bin and specific physical constraints related to for example aircraft’s specifications are included in the models.

In some papers the load balancing is handled by imposing the center of mass to lie inside “stable” region. Baldi et al. [18] analyze a 3D knapsack problem with these kinds of balancing constraints, whereas de Queiroz and Miyazawa 70 [19] consider the 2D strip packing.

Using the concept of a stable region for a bin-packing problem imposes some challenges. It may happen that no bin-packing solution using the smallest number of bins respects the balancing constraints, especially if the safe region is very restricted. On the other hand, large regions allow a feasible barycenter too 75 far away from an ideal point, and in industrial situations it translates into an increase of costs or fuel consumption. Even though a stable region is relatively easy to model, we will also investigate other ways of modeling the balance constraints.

Some authors model the load balancing with a multi-objective formulation 80 aimed to simultaneously minimize the number of used bins and the load imbalance of the bins, frequently solved using meta-heuristics. In particular, the 2D multi-objective bin-packing is solved by Fernández et al. [20] using a parallel memetic algorithm, and by Liu et al. [21] with evolutionary particle swarm optimization. Imai et al. [22] consider the load balancing and stability factors 85 for a shipping cargo with a particular cellular structure to place containers.

1.2. *Recalling the bin-packing problem*

The multi-dimensional bin-packing problem (MBP) can be formulated using a mixed-integer linear programming (MILP) model. Assume a set of n rectangular-shaped boxes indexed over $V = \{1, \dots, n\}$ is given in a D -dimensional space, $D \in \mathbb{N}$, and box i has sizes w_{id} for $d \in D$. Infinitely many bins are available, having identical sizes W_d . The goal is to orthogonally pack all boxes into the bins avoiding overlap and using as few bins as possible. Rotation of items is not allowed.

For each $i \in V$, $d \in D$, the variable $x_{id} \in \mathbb{R}$ represents the coordinate of the lower face of item i in direction d , while the lower face of the bins is assumed to have coordinate 0 in every direction. The integer variable a_i denotes the number of the bin containing item i . Then, for each couple of items $i, j \in V$ and $d \in D$, we introduce the binary variable $l_{ijd} = 1$ if and only if box i is located entirely lower than j in direction d . Let N denote the number of used bins, and lastly consider the binary variables $p_{ij} = 1$ if and only if $a_i < a_j$. Thus, we can write the following model:

$$\begin{aligned}
 \min \quad & N & (1) \\
 \text{s.t. :} \quad & \sum_{d \in D} (l_{ijd} + l_{jid}) + p_{ij} + p_{ji} \geq 1 & \forall i < j \in V & (2) \\
 & x_{id} - x_{jd} + W_d l_{ijd} \leq W_d - w_{id} & \forall i \neq j \in V, d \in D & (3) \\
 & x_{id} \leq W_d - w_{id} & \forall i \in V, d \in D & (4) \\
 & a_i - a_j + n p_{ij} \leq n - 1 & \forall i \neq j \in V & (5) \\
 & 1 \leq a_i \leq N & \forall i \in V & (6) \\
 \text{var :} \quad & a_j, N \in \mathbb{N}, \quad x_{id} \in \mathbb{R}^+, \quad l_{ijd}, p_{ij} \in \{0, 1\} & \forall i, j \in V, d \in D & (7)
 \end{aligned}$$

Constraints (2) ensure that a pair of items i, j in the same bin do not overlap, (3) translates the definition of l_{ijd} in a mathematical form, (4) ensures that the bin's boundaries are not exceeded and (5) forces two overlapping items to lie in different bins.

The model would remain correct with $D = 1$, but much simpler formulations

exist in such case and we will limit our discussion to $D \geq 2$. Having a D -dimensional formulation of the problem makes it easy for us to treat the two- and three-dimensional cases simultaneously. Practical applications of the problem for more than three dimensions are more hypothetical, but Garey et al. [23] showed that many scheduling problems can be formulated as multi-dimensional bin packing problems.

Notice that the model makes use of a large number of big-M constraints which will lose their effect when solving the LP-relaxation, and thus bounds from the LP-relaxation are generally far from the integer optimal solution value. Moreover, the model contains many symmetric solutions, for example taking any permutation of the bins a_i . Constraints (5) have similarities with the Miller-Tucker-Zemlin constraints for the Traveling Salesman Problem [24] and the a_i could be declared as real variables instead of integer but, because of the symmetry, without improving performance in a major way. For these reasons, even if we break some symmetries adding constraints as $a_i \leq i$, the model remains extremely difficult to solve in practice for standard MILP solvers, frequently failing even when dealing with instances constituting 30-35 items.

We have now all the elements to introduce the additional balancing requirement and describe the load-balanced multi-dimensional bin-packing problem. The remainder of the paper is structured as follows. In Section 2 we formulate a MILP model for the load-balanced multi-dimensional bin-packing problem. In Section 3 the exact theory is supported with the definition of a multi-level local search heuristic algorithm able to handle also large instances. Section 4 is dedicated to computational results and in Section 5 some conclusions are drawn.

2. Modeling the load-balanced multi-dimensional bin-packing problem

The load-balanced multi-dimensional bin-packing problem consists in packing parallelepiped objects into the smallest number of bins, in such a way that the center of mass of the loaded bins fall as close as possible to a desired location.

In other words, the sum of displacements from the desired barycenter location over the (smallest number of) used bins is minimized.

To the best of our knowledge, no MILP model for such problem has been defined in the literature, thus, we will treat it in details. The explanation simplifies if we first consider the restricted problem where a single bin has to be balanced, and then extend to the general case.

2.1. Balancing a single bin

Suppose you have already obtained a feasible solution of the MBP using an exact or heuristic method, and consider a single bin. We want to arrange a set of m given boxes $U = \{1, 2, \dots, m\}$ into the D -dimensional bin, so that the distance between the barycenter of the loaded bin and our ideal point inside the bin, for instance its geometrical center, is minimized. By assumption, the bin can accommodate all the items.

Assume that boxes are homogeneous and have densities ρ_i , $i \in U$. With ρ_i we can determine the mass m_i of box i by $m_i = \rho_i \cdot vol_i$, where $vol_i = \prod_{d \in D} w_{id}$ is the volume of box i . Equivalently, we could be given directly the masses m_i instead of densities.

Concepts from physics, like density, mass and volume, normally refer to three-dimensional objects, but will be abstractly used also in spaces of higher dimension.

Since box i is homogeneous and rectangular-shaped, its barycenter coincides with its geometric center that corresponds to $C_i = (x_{id} + w_{id}/2)_{d \in D}$, and the barycenter B of the whole loaded bin can be computed using the expression:

$$B = (B_d)_{d \in D} = \frac{\sum_{i \in U} m_i C_i}{\sum_{i \in U} m_i}$$

Then, the objective function $f(x) = f((x_{id})_{i,d})$ represents the distance of the barycenter B from its ideal location, denoted as $B^{opt} = (B_d^{opt})_{d \in D}$. The \mathcal{L}_1 -norm, or *rectangular norm*, i.e. the sum of the absolute values of the differences in the D components, is used to compute the distance:

$$f(x) = \|B^{opt} - B\|_1 = \sum_{d \in D} |B_d^{opt} - B_d|$$

The \mathcal{L}_1 -norm is chosen since it better allows to separately manage the displacements in each direction and because it can be easily linearized.

Sometimes it can be more important to balance in one coordinate than the others. For example, someone might consider more relevant to obtain a perfect balancing on the x and y axes of a 3D container without caring too much about the height of the barycenter, or vice versa. As a consequence, some weights $k_d \geq 0$ are incorporated into the definition of f in order to suit the individual needs to tune the balancing criteria, and a more general objective function looks like:

$$f(x) = \sum_{d \in D} k_d |B_d^{opt} - B_d|$$

As an example, when loading a truck, it could be reasonable to choose the center of the base of the container as the ideal barycenter, i.e. the point with coordinates $(\frac{1}{2} W_x, \frac{1}{2} W_y, 0)$. If we assume that a low barycenter is twice as important as balancing in x and y directions, then the objective function will look like $|\frac{1}{2} W_x - B_x| + |\frac{1}{2} W_y - B_y| + 2|B_z|$.

Coming back to the general case and substituting the components of B with their full expressions, we obtain:

$$f(x) = \sum_{d \in D} k_d \left| B_d^{opt} - \frac{1}{M_U} \left(\sum_{i \in U} m_i \left(x_{id} + \frac{w_{id}}{2} \right) \right) \right|$$

where $M_U = \sum_{i \in U} m_i$ is the total mass of boxes belonging to the set U .

The function f is not linear since it contains absolute values. A well-known trick to handle an absolute value in the objective function is to introduce two additional positive support variables indicating the positive and negative parts of the quantity inside the absolute value. In our case we define $r_d, s_d \geq 0$ for $d \in D$ satisfying:

$$r_d - s_d = B_d^{opt} - \frac{1}{M_U} \left(\sum_{i \in U} m_i \left(x_{id} + \frac{w_{id}}{2} \right) \right)$$

making it possible to rewrite the objective to:

$$f(x) = \sum_{d \in D} k_d (r_d + s_d)$$

Finally, reusing the set of variables l_{ijd} already introduced for the MBP and the blocks of constraints ensuring no overlap and no violation of the boundaries, the problem is formulated using the following linear model:

$$\min \sum_{d \in D} k_d (r_d + s_d) \quad (8)$$

$$\text{s.t. : } r_d - s_d = B_d^{opt} - \frac{1}{M_U} \left(\sum_{i \in U} m_i \left(x_{id} + \frac{w_{id}}{2} \right) \right) \quad \forall d \in D \quad (9)$$

$$\sum_{d \in D} (l_{ijd} + l_{jid}) \geq 1 \quad \forall i < j \in U \quad (10)$$

$$x_{id} - x_{jd} + W_d l_{ijd} \leq W_d - w_{id} \quad \forall i \neq j \in U, d \in D \quad (11)$$

$$x_{id} \leq W_d - w_{id} \quad \forall i \in U, d \in D \quad (12)$$

$$\text{var : } x_{id}, r_d, s_d \in \mathbb{R}^+ \quad l_{ijd} \in \{0, 1\} \quad \forall i, j \in U, d \in D \quad (13)$$

We will refer to (8-13) as the *multi-dimensional single load-balancing problem* (SLB).

130 The structure is similar to the general MBP and most of the constraints are essentially the same. Hence, again, the large use of conditional constraints and big-M coefficients makes it difficult to solve the model in practice using standard solvers.

Notice that, by assumption, we start with a set of items which can be packed
 135 into one container, hence feasible solutions do exist. However, this information is not present a priori in the model, and if the number of boxes is large (more than 25-30) with a high filling of the bin's volume, then it can be hard for the solver even to find a feasible solution. Moreover, even when a feasible solution is found quickly, the gap from the best lower bound can take a huge amount of
 140 time to be closed.

2.2. Packing and balancing

Moving forward to the general problem, we can first assign items to the minimum number of bins by solving the MBP model, and next apply the SLB model to

rearrange items inside each used bin in order to optimally balance their load.

145 Unfortunately, this does not completely fulfill our task since the two models are not linked together and the packing and balancing phases are performed in an asynchronous manner. Indeed, the MBP has generally many different solutions and there may exist other assignments of items to the smallest number of bins which yield to an overall better balancing. In other words, the output of the
 150 packing phase can be a bad input for the balancing phase, and the solution we get after applying the two sequential phases is not guaranteed to be the optimal for our overall problem.

The task now is to combine the packing and balancing phases together and formulate an integrated MILP model.

155 2.2.1. The objective function

In the general case more bins are involved and the objective function will contain the sum of the displacements from the desired barycenter over all used bins. Let us denote by U_j the set of boxes inside bin j . Remember that for a single bin j the objective f_j is modeled as:

$$f_j(x) = \sum_{d \in D} k_d (r_{jd} + s_{jd})$$

where $r_{jd} + s_{jd}$ is the absolute value of the difference between the optimal location B_d^{opt} and the d^{th} coordinate B_{jd} of the barycenter of bin j , i.e.:

$$r_{jd} + s_{jd} = \begin{cases} \left| B_d^{opt} - \frac{1}{M_{U_j}} \left(\sum_{i \in U_j} m_i \left(x_{id} + \frac{w_{id}}{2} \right) \right) \right| & \text{if bin } j \text{ is used} \\ 0 & \text{otherwise} \end{cases}$$

We will see later how to correctly handle such variables in a linear framework.

The total displacement over all bins is then:

$$f(x) = \sum_{j=1}^n f_j(x) = \sum_{j=1}^n \sum_{d \in D} k_d (r_{jd} + s_{jd}) = \sum_{d \in D} k_d \sum_{j=1}^n (r_{jd} + s_{jd})$$

where the sum is calculated over $j = 1, \dots, n$ since the number of items n is an upper bound on the number of bins that will be used.

By definition of the problem, the main goal is still to minimize the number of bins, and a solution that uses $N + 1$ bins is considered worse than a solution that uses N , regardless of a better overall balancing of the first. Consequently, the objective function can be defined as:

$$f(x) = C N + \sum_{d \in D} k_d \sum_{j=1}^n (r_{jd} + s_{jd})$$

where C is chosen such that $C \geq \sum_{d \in D} k_d \sum_{j=1}^n (r_{jd} + s_{jd})$, i.e. the component associated with the number of bins is larger than any possible value of the balancing part of the objective. In this way the balancing will not be in conflict with finding a solution using fewest bins. A possible value of C is:

$$C = \frac{1}{2} n \sum_{d \in D} k_d W_d$$

This value can be refined in order to reduce the threshold value. For example, n can be replaced with any upper bound on the smallest number of bins.

2.2.2. New variables and constraints

The variables used in the MBP model are unchanged. Furthermore, we introduce the binary variables:

$$c_{ij} = \begin{cases} 1 & \text{if } a_i = j, \text{ i.e. item } i \text{ is in bin } j \\ 0 & \text{otherwise} \end{cases}$$

The implications $c_{ij} = 1 \implies a_i = j$ can be modeled with the following couples of constraints:

$$\begin{aligned} a_i - j &\leq n(1 - c_{ij}) & \forall i, j \in V \\ a_i - j &\geq n(c_{ij} - 1) & \forall i, j \in V \end{aligned}$$

To handle the reverse implication $a_i = j \implies c_{ij} = 1$, some additional support binary variables γ_{ij} and δ_{ij} must be introduced together with the constraints:

$$\begin{aligned} a_i - j &\leq -1 + (n + 1)(1 - \gamma_{ij}) & \forall i, j \in V \\ a_i - j &\geq 1 - (n + 1)(1 - \delta_{ij}) & \forall i, j \in V \\ c_{ij} + \gamma_{ij} + \delta_{ij} &= 1 & \forall i, j \in V \end{aligned}$$

Now, the variables c_{ij} are used to define the continuous variables α_{ijd} satisfying:

$$\alpha_{ijd} = \begin{cases} m_i (x_{id} + \frac{w_{id}}{2}) & \text{if } c_{ij} = 1 \\ 0 & \text{if } c_{ij} = 0 \end{cases}$$

The implication $c_{ij} = 1 \implies \alpha_{ijd} = m_i (x_{id} + \frac{w_{id}}{2})$ is ensured by imposing:

$$\begin{aligned} \alpha_{ijd} - m_i (x_{id} + \frac{w_{id}}{2}) + m_i W_d c_{ij} &\leq m_i W_d & \forall i, j \in V, d \in D \\ m_i (x_{id} + \frac{w_{id}}{2}) - \alpha_{ijd} + m_i W_d c_{ij} &\leq m_i W_d & \forall i, j \in V, d \in D \end{aligned}$$

and for $c_{ij} = 0 \implies \alpha_{ijd} = 0$ we add the inequalities:

$$0 \leq \alpha_{ijd} \leq c_{ij} W_d m_i \quad \forall i, j \in V, d \in D$$

As we did for α_{ijd} , we introduce the variables β_{ijd} such that:

$$\beta_{ijd} = \begin{cases} m_i (B_d^{opt} - r_{jd} + s_{jd}) & \text{if } c_{ij} = 1 \\ 0 & \text{if } c_{ij} = 0 \end{cases}$$

This can be modeled through the families of constraints:

$$\begin{aligned} \beta_{ijd} - m_i (B_d^{opt} - r_{jd} + s_{jd}) + m_i W_d c_{ij} &\leq m_i W_d & \forall i, j \in V, d \in D \\ m_i (B_d^{opt} - r_{jd} + s_{jd}) - \beta_{ijd} + m_i W_d c_{ij} &\leq m_i W_d & \forall i, j \in V, d \in D \\ 0 \leq \beta_{ijd} \leq c_{ij} W_d m_i & & \forall i, j \in V, d \in D \end{aligned}$$

Finally, the following important equality

$$\sum_{i \in V} \alpha_{ijd} = \sum_{i \in V} \beta_{ijd} \quad \forall j \in V, d \in D$$

represents the load balancing on axis d for bin j , stating that $r_{jd} + s_{jd}$ is the
160 absolute value of the difference between B_d^{opt} and the d^{th} coordinate of the
barycenter of bin j .

2.2.3. The final model

Summarizing the previous considerations, the resulting MILP model becomes

$$\min NC + \sum_{d \in D} k_d \sum_{j=1}^n (r_{jd} + s_{jd}) \quad (14)$$

$$\text{s.t. : } \sum_{d \in D} (l_{ijd} + l_{jid}) + p_{ij} + p_{ji} \geq 1 \quad \forall i < j \in V \quad (15)$$

$$x_{id} - x_{jd} + W_d l_{ijd} \leq W_d - w_{id} \quad \forall i \neq j \in V, d \in D \quad (16)$$

$$x_{id} \leq W_d - w_{id} \quad \forall i \in V, d \in D \quad (17)$$

$$a_i - a_j + n p_{ij} \leq n - 1 \quad \forall i \neq j \in V \quad (18)$$

$$1 \leq a_i \leq N \quad \forall i \in V \quad (19)$$

$$n(c_{ij} - 1) \leq a_i - j \leq n(1 - c_{ij}) \quad \forall i, j \in V \quad (20)$$

$$1 - (n + 1)(1 - \delta_{ij}) \leq a_i - j \leq -1 + (n + 1)(1 - \gamma_{ij}) \quad \forall i, j \in V \quad (21)$$

$$c_{ij} + \gamma_{ij} + \delta_{ij} = 1 \quad \forall i, j \in V \quad (22)$$

$$m_i W_d (c_{ij} - 1) \leq \alpha_{ijd} - m_i (x_{id} + w_{id}/2) \leq m_i W_d (1 - c_{ij}) \quad \forall i, j \in V, d \in D \quad (23)$$

$$m_i W_d (c_{ij} - 1) \leq \beta_{ijd} - m_i (B_d^{opt} - r_{jd} + s_{jd}) \leq m_i W_d (1 - c_{ij}) \quad \forall i, j \in V, d \in D \quad (24)$$

$$\alpha_{ijd} + \beta_{ijd} \leq 2 c_{ij} W_d m_i \quad \forall i, j \in V, d \in D \quad (25)$$

$$\sum_{i \in V} \alpha_{ijd} = \sum_{i \in V} \beta_{ijd} \quad \forall j \in V, d \in D \quad (26)$$

$$\text{var : } a_j, N \in \mathbb{N}, x_{id}, r_{jd}, s_{jd}, \alpha_{ijd}, \beta_{ijd} \in \mathbb{R}^+, l_{ijd}, p_{ij}, c_{ij}, \gamma_{ij}, \delta_{ij} \in \{0, 1\} \quad \forall i, j \in V, d \in D \quad (27)$$

In the following we refer to (14-27) as LB-MBP.

165 The number of variables and constraints is greatly increased, although remaining $\mathcal{O}(n^2)$. In practice, this model is extremely difficult to solve even for small instances with 20-25 items.

2.3. Comparison of the models. An example

To clarify the previous concepts, consider the 3D instance with 16 items de-
 170 scribed in Table 1. The instance is generated from class 6 as defined in [3]. Bins are cubes of side 10 and the optimal barycenter location is $(5, 5, 0)$. We set the weights in the objective $k_x = k_y = k_z = 1$ and densities $\rho_i = 1$ for every $i \in V$.

item	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
w_x	9	3	6	6	5	2	7	4	2	7	8	1	2	5	6	3
w_y	7	5	6	1	3	3	3	8	7	10	6	2	4	4	9	7
w_z	2	8	5	8	9	10	8	3	6	3	9	2	1	5	3	3

Table 1: 3D instance with 16 items generated from class 6 (see [3]).

Let us compare the solutions obtained with CPLEX using the two following
 175 approaches:

- *Sequential.* Items are packed into the smallest number of bins using MBP and, afterwards, each bin is balanced to optimality using SLB.
- *Integrated.* The general model LB-MBP for packing and balancing is applied.

180 Using the sequential approach, the sixteen objects are optimally arranged into three bins as indicated in Table 2. In the table, $f_j = \sum_{d \in \{x,y,z\}} k_d |B_d^{opt} - B_{jd}|$ refers to the displacement of the barycenter of bin j with respect to point $(5, 5, 0)$, while $f_d = k_d \sum_{j \in \{1,2,3\}} |B_d^{opt} - B_{jd}|$ refers to the sum, over all used bins, of the displacement in direction d .

185 The total displacement from the ideal barycenter is $\sum_{j \in \{1,2,3\}} f_j = \sum_{d \in \{x,y,z\}} f_d =$

12.713. This value is mainly given by the z^{th} coordinate, plus a small unbalance of the second bin in direction y .

bin	items	B_x	B_y	B_z	f_j	
1	{ 1 2 3 5 13 14 16 }	5.000	5.000	4.520	4.520	
2	{ 4 7 11 }	5.000	5.093	4.333	4.426	
3	{ 6 8 9 10 12 15 }	5.000	5.000	3.766	3.766	
		f_d	0.000	0.093	12.620	12.713

Table 2: Items allocation and barycenter with sequential packing and balancing phases.

The integrated model arranges boxes in a different manner inside the three bins with a resulting better load balancing. Table 3 shows the new total displacement
 190 from the ideal location which is now equal to 11.332, an improvement of more than 10%.

bin	items	B_x	B_y	B_z	f_j	
1	{ 1 8 10 12 15 16 }	5.000	5.000	3.716	3.716	
2	{ 2 3 5 14 }	5.000	5.000	3.341	3.341	
3	{ 4 6 7 9 11 13 }	5.000	5.000	4.265	4.265	
		f_d	0.000	0.000	11.332	11.332

Table 3: Items allocation and barycenter with integrated packing and balancing.

On the other hand, as expected, the computational time for the latter approach
 195 increases. Several minutes are needed to solve this 16-item example, compared to a few seconds for the entire sequential approach (GAMS and CPLEX 12.6.1 have been used for these experiments).

In general, very long running times occur even for small instance with only 20
 items or less, thus heuristic algorithms need to be developed. The sequential
 200 approach can be used as a heuristic, but this choice may also be too complex to be solved if the size of the problem grows. Indeed, neither the MBP is able

to solve bin-packing instances with more than a few dozens items, nor can the SBL manage situations where many items fall inside a single bin.

Many heuristics for obtaining the initial packing can be applied, e.g. the multi-
205 dimensional extension of the constructive Extreme Point-based heuristics of [8],
but the load balancing component is poorly explored in the literature and will
be the topic of the next chapter.

3. A multi-level local search heuristic for the LB-MBP

This section is concerned with the development of a heuristic algorithm for the
210 LB-MBP. The approach makes extensive use of the graph-theoretical character-
ization of a packing introduced by Fekete and Schepers [4], which allows us to
exploit nice algorithmic properties of particular families of graphs, and to deal
at the same time with classes of packings which share a certain combinatorial
structure.

215 Intuitively, considering a set of boxes inside a bin and a specific coordinate axis,
e.g. x , we can build a graph where:

- each node corresponds to a box
- an edge (u, v) is inserted in the graph if the projections of boxes u and v
on the x -axis overlap.

220 Figure 1 shows the construction of the interval graphs arising from a simple 2D
packing.

The graph characterization of packings and its advantages are formally recalled
in the following. For simplicity, notation will be slightly different.

3.1. The graph characterization of packings

Consider a set of n D -dimensional parallelepipeds V , the bin size $W = (W_d)_d$,
and define the *size function* w :

$$w : V \longrightarrow \mathbb{R}^{+D}, \quad v \longmapsto w(v) = (w_d(v))_d$$




Figure 1: Interval graphs G_x and G_y arising from a simple 2D packing.

where $w_d(v)$ represents the length of box v in direction d . Then, introduce a mapping $p : V \rightarrow \mathbb{R}_0^{+D}$ which associates each box to the coordinates of its corner closest to the origin $p(v) = (p_d(v))_d$. In this way each box position is uniquely identified. Moreover, for every $d \in D$ the function:

$$I_d : V \rightarrow \mathbb{R}_0^+ \times \mathbb{R}^+, \quad v \mapsto I_d(v) := [p_d(v), p_d(v) + w_d(v))$$

maps a box v onto its projection on coordinate d , which is an interval considered left-closed and right-open. At this point we can define a feasible packing of (V, w, W) as a function $p : V \rightarrow \mathbb{R}_0^{+D}$ satisfying the two conditions:

$$\begin{aligned} \forall v \in V, \forall d \in D : p_d(v) + w_d(v) &\leq W_d \\ \forall u, v \in V, u \neq v, \exists d \in D : I_d(u) \cap I_d(v) &= \emptyset \end{aligned}$$

It is easy to realize that the first condition means that no box exceeds the boundaries of the bin, while the second imposes that no pair of boxes overlaps. Now, looking at the projections of the n boxes onto the coordinate axes, each coordinate induces the undirected graph $G_d = (V, E_d)$ defined as:

$$(u, v) \in E_d \iff I_d(u) \cap I_d(v) \neq \emptyset$$

meaning that two items are adjacent in G_d if and only if their d^{th} projections overlap. The graphs G_d are called *interval graphs*, indeed, by construction, they

are built from the intersection of intervals on the real line. We know from the non-overlapping condition that an edge (u, v) cannot lie at the same time in G_d for all $d \in D$. Furthermore, for all G_d a stable set $S = \{v_1, \dots, v_k\}$, i.e. a set of pairwise nonadjacent nodes, fulfills:

$$\sum_{j=1}^k w_d(v_j) \leq W_d$$

225 meaning that boxes aligned on the axis d must have total length not greater than W_d . We call such a stable set d -feasible and sum up the previous observations with a theorem.

Theorem 1. *For any feasible packing, the induced graphs $G_d = (V, E_d)$, $d \in D$, have the following properties:*

P_1 : G_d is an interval graph

P_2 : Each stable set of G_d is d -feasible

P_3 : $\cap_d E_d = \emptyset$.

Fekete and Schepers showed that the reverse implication holds too and P_1, P_2, P_3 are sufficient to determine a feasible packing, but a few more concepts must be recalled first.

An undirected graph $G = (V, E)$ is said to be a *comparability graph*, or *transitively orientable graph*, if there exists an orientation Φ of E which fulfills:

$$(a, b) \in \Phi \wedge (b, c) \in \Phi \implies (a, c) \in \Phi$$

Such an orientation Φ is called a *transitive orientation* of E . Denoting $\overline{G}_d = (V, \overline{E}_d)$ the complement graph of $G_d = (V, E_d)$, we know that if G_d arises from a packing p , then \overline{G}_d will be a comparability graph. Indeed, an edge in \overline{G}_d corresponds to two boxes with non-overlapping d^{th} projection; hence we can easily construct a transitive orientation Φ_d of \overline{E}_d by defining:

$$(u, v) \in \Phi_d \iff (u, v) \in \overline{E}_d \wedge p_d(u) < p_d(v)$$

i.e. projections of boxes u and v on axis d do not overlap, and the coordinate of u is smaller than v . More generally, we deduce that the complement graph
 230 of any interval graph is a comparability graph. The reverse implication does not hold as there exist some graphs which are not interval graphs and whose complement is transitively orientable.

Finally, a family $E = (E_d)_d$ of edge sets for a vertex set V is called a *packing class* for (V, w, W) if it satisfies the three properties P_1, P_2, P_3 and, given the
 235 transitive orientations Φ_d of \overline{G}_d for $d \in D$, we call the set $\Phi = (\Phi_d)_d$ a *transitive orientation* of the packing class E .

We can now state a second important result showing that any transitive orientation Φ of E induces a packing p^Φ and provides a method to find it by construction.

Theorem 2. *For a transitive orientation Φ of a packing class E , the function $p^\Phi : V \rightarrow \mathbb{R}_0^{+D}$ defined as:*

$$p_d^\Phi(v) := \begin{cases} 0 & \text{if } \nexists u \in V : (u, v) \in \Phi_d \\ \max \{ p_d^\Phi(u) + w_d(u) \mid (u, v) \in \Phi_d \} & \text{otherwise} \end{cases}$$

240 *for $v \in V$ and $d \in D$, represents a feasible packing.*

Theorem 2 constitutes the reverse implication of Theorem 1 and motivates the graph characterization of packings. See [4] for a proof.

By construction, the packing p^Φ introduced in Theorem 2 is *lower gapless* in every direction $d \in D$, i.e. no item can be shifted to a position with lower coordinates in some direction. Formally, a packing p for (V, w, W) is said to be *lower gapless* in direction d if for all $v \in V$, either v has a zero lower d coordinate, $p_d(v) = 0$, or it touches in direction d another box before it:

$$\exists u \in V : p_d(v) = p_d(u) + w_d(u) \wedge \forall d' \neq d : I_{d'}(u) \cap I_{d'}(v) \neq \emptyset.$$

Analogously, we say a packing p for (V, w, W) to be *upper gapless* in direction d if for all $v \in V$, either v touches the upper wall of the bin, $p_d(v) + w_d(v) = W_d$,

or it touches in direction d another box after it:

$$\exists u \in V : p_d(v) + w_d(v) = p_d(u) \wedge \forall d' \neq d : I_{d'}(u) \cap I_{d'}(v) \neq \emptyset$$

and we can define the upper gapless packing q^Φ induced by a transitive orientation Φ by:

$$q_d^\Phi(v) := \begin{cases} W_d - w_d(v) & \text{if } \nexists u \in V : (v, u) \in \Phi_d \\ \min \{ q_d^\Phi(u) - w_d(v) \mid (v, u) \in \Phi_d \} & \text{otherwise.} \end{cases}$$

To simplify notation, p and q will denote the two lower and upper gapless packings induced by a transitive orientation Φ , and $p_d, q_d : V \rightarrow \mathbb{R}_0^+$ their components. The single components of p and q are defined mutually independent, thus having Φ we can generate packings which are mixed lower and upper gapless
 245 in the various directions, i.e. (p_{d_1}, q_{d_2}) , $d_1 \in D_1, d_2 \in D_2$, with $\{D_1, D_2\}$ a partition of D .

Introducing the gapless packings induced by a transitive orientation is important when handling the load-balancing, as will be illustrated in the next section.

3.2. Basic balancing operations

Going back to the load-balancing problem, assume a bin-packing solution is available and focus on a single bin. We want to rearrange items inside the bin in order to make the barycenter of the bin as close as possible to the ideal point B^{opt} . Given the packing p , it is possible to apply an *overturning* operation \bar{p} :

$$\bar{p} : V \rightarrow \mathbb{R}_0^{+D}, \quad v \mapsto \bar{p}(v) := W - p(v) - w(v)$$

250 representing the symmetric packing of p w.r.t. the D hyperplanes which halve the bin at $W_d/2$. Note that the feasibility of the solution is obviously preserved together with the gapless property (now upper instead of lower), and the operation can be restricted to a single direction $d \in D$, leaving the remaining coordinates unchanged. The same operation can be done with q , obtaining \bar{q} .

255 Consider now the packing class E associated with the bin and its transitive orientation Φ . We can reallocate the boxes using four induced gapless packings,

p, q, \bar{p}, \bar{q} . Moreover, again, we can create a packing with mixed components $p_d, q_d, \bar{p}_d, \bar{q}_d$ as they act independently in the definition of p, q, \bar{p}, \bar{q} . Thus, a transitive orientation Φ induces 4^D gapless packings, each of them with a different barycenter.

Let us focus on a single direction d and denote with $B_d^p, B_d^q, B_d^{\bar{p}}, B_d^{\bar{q}}$ the d^{th} coordinate of the barycenter obtained with $p_d, q_d, \bar{p}_d, \bar{q}_d$ respectively. We know that $B_d^p \leq B_d^q$ and $B_d^{\bar{q}} \leq B_d^{\bar{p}}$.

Two cases are possible:

1. $B_d^{opt} \notin [B_d^p, B_d^q] \cup [B_d^{\bar{q}}, B_d^{\bar{p}}]$
2. $B_d^{opt} \in [B_d^p, B_d^q] \cup [B_d^{\bar{q}}, B_d^{\bar{p}}]$

In the first case, as shown in Figure 2, the best we can do to balance the packing is simply choosing the point among $B_d^p, B_d^q, B_d^{\bar{p}}, B_d^{\bar{q}}$ closest to B_d^{opt} and the corresponding packing component.




Figure 2: d^{th} coordinate of the barycenter of the four gapless packings. In the example $B_d^{opt} \notin [B_d^p, B_d^q] \cup [B_d^{\bar{q}}, B_d^{\bar{p}}]$ and the packing component p_d is chosen.

In the second case, we will show that a packing with the optimal barycenter coordinate B_d^{opt} can be determined. Assume WLOG that $B_d^{opt} \in [B_d^p, B_d^q]$ and investigate in dept the relationship between p_d and q_d . Starting with p_d , we can take the box which has been last provided with its coordinates by p_d , and push it towards the upper wall of the bin until the item touches it. Then take the second to last box to be assigned coordinates, and push it towards the upper coordinates until it touches the wall of the bin or the previous box, and continue this way until all items have been considered. What we get at the end is a feasible packing, upper gapless in direction d , which coincides with q_d . In other words, it is possible to go from p_d to q_d (or from q_d to p_d) shifting items in direction d toward higher (or lower) coordinates and following a specific order. Each time we move a box the barycenter moves. Having $B_d^{opt} \in [B_d^p, B_d^q]$, there

must be one item, say v , whose shift makes the barycenter crossing the optimal d^{th} coordinate B_d^{opt} , i.e. it moves from B_d^1 to B_d^2 with $B_d^1 \leq B_d^{\text{opt}} \leq B_d^2$. Then, item v can be provided with a d^{th} coordinate such that the barycenter is exactly B_d^{opt} , simply using the proportion:

$$v \mapsto p_d(v) + (B_d^2 - B_d^1)^{-1} (q_d(v) - p_d(v)) (B_d^{\text{opt}} - B_d^1)$$

270 Notice that if $B_d^{\text{opt}} = \frac{1}{2} W_d$, then for symmetry reasons the overturning is redundant.

To summarize, given a packing class with a transitive orientation, we can make the barycenter closer to the ideal point by taking simple choices involving the gapless packings induced by the orientation and performing basic operations as
 275 moving iteratively boxes along one direction and overturning the packing. This is likely the best we can do right now with a specific transitive orientation, but we will soon manage to find more transitive orientations of a packing class.

3.3. Local search at transitive orientation level

The goal of this section is to find a transitive orientation of a packing class which leads, after performing the basic operations previously mentioned, to a well-balanced packing. First, it is useful to determine how many transitive orientations a comparability graph has and how to construct them. Terminology and results of graph theory are needed and in the following only a few important points will be mentioned. For an extensive background on the topic refer to Golumbic [25].

It can be proven that the edges of an undirected graph $G = (V, E)$ can be uniquely partitioned into substructures M_1, \dots, M_k , called *maximal multiplexes*, which act independently to transitive orientations. We say that $E = M_1 + \dots + M_k$ is the *M-decomposition* of the graph G .

To identify a maximal multiplex M_i , we first need to find a *maximal simplex* S_i , i.e. a complete subgraph with certain properties which can be built up by local search from a single edge, and then make it grow using a particular equivalent relation that forces adjacent edges to be part of the same structure.

A simplex S_i with $r+1$ vertices, or with *rank* r , has $(r+1)!$ transitive orientations induced by any linear ordering of its vertices. More formally, assume WLOG its vertices to be $0, 1, \dots, r_i$, consider any *position function*, i.e. a bijection $pos_i : \{0, 1, \dots, r_i\} \rightarrow \{0, 1, \dots, r_i\}$, and for all $u, v \in \{0, 1, \dots, r_i\}$, $u \neq v$, state that:

$$(u, v) \in \Phi \iff pos_i(u) < pos_i(v)$$

For instance, for each maximal simplex S_i we can choose the identity function on $\{0, 1, \dots, r_i\}$, so that edge $(r_i, r_j) \in \Phi$ if and only if $i < j$. Such orientation Φ is easily proven to be transitive. Now, we inductively extend the orientation of each maximal simplex S_i to its maximal multiplex M_i , making Φ a transitive orientation of the whole graph. A theorem in [25] ensures that a transitive orientation of a simplex uniquely extends to a transitive orientation of the multiplex generated from it (except when the multiplex itself is not transitively orientable). Conversely, a transitive orientation of a multiplex uniquely restricts to a transitive orientation of any simplex contained in it. Finally, denoting with $t(G)$ the number of transitive orientations of a graph G , we recall the following central result.

Theorem 3. *Let $G = (V, E)$ be an undirected graph, and consider its M -decomposition $E = M_1 + \dots + M_k$.*

- (i) *If Φ is a transitive orientation of G , then $\Phi \cap M_i$ is a transitive orientation of M_i*
- (ii) *If Φ_1, \dots, Φ_k are transitive orientations of M_1, \dots, M_k respectively, then $\Phi_1 + \dots + \Phi_k$ is a transitive orientation of G*
- (iii) $t(G) = t(M_1) \cdot t(M_2) \cdot \dots \cdot t(M_k)$
- (iv) *If G is a comparability graph and rank $M_i = r_i$, then $t(G) = \prod_{i=1}^k (r_i + 1)!$.*

We now have a procedure to determine all transitive orientations of a comparability graph. First decompose it into maximal simplices S_1, \dots, S_k and maximal multiplexes M_1, \dots, M_k . Any linear ordering of the vertices of a simplex S_i induces a transitive orientation Φ_i of S_i , which is then extended to a transitive

orientation to M_i . The union of the Φ_i over all maximal multiplexes constitutes a transitive orientation for the entire graph.

The next step is to move to the space of transitive orientations in order to find a well-balanced packing. The analysis can be done for each coordinate independently of the others, so we focus on a single $d \in D$.

Given two transitive orientations Φ, Ψ of \overline{G}_d , we evaluate them stating that Φ is preferable to Ψ if $f_d(\Phi) \leq f_d(\Psi)$, where $f_d(\Phi) = |B_d^{opt} - B_d(\Phi)|$ and $B_d(\Phi)$ is the best barycenter we can obtain from Φ performing the basic balancing operations (overturning, shifting items etc.) described in Section 3.2.

The number of transitive orientations of $\overline{G}_d = (V, \overline{E}_d)$ is a product of factorials, $t(\overline{G}_d) = \prod_{i=1}^k (r_i + 1)!$ where k is the number of maximal simplices and r_i is the rank of simplex i . If \overline{E}_d itself is a clique, then $t(\overline{G}_d)$ assumes its maximum possible value $t(G) = |V|!$. Such a number could potentially be huge. As a consequence, instead of evaluating all transitive orientations, we will only explore a polynomial subset of orientations.

In order to move from Φ to another transitive orientation Ψ which is “close” in some sense to Φ , we can modify the position function of one simplex, let’s say S_i , inverting the position of a pair of nodes $pos_i(u) \longleftrightarrow pos_i(v)$, as illustrated in Figure 3.




Figure 3: Swapping the position function of nodes 1 and 3 in a simplex of rank 4. The new orientation differs by the red edges.

This kind of swap can be performed for each pair of nodes of S_i , every time reorienting the simplex and extending the new orientation to its maximal mul-

tiplex M_i to have a transitive orientation of the whole graph (in the meanwhile, the other multiplexes with their orientation are left unchanged). If simplex S_i has rank r_i , then the number of couples of nodes is $r_i(r_i + 1)/2$, so we are considering a quadratic subset of the total factorial number of transitive orientations of simplex S_i .

3.3.1. Balancing using transitive orientations: the algorithm

The algorithm is designed as a hill-climber heuristic and is here outlined. The dimensions $d \in D$ are considered separately one by one. First, decompose \overline{G}_d into maximal simplices and maximal multiplexes. Take the first simplex and evaluate all the exchanges of vertice pairs w.r.t. the initial position function. Save the best barycenter solution and its relative position function, then move to the next simplex. The process is repeated until it has considered all simplices without having found any improving solution, or when a maximum number of iterations is reached. Finally, repeat the process for the other coordinates $d \in D$.

The algorithm is classified as a local search method since we move from one orientation Φ to a nearby one Ψ obtained by swapping the position of two vertices in a simplex. The neighborhood of Φ is defined as the set of transitive orientations generated from Φ by a swap in the position function of two nodes in the same simplex. In particular, since we create a sequence of improving solutions

$$f_d(\Phi_0) > f_d(\Phi_1) > \dots > f_d(\Phi_k)$$

the algorithm can be identified as a *hill-climbing* search. Moreover, we explore the whole quadratic neighborhood of a simplex S_i , pick up the best solution, and then go to S_{i+1} . Thus, the algorithm is a *best improvement* search. It could equally well have been defined as a *first improvement* search, indeed, in several local search methods a first improvement strategy drastically reduces the running time without degrading the solution quality. However, in our case the best improvement search performed slightly better than first improvement.

3.3.2. Balancing using transitive orientations: an example

To clarify the previous concepts, consider the 2D instance with 5 rectangles described in Table 4. The bin is a square with lengths 5 and the optimal barycenter is its geometric center $B_{opt} = (2.5, 2.5)$.

item	1	2	3	4	5
w_x	4	1	1	2	5
w_y	1	3	2	2	1
ρ	1	5	1	1	3

Table 4: 2D 5-item instance used to illustrate the load-balancing with transitive orientations.

340 Given a packed bin, we extract the two complementary graphs $\overline{G}_x, \overline{G}_y$ with the initial orientations Φ_x, Φ_y . After the basic balancing operations have been performed, we obtaining the barycenter of $B = (2.32, 2.97)$. The situation is shown in the top of Figure 4.

Examining \overline{G}_x , a new transitive orientation Ψ_x is found. Using Ψ_x we are able
 345 to determine a different packing whose barycenter has a x coordinate $B_x = 2.5$. The situation concerning the y direction has not changed, so the new location is $B = (2.5, 2.97)$.

Finally, take \overline{G}_y into account. The item located at the top of the packing is heavy compared to the others ($\rho = 3$) and we are able to find a new transitive
 350 orientation, Ψ_y , such that this item will have a new lower coordinate. Using Ψ_x and Ψ_y , the barycenter reaches $B = (2.5, 2.5)$, so the packing is perfectly balanced in both coordinates, and the algorithm stops.

To summarize, a local search-based algorithm has been developed. It is able
 355 to move among the transitive orientations of a packing class and looks for the most balanced packing. Since there can be a factorial number of transitive orientations, only a polynomial subset of them is explored.

3.4. Local search at graph level

It may happen that the set of transitive orientations of a graph is very limited and the local search described above is consequently weak. Hence, another level




Figure 4: Load balance of a two-dimensional bin. For each of the three steps (top, middle, bottom) the two complement graphs \bar{G}_x , \bar{G}_y , their transitive orientations and the packing resulting from the balancing operations of section 3.2 are shown. The red arrows indicate where the orientation has changed.

360 can be added on top of the algorithm, consisting in modifying the packing class itself. In the previous sections the packing class has never touched, we only “played” with its orientations.

Here again we look at the single bin, but we change the structure of the D graphs $G_d = (V, E_d)$ adding or removing edges, with the purpose of moving
 365 away from possible limited groups of packings sharing a similar combinatorial structure given by the packing class. The main idea is that whenever we obtain a new packing class, we perform the local search among transitive orientations. To do this, we have to deal with two main difficulties:

- How to modify a packing class in a clever way?

370

- How to verify that a new set of graphs still corresponds to a packing class?

To modify the packing class we follow the approach of Crainic et al. [9]. The authors proposed a neighborhood for a packing class, based on what they call *overlapping rules*, and use it in the inner heuristic of a two-level tabu-search for the 3D Bin-Packing Problem.

Basically, for each d and couple of items $u \neq v$ in the bin, either $(u, v) \in E_d$ if u and v overlap in direction d , or $(u, v) \notin E_d$ if they do not. In the first case, items can be made non-overlapping by removing edge (u, v) from E_d , whereas in the second case they are made overlapping by adding (u, v) to E_d , but avoiding the same edge being present in E_d for all $d \in D$.

In order to increase the probability for the new set of graphs to be a packing class, some heuristic rules are used when adding or removing an edge. In particular, when (u, v) is added to E_d , a new edge set E'_d is built following the so called *add rule*:

$$\begin{aligned} E'_d &= E_d \cup \{(u, v)\} \cup \{(u, s) : p_d(s) \leq p_d(v) \wedge p_d(s) + w_d(s) \geq p_d(v) + w_d(v)\} \\ &= E_d \cup \{(u, v)\} \cup \{(u, s) : I_d(v) \subseteq I_d(s)\} \end{aligned}$$

meaning that if u and v overlap, then u and s must overlap too for each s such that $I_d(v) \subseteq I_d(s)$. Similarly, if (u, v) is removed from E_d , then we construct a new edge set E'_d following the *remove rule*:

$$\begin{aligned} E'_d &= E_d \setminus \{(u, v)\} \cup \{(u, s) : p_d(s) \geq p_d(v) \wedge p_d(s) + w_d(s) \leq p_d(v) + w_d(v)\} \\ &= E_d \setminus \{(u, v)\} \cup \{(u, s) : I_d(v) \supseteq I_d(s)\} \end{aligned}$$

where edges (u, s) are also removed from E_d if $I_d(v) \supseteq I_d(s)$.

Once we have a new set of graphs G_d , we need to check if they correspond to a packing class, i.e. whether conditions P_1 , P_2 and P_3 are fulfilled. From graph theory we know that G is an interval graph if and only if G does not contain any C_4 chordless cycle, i.e. a chordless cycle with four nodes, and \overline{G} is

375

a comparability graph. Thus, from a computational point of view, the graphs $G_d = (V, E_d)$, $d \in D$ represent a packing class if:

1. $\forall d$, G_d does not contain any $C4$ chordless cycle
2. $\forall d$, there exists a transitive orientation of \overline{G}_d
- 380 3. $\forall d$, every stable set of G_d is d -feasible
4. $\cap_d E_d = \emptyset$.

Condition 1 is easy to check: for each $(r, s), (t, u) \in G_d$ with r, s, t, u different nodes, if the edges completing the $C4$ cycle $(r, t), (s, u)$ exist, then one of the two chords (r, u) or (s, t) must also exist. Condition 2 is checked using an algorithm
 385 which verifies whether \overline{G}_d is a comparability graph by building up one of its transitive orientations in $\mathcal{O}(\delta|\overline{E}_d|)$, where δ is the maximum degree of vertices of \overline{G}_d (see [25]). Condition 3 is equivalent to find the maximal weighted clique of the complement \overline{G}_d . In general, the *Maximal Weighted Clique Problem* is \mathcal{NP} -hard, but when restricted to comparability graphs it becomes tractable
 390 and polynomially solvable. Lastly, Condition 4 is trivial to verify.

The local search at graph level can be computationally expensive because every edge (u, v) has $2^D - 1$ valid overlapping rules to test. Consequently, to keep a low running time, when the number of vertices of the graph is high (> 18) this phase is skipped and the search is limited to transitive orientations.

395 3.5. Local search at bin-packing level

One last phase is added to the algorithm to remedy to possible bad initial bin-packing solutions. It can be seen as a diversification phase which consists in iteratively repacking and re-balancing proper n -tuples of weakly balanced bins. First, bins are considered one after another and each of them is repacked from
 400 scratch for a certain number of times using a constructive heuristic which includes some randomness (e.g. in the initial sorting of its items). Doing this we obtain different partial solutions to the bin-packing problem and, when a single bin is still used, we balance it and keep the new packing in case of a balancing improvement. This diversification phase has been introduced since the local

405 search in graphs alone may not be able to explore regions far from the initial packing class.

Secondly, similar operations are performed with n-tuples of bins, as described below:

1. Scores are assigned to bins reflecting the current imbalance or the possibility of balancing improvement. In particular, we defined two scores per 410 bin: $S_{1,i} = f_i^2$ and $S_{2,i} = 1 - V_i$, where f_i is the imbalance of bin i and V_i is the percentage of volume filling in bin i .
2. k bins are randomly chosen with the operation usually called *roulette wheel selection*, i.e. using probabilities proportional to the scores. In our 415 implementation, bin 1 out of k is chosen with score S_1 , and the remaining $k - 1$ bins with score S_2 .
3. The items in the k selected bins are merged and a randomized constructive heuristic is used to recombine them.
4. If k bins are still used in the new solution, each of them is balanced. 420 When the imbalance sum over the k repacked bins decreases, the new partial packing is saved and the scores updated.

Before adopting such methodology, we need to choose the number k of bins to repack.

We denote a k -neighborhood as the set of bin-packing solutions obtained by 425 repacking at least k bins (successfully, without increasing the number of used bins), i.e. solutions which differ in the packing of at most k bins with respect to the initial packing. Since the size of k -neighborhoods increases exponentially with k , we start considering couples ($k = 2$) as they are faster to explore. If no balancing improvements are made in a predetermined number of iterations, the 430 search is extended to triples ($k = 3$) and so on until a maximum level of k (e.g. $k = 8$) is explored without any improving solution.

We also allow the search to go back to prior levels. In particular, after level $k > 2$ is explored, we move back to level 2 if any improvement was made at level k , otherwise we proceed to next level $k + 1$.

435 This approach is called *variable-depth neighborhood search* (VDNS) as the size of the k -neighborhood is not fixed but dynamically adjusts itself during the search. See Ahuja et al. [26] or Pisinger and Ropke [27] for a detailed discussion on VDNS.

Note that the \mathcal{L}_1 -norm was necessary to build the MILP models in Chapter 2. For the heuristic algorithm any other measure of imbalance can be chosen
 440 instead, e.g. the *Euclidean norm*.

4. Computational results

The heuristic algorithm for the LB-MBP is now applied to several test cases. For the experiments we will focus on the three-dimensional problem, but everything
 445 discussed so far applies to any dimension.

4.1. Finding the initial 3D bin-packing solution

We make use of a variant of the *Extreme Point First Fit Decreasing heuristic* (EPFFD) [8], outlined here.

Boxes are initially sorted by non-increasing volume. Two consecutive boxes may have a similar volume but a very different shape, e.g tall with small base area vs. short and wide. If we swap their ordering and then apply an Extreme Point-based algorithm, the final packing will be different and, if we are lucky, we will save a bin. Thus, we start considering the “ideal” sorting by non-increasing volume and, for each couple of consecutive boxes, we exchange their ordering with a certain probability related to the ratio of their volume. The probability p_i of swapping box i and $i + 1$ is defined by:

$$p_i := \begin{cases} 5 \left(\frac{vol_{i+1}}{vol_i} - 0.9 \right) & \text{if } \frac{vol_{i+1}}{vol_i} > 0.9 \\ 0 & \text{if } \frac{vol_{i+1}}{vol_i} \leq 0.9 \end{cases}$$

Therefore, for each box i , we compute p_i , generate a random value $r \sim U(0, 1)$ and swap i with $i + 1$ if $r < p_i$. Labels are updated immediately after each swap so that a box may shift more positions. After this operation we run the

450 EPFFD. Finally, the process is repeated for a fixed number of iterations and
the best solution is saved.

We call this algorithm *GRASP-Based EPFFD*, or G-EPFFD, since the greedy
randomized initialization reminds us of the first part of the GRASP meta-
heuristic, although there is no succeeding search phase. Despite the simplicity
455 of the basic idea, G-EPFFD outperforms the *Composite Extreme Point Best Fit*
Decreasing heuristic (C-EPBFD) [8] and likely performs similarly to many of
the state-of-the-art meta-heuristics for the 3D bin-packing, while having run-
ning time under one second even for large instances. G-EPFFD will be used as
starting solution for the load balancing phase.

460 4.2. Repacking during VDNS

Concerning the recombination of k bins during the VDNS, the EPFFD is used
with the minor modification consisting in loading the ordered items (by non-
increasing volume) one after another into the first bin in which they fit, where
the k available bins are randomly permuted after each item insertion. In this
465 way the probability of repacking within k bins is kept high; at the same time
items are better redistributed among the bins avoiding situations where the first
bin contains all the very small items and is hence difficult to balance.

In principle, one is free to use any other packing heuristic for the recombination
phase. However, it is important to include some element of stochasticity and to
470 maintain the running time very low since the repacking is potentially computed
thousands of times during the VDNS.

4.3. Load Balancing

The multi-level local search algorithm is used to balance the initial bin-packing
solution obtained from G-EPFFD on a variety of test cases summarized in Tables
475 5 and 6.

The desired barycenter location is the center of the bin $B^{opt} = 0.5(W_x, W_y, W_z)$
in Table 5 and the center of the base of the bin $B^{opt} = 0.5(W_x, W_y, 0)$ in Table
6. Classes 1-8 are standard instances for the 3D Bin-Packing Problem from the

literature [3] tested with 100 and 200 items. Columns 3 and 4 contain the lower
480 bound on the number of bins and the G-EPFFD solution respectively. Each
class is then tested with three different density distributions of items:

1. same density for all items, $\rho_i = 1$
2. small density variance, $\rho_i \sim U(1, 2)$
3. high density variance, $\rho_i \sim U(1, 6)$

485 For every test case we measured how the balancing component of the objective
function (14) decreases when the different search levels are used, keeping the
weights $k_x = k_y = k_z = 1$. The first phase (Ph 1) represents the imbalance
value immediately after G-EPFFD is applied, the second phase (Ph 2) gives
the value after each bin is balanced, the last phase (Ph 3) indicates the final
490 imbalance value after VDNS is performed.

To allow a comparison between different test cases, entries of Tables 5 and 6 are
normalized so that they contain the mean imbalance value per individual bin,
and refer to bins of edge length 100. Moreover, all entries are averages over 25
instances.

495 The algorithm has been implemented in C and run on an Intel Core i5 with
8GB RAM. The average running time varies from a few seconds (Table 5, class
1-4) to a few minutes (Table 6, class 5).

When the optimal barycenter is the center of the bin (Table 5), a lower bound
500 for the balancing component is trivially zero, corresponding to zero imbalance
in every direction for all bins and hence leading to an easy interpretation of the
results.

After each bin is individually balanced (Ph 2), the objective value is greatly
improved and on average more than 90% of the total initial imbalance is removed
505 from the packing. The last balancing phase (Ph 3) has also a considerable effect,
bringing the objective value very close to zero in most of the cases and showing
once again the limits of the sequential packing and balancing approach (Ph 1 +
Ph 2) compared to a unified approach where the balancing potential of having

$B^{opt} = \text{center of the bin}$				Foo								
				$\rho_i = 1$			$\rho_i \sim U(1, 2)$			$\rho_i \sim U(1, 6)$		
<i>class</i>	<i>size</i>	LB	bins	Ph 1	Ph 2	Ph 3	Ph 1	Ph 2	Ph 3	Ph 1	Ph 2	Ph 3
1	100	24.12	25.64	16.48	0.91	0.011	17.03	0.68	0.054	19.22	2.26	0.201
2	100	24.64	26.12	16.19	0.85	0.011	16.69	0.68	0.042	19.01	2.28	0.198
3	100	24.48	26.08	16.34	0.87	0.006	16.78	0.66	0.030	19.16	2.21	0.245
4	100	57.44	60.60	31.74	0.58	0.011	30.64	0.29	0.030	30.91	0.93	0.090
5	100	13.60	14.60	15.83	0.92	0.003	15.87	0.71	0.068	17.65	2.70	0.425
6	100	18.20	20.08	9.83	1.45	0.190	10.30	1.70	0.396	13.49	4.54	1.210
7	100	11.12	12.36	16.89	1.19	0.012	16.53	0.79	0.050	18.37	3.11	0.559
8	100	15.52	17.08	15.66	0.78	0.008	15.34	0.64	0.056	17.35	2.63	0.501
1	200	48.84	51.16	15.05	0.79	0.007	15.74	0.82	0.032	18.36	2.57	0.208
2	200	48.48	50.80	14.81	0.77	0.006	15.57	0.85	0.044	18.24	2.58	0.217
3	200	49.24	51.24	14.91	0.77	0.005	15.68	0.83	0.036	18.29	2.65	0.262
4	200	117.8	122.2	31.91	0.53	0.004	30.66	0.29	0.012	30.91	0.96	0.034
5	200	25.60	27.36	12.47	0.75	0.011	13.06	0.89	0.147	14.90	3.23	0.801
6	200	35.84	38.24	6.74	1.30	0.241	8.17	2.19	0.523	12.09	5.44	1.505
7	200	20.36	22.40	12.72	1.26	0.057	12.95	1.15	0.329	14.89	3.99	1.567
8	200	29.40	32.04	12.75	0.70	0.016	12.79	0.98	0.183	14.66	3.33	0.921

Table 5: Multi-level local search heuristic for LB-MBP (3D case) when optimal barycenter is the center of the container

a large number of packing solutions with the same number of bins is exploited.

510 We notice that it is easier to arrange equally dense items in the bin space so that the barycenter falls close to the center of the bin. Such a task is more difficult when some very dense item is present and the balancing is consequently slightly worse.

When the optimal barycenter is the center of the base of the container (Table 515 6), zero is still an obvious lower bound but not tight enough to be somehow useful. The bin imbalance may be zero on the x and y directions, but it will always be strictly positive on z .

It is possible to construct a new lower bound by “liquifying” the items and

$B^{opt} = \text{center of the base}$				$\rho_i = 1$				$\rho_i \sim U(1, 2)$				$\rho_i \sim U(1, 6)$			
<i>cl.</i>	size	LB	bins	Ph 1	Ph 2	Ph 3	LLB	Ph 1	Ph 2	Ph 3	LLB	Ph 1	Ph 2	Ph 3	LLB
1	100	24.12	25.64	52.30	43.75	41.98	36.06	51.57	42.53	41.64	31.87	54.78	41.93	40.84	26.82
2	100	24.64	26.12	61.88	46.52	44.49	35.90	58.89	43.95	43.01	31.72	59.32	40.21	39.35	26.68
3	100	24.48	26.08	52.64	43.58	41.92	35.56	52.00	42.49	41.46	31.42	53.08	41.56	40.45	26.41
4	100	57.44	60.60	60.92	39.72	38.42	25.59	58.72	38.57	38.23	22.61	58.82	38.08	37.58	19.06
5	100	13.60	14.60	54.65	44.83	42.35	36.77	51.78	42.70	41.70	32.44	51.97	41.48	40.27	27.16
6	100	18.20	20.08	53.07	47.26	44.91	41.98	51.33	45.63	44.24	37.07	51.92	44.49	43.13	31.13
7	100	11.12	12.36	55.24	44.94	42.36	36.59	51.87	42.58	41.59	32.30	51.96	41.80	39.80	27.12
8	100	15.52	17.08	54.77	44.83	42.08	37.08	51.97	43.03	41.99	32.72	52.37	42.05	40.45	27.44
1	200	48.84	51.16	51.98	44.00	42.56	36.87	51.77	43.18	42.14	32.58	52.90	42.31	41.09	27.43
2	200	48.48	50.80	61.86	47.10	45.20	36.79	59.34	44.72	43.65	32.51	59.96	40.72	39.93	27.36
3	200	49.24	51.24	52.38	44.11	42.67	36.68	52.18	43.26	42.22	32.14	53.45	42.35	41.16	27.28
4	200	117.8	122.2	60.31	39.50	38.19	25.74	58.29	38.40	38.05	22.76	58.55	37.92	37.36	19.18
5	200	25.60	27.36	53.89	45.90	44.14	39.29	52.23	44.57	43.48	34.71	52.93	43.54	42.16	29.21
6	200	35.84	38.24	52.24	48.28	45.77	44.36	51.06	46.74	45.12	39.19	51.83	45.34	43.64	32.97
7	200	20.36	22.40	53.96	46.47	44.51	39.88	52.31	44.87	43.90	35.23	53.43	44.04	42.72	29.64
8	200	29.40	32.04	53.68	45.84	44.37	39.61	52.14	44.73	43.72	34.98	53.09	45.84	42.40	29.42

Table 6: Multi-level local search heuristic for LB-MBP (3D case) when optimal barycenter is the center of the base of the container

inserting them in the bins in a specific way. Assume the packing solution uses
520 k bins and that the n items are sorted by non-increasing density $\rho_1 \geq \rho_2 \geq \dots \geq \rho_n$. Take the first item and spread it on the bottom of all the k bins, creating k identical layers of thickness equal to $\frac{vol_i}{kW_x W_y}$. Then take the second item and spread it again in every bin, creating k new identical layers on top of the previous layers, and proceed this way until all items are considered. At
525 the end of the process each bin will contain the same configuration of n layers ordered by density, and its barycenter represents a lower bound on the average bin imbalance (see Appendix A for a formal proof). We call it the *Liquid Lower Bound* (LLB) and report it in Table 6.

The load balancing is again effective using the different search phases and the

530 imbalance decreases on average by 20% after Ph 2 and by additional 3-4% after
Ph 3. The gap from LLB remains quite high around 20-25%; however, given
the small gaps achieved in Table 5, we tend to believe that in Table 6 we are
also not far from the optimal balancing.

LLB is clearly not very tight for a general instance since we are introducing two
535 different kinds of *relaxations*: the 3D shape of items is liquefied and items are
splittable into more bins. We suspect it is possible to construct a tighter lower
bound by exploiting the unsplittable and 3D shape of items with combinatorial
logic. This task, together with providing bounds for the general case when the
desired barycenter is neither the center of the bin nor the center of its base, is
540 left to further research.

Finally, we notice that the balancing value is now slightly better when densities
vary a lot from each other. Indeed it is possible to locate heavy items at the
bottom of the bin, moving down the barycenter.

5. Conclusions

545 In this paper, we presented the load-balanced multi-dimensional bin-packing
problem, aimed at developing an integrated model of the multi-dimensional bin
packing with the load balancing of bins. The problem has only been considered
in the literature in simplified versions (e.g. balancing a single bin or introduc-
ing a feasible region for the barycenter) and is here treated in its natural full
550 formulation.

We developed a mathematical programming model able to optimally solve smaller
instances of the problem, and defined a multi-level local search heuristic able
to handle large instances. Main ingredients of the heuristic are the graph rep-
resentation of packings, the analysis of the transitive orientations of a graph,
555 the extreme point-based algorithms for the packing phases and the dynamical
recombination of n-tuples of weakly balanced bins.

Computational experiments were promising, showing that an effective load bal-
ancing can be obtained. Moreover, despite the intrinsic complexity of the algo-

rithm (many stages nested into each other), the running time of the heuristic
 560 is usually very low and rarely exceeds 3-5 minutes even for difficult or large
 instances with 200 items, making the algorithm applicable in a set of real-life
 logistic problems.

Acknowledgments

The authors would like to thank Prof. Marco Trubian and Dr. Fabio Colombo,
 565 University of Milan, for the useful suggestions provided to this work.

Appendix A. Liquid lower bound

In order to prove that LLB represents a lower bound, we show that the average
 barycenter of k containers filled with any different arrangement of liquefied items
 (not necessarily by layers) would be higher.

Let us call Ω_i , $i = 1, \dots, k$ the 3D volume occupied by container i , and dispose
 the liquefied items into the containers in a different way. Assume containers are
 stick together and remove the separating walls, obtaining one super bin which
 occupies a 3D volume $\Omega = \cup_i \Omega_i$. It is known from fluid dynamics that the state
 of lowest potential energy in this super bin corresponds to the horizontal density
 stratification where lightest fluids are on the top, as in LLB (see for instance
 [28]). A lower potential energy of the system implies a lower barycenter, being
 the potential energy $U = \int_{\Omega} \rho(x, y, z) g z d\Omega$ proportional to the z^{th} coordinate
 of the barycenter $S_z = \frac{1}{M} \int_{\Omega} \rho(x, y, z) z d\Omega$, with $M = \int_{\Omega} \rho(x, y, z) d\Omega$ total
 mass.

Notice that the z^{th} coordinate of the barycenter of the super bin, S_z , does not
 necessarily coincide with the average z^{th} coordinate of the barycenter of the k
 bins, B_z , as shown in the example of Figure 5. Let us analyze the relationship
 between these two values.

$$S_z = \frac{1}{M} \int_{\Omega} \rho(x, y, z) z d\Omega = \frac{\int_{\Omega} \rho(x, y, z) z d\Omega}{\int_{\Omega} \rho(x, y, z) d\Omega} = \frac{\sum_{i=1}^k \int_{\Omega_i} \rho(x, y, z) z d\Omega}{\sum_{i=1}^k \int_{\Omega_i} \rho(x, y, z) d\Omega}$$

while:

$$B_z = \frac{1}{k} \sum_{i=1}^k B_{iz} = \frac{1}{k} \sum_{i=1}^k \frac{\int_{\Omega_i} \rho(x, y, z) z d\Omega}{\int_{\Omega_i} \rho(x, y, z) d\Omega}.$$

We know that the barycenter of the super bin using a different density distribution ρ' is higher, $S_z < S'_z$, and want to show that the average barycenter of the k bins is consequently higher too, $B_z < B'_z$, i.e.:

$$S_z = \frac{\sum_{i=1}^k a_i}{\sum_{i=1}^k b_i} < \frac{\sum_{i=1}^k c_i}{\sum_{i=1}^k d_i} = S'_z \implies B_z = \frac{1}{k} \sum_{i=1}^k \frac{a_i}{b_i} < \frac{1}{k} \sum_{i=1}^k \frac{c_i}{d_i} = B'_z$$

where $a_i = \int_{\Omega_i} \rho(x, y, z) z d\Omega$, $b_i = \int_{\Omega_i} \rho(x, y, z) d\Omega$, $c_i = \int_{\Omega_i} \rho'(x, y, z) z d\Omega$ and $d_i = \int_{\Omega_i} \rho'(x, y, z) d\Omega$. All values are strictly positive.




Figure 5: Five liquefied items arranged in equal layers sorted by density (left) and in a different configuration (center). The density and volume of items is indicated in the right side as well as the barycenter of individual bins B_{1z} , B_{2z} , their average B_z and the barycenter of the super bin S_z .

Having in each bin the same configuration of layers, in the density stratified solution $a_i = a$ for all i and $B_z = S_z$. Moreover, the total mass is preserved, i.e. $\sum_{i=1}^k b_i = \sum_{i=1}^k d_i$. The problem reduces to proving that:

$$a < \frac{1}{k} \sum_{i=1}^k c_i \implies \frac{ka}{\sum_{i=1}^k d_i} < \frac{1}{k} \sum_{i=1}^k \frac{c_i}{d_i}.$$

Set $c_i = a + t_i$, then $\sum_{i=1}^k t_i > 0$ and:

$$\frac{1}{k} \sum_{i=1}^k \frac{c_i}{d_i} = \frac{1}{k} \sum_{i=1}^k \frac{a + t_i}{d_i} = \frac{1}{k} \sum_{i=1}^k \frac{a}{d_i} + \frac{1}{k} \sum_{i=1}^k \frac{t_i}{d_i} > \frac{1}{k} \sum_{i=1}^k \frac{a}{d_i} = \frac{a}{k} \sum_{i=1}^k \frac{1}{d_i}.$$

Finally, the relation

$$\frac{1}{k} \sum_{i=1}^k \frac{1}{d_i} \geq \frac{k}{\sum_{i=1}^k d_i}$$

holds as direct consequence of the *inequality of arithmetic and geometric means*.

This inequality states that given a list of k nonnegative real numbers r_1, r_2, \dots, r_k , the arithmetic mean of the list is always greater or equal than the geometric mean, i.e.:

$$\frac{1}{k} \sum_{i=1}^k r_i \geq \left(\prod_{i=1}^k r_i \right)^{1/k}.$$

Substituting $r_i = 1/d_i$ and applying the inequality of arithmetic and geometric means twice, we obtain:

$$\frac{1}{k} \sum_{i=1}^k \frac{1}{d_i} \geq \left(\prod_{i=1}^k \frac{1}{d_i} \right)^{1/k} = \frac{1}{\left(\prod_{i=1}^k d_i \right)^{1/k}} \geq \frac{1}{\frac{1}{k} \sum_{i=1}^k d_i} = \frac{k}{\sum_{i=1}^k d_i}.$$

In conclusion, for any start configuration, it is possible to move to the LLB
 570 solution by decreasing the average barycenter of the k bins. The LLB value
 is therefore the lowest possible and a valid lower bound for our optimization
 problem. \square

References

- [1] M. Mongeau, C. Bes, Optimization of aircraft container loading, IEEE
 575 Transactions on Aerospace and Electronic Systems 39 (1) (2003) 140–150.
- [2] S. Martello, D. Vigo, Exact solution of the two-dimensional finite bin pack-
 ing problem, Management Science 44 (3) (1998) 388–399.
- [3] S. Martello, D. Pisinger, D. Vigo, The three-dimensional bin packing prob-
 lem, Operations Research 48 (2) (2000) 256–267.

- 580 [4] S. P. Fekete, J. Schepers, A combinatorial characterization of higher-dimensional orthogonal packing, *Mathematics of Operations Research* 29 (2) (2004) 353–368.
- [5] S. P. Fekete, J. Schepers, J. C. van der Veen, An exact algorithm for higher-dimensional orthogonal packing, *Operations Research* 55 (3) (2007) 569–
585 587.
- [6] A. Lodi, S. Martello, D. Vigo, Tspack: A unified tabu search code for multi-dimensional bin packing problems, *Annals of Operations Research* 131 (2004) 203–213.
- [7] O. Faroe, D. Pisinger, M. Zachariasen, Guided local search for the three-
590 dimensional bin-packing problem, *INFORMS Journal on Computing* 15 (3) (2003) 267–283.
- [8] T. G. Crainic, G. Perboli, R. Tadei, Extreme point-based heuristics for three-dimensional bin packing, *INFORMS Journal on Computing* 20 (3) (2008) 368–384.
- 595 [9] T. G. Crainic, G. Perboli, R. Tadei, Ts2pack: A two-level tabu search for the three-dimensional bin packing problem, *European Journal of Operational Research* 195 (3) (2009) 744–760.
- [10] T. G. Crainic, G. Perboli, R. Tadei, An efficient metaheuristic for multi-dimensional multi-container packing, *IEEE Conference on Automation Science and Engineering* (2011) 563–568.
600
- [11] J. Egeblad, D. Pisinger, Heuristic approaches for the two- and three-dimensional knapsack packing problem, *Computers & Operations Research* 36 (4) (2009) 1026–1049.
- [12] A. Lodi, S. Martello, D. Vigo, Heuristic algorithms for the three-
605 dimensional bin packing problem, *European Journal of Operational Research* 141 (2) (2002) 410–420.

- [13] D. Pisinger, M. Sigurd, Using decomposition techniques and constraint programming for solving the two-dimensional bin-packing problem, *INFORMS Journal on Computing* 19 (1) (2007) 36–51.
- 610 [14] A. Davies, E. E. Bischoff, Weight distribution considerations in container loading, *European Journal of Operational Research* 114 (3) (1999) 509–527.
- [15] L. Junqueira, R. Morabito, D. S. Yamashita, Three-dimensional container loading models with cargo stability and load bearing constraints, *Computers & Operations Research* 39 (1) (2012) 74–85.
- 615 [16] C. Paquay, M. Schyns, S. Limbourg, A mixed integer programming formulation for the three-dimensional bin packing problem deriving from an air cargo application, *International Transactions in Operational Research* 23 (1-2) (2016) 187–213.
- [17] B. L. Kaluzny, R. H. A. D. Shaw, Optimal aircraft load balancing, *International Transactions in Operational Research* 16 (6) (2009) 767–787.
- 620 [18] M. M. Baldi, G. Perboli, R. Tadei, The three-dimensional knapsack problem with balancing constraints, *Applied Mathematics and Computation* 218 (19) (2012) 9802–9818.
- [19] T. A. de Queiroz, F. K. Miyazawa, Two-dimensional strip packing problem with load balancing, load bearing and multi-drop constraints, *International Journal of Production Economics* 145 (2) (2013) 511–530.
- 625 [20] A. Fernández, C. Gil, R. Baños, M. G. Montoya, A parallel multi-objective algorithm for two-dimensional bin packing with rotations and load balancing, *Expert Systems with Applications* 40 (13) (2013) 5169–5180.
- 630 [21] D. Liu, K. Tan, S. Huang, C. Goh, W. Ho, On solving multiobjective bin packing problems using evolutionary particle swarm optimization, *European Journal of Operational Research* 190 (2) (2008) 357–382.

- [22] A. Imai, K. Sasaki, E. Nishimura, S. Papadimitriou, Multi-objective simultaneous stowage and load planning for a container ship with container
635 rehandle in yard stacks, *European Journal of Operational Research* 171 (2) (2006) 373–389.
- [23] M. R. Garey, R. L. Graham, D. S. Johnson, A. C.-C. Yao, Resource constrained scheduling as generalized bin packing, *Journal of Combinatorial Theory, Series A* 21 (3) (1976) 257–298.
- 640 [24] C. E. Miller, A. W. Tucker, R. A. Zemlin, Integer programming formulation of traveling salesman problems, *Journal of the ACM (JACM)* 7 (4) (1960) 326–329.
- [25] M. C. Golumbic, *Algorithmic graph theory and perfect graphs*, 2nd Edition, Elsevier, 2004.
- 645 [26] R. K. Ahuja, E. Özlem, J. B. Orlin, A. P. Punnen, A survey of very large-scale neighborhood search techniques, *Discrete Applied Mathematics* 123 (1-3) (2002) 75–102.
- [27] D. Pisinger, S. Ropke, Large neighborhood search, in: *Handbook of Metaheuristics*, Springer, 2010, Ch. 13, pp. 399–419.
- 650 [28] B. Cushman-Roisin, J.-M. Beckers, *Introduction to geophysical fluid dynamics: physical and numerical aspects*, 2nd Edition, Elsevier, 2011.