



Synthesis and characterization of 2D layered gadolinium-doped cerium oxide (CGO) nanomaterials

Poras Reis de Moraes, Leticia; Marani, Debora; Esposito, Vincenzo; Zanetti De Florio, Daniel; Coral Fonseca, Fabio

Publication date:
2016

Document Version
Peer reviewed version

[Link back to DTU Orbit](#)

Citation (APA):
Poras Reis de Moraes, L., Marani, D., Esposito, V., Zanetti De Florio, D., & Coral Fonseca, F. (2016). *Synthesis and characterization of 2D layered gadolinium-doped cerium oxide (CGO) nanomaterials*.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Synthesis and characterization of 2D layered gadolinium-doped cerium oxide (CGO) nanomaterials

Leticia Poras Reis de Moraes^a, Debora Marani^{a,b}, Vincenzo Esposito^b, Daniel Zanetti de Florio^c,
Fabio Coral Fonseca^a

^a *Instituto de Pesquisas Energéticas e Nucleares (IPEN/CNEN-SP) - Av. Prof. Lineu Prestes, 2242, 05508-000, São Paulo, SP, Brazil*

^b *Department of Energy Conversion and Storage, Technical University of Denmark (DTU) Frederiksborgvej 399, Roskilde, DK-4000, Denmark*

^c *Universidade Federal do ABC, 09210-580 – Santo Andre, SP, Brazil*

Abstract

By the virtue of versatility in composition, morphology, and structure, two-dimensional (2D) layered nanomaterials have attracted in the last decade huge interest. Such materials, consisting in stacked charged nanosheets intercalated with opposite charged exchangeable anions, are of great potential for the design and fabrication of nanomaterials in many applications. Indeed, the interlayer gallery provides a flexible space to accommodate various sized molecules (*e.g.* pollutants) and tune specific active sites at the atomic space (*e.g.* catalyst materials). The interest for 2D layered nanomaterials is also associated with the possibility of obtaining via exfoliation ultra-thin nanosheets with lateral dimensions of hundreds of nanometres and thickness of few nanometres. This unique class of nanomaterials has shown many unprecedented properties mainly originating from the dimensional anisotropy and nano-confinement effects.

Herein we propose novel 2D layered ceria based oxides (*e.g.* CGO) synthesized via the heterogeneous precipitation. CGO materials were selected because of their strategic relevance in many technological applications (*e. g.* catalysis and electrochemical devices). The synthesized CGO layered materials were characterized for their composition, morphology and crystallographic features. The combined experimental results indicated that the layered CGO, with tunable dopant concentration, can be obtained in different morphologies by controlling the synthesis parameters.