



Catalytic soot oxidation studied by Environmental Transmission Electron Microscopy

Simonsen, Søren Bredmose; Dahl, S.; Johnson, E.; Helveg, S.

Publication date:
2008

Document Version
Peer reviewed version

[Link back to DTU Orbit](#)

Citation (APA):

Simonsen, S. B., Dahl, S., Johnson, E., & Helveg, S. (2008). *Catalytic soot oxidation studied by Environmental Transmission Electron Microscopy*. Abstract from 14th European Microscopy Congress, Aachen, North Rhine-Westphalia, Germany.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Catalytic soot oxidation studied by Environmental Transmission Electron Microscopy

S.B. Simonsen¹, S. Dahl¹, E. Johnson and S. Helveg¹

1. Haldor Topsøe A/S, Nymøllevej 55, DK-2800 Kgs. Lyngby, Denmark
2. Nano-Science Center, Niels Bohr Institute, University of Copenhagen, Denmark

sth@topsoe.dk

Keywords: ETEM, catalysis, soot oxidation, diesel engine, emission control

At present, the awareness of soot abatement in the exhaust from diesel engines is increasing due to new environmental legislation for exhaust specifications. An attractive approach for effective soot removal includes the introduction of filters on the diesel-driven vehicles and the functionalization of the filters for catalytic soot oxidation by ceria-based materials. Although it is generally accepted that the redox properties of ceria are crucial to the catalytic effect, the detailed reaction mechanism and the location of the catalytic active sites are still matters of debate.

In this contribution we present an Environmental Transmission Electron Microscopy (ETEM) study of ceria-catalyzed soot oxidation related to diesel engine emission control [1]. ETEM has become a powerful tool in heterogeneous catalysis due to its ability to directly monitor catalysts *in situ* during exposure to reactive gases at elevated temperatures [2]. From time-lapsed ETEM image series of soot particles in contact with a CeO₂ catalyst, as illustrated in fig. 1, direct observations at the soot-catalyst interface were obtained during exposure to oxidation conditions and provided mechanistic and kinetic insight into the catalytic oxidation reaction. The results show that the catalytic oxidation reaction involved processes, which were confined to the soot-CeO₂ interface region, and that the catalytic reaction surprisingly resulted in motion of soot agglomerates toward the catalyst surface, which acted to re-establish the soot-CeO₂ interface in the course of the oxidation process. The observed reaction dynamics was found to be consistent with observations from *ex situ* oxidation experiments and quantitatively in good agreement with previous kinetic measurements.

1. S.B. Simonsen, S. Dahl, E. Johnson and S. Helveg, *J. Catal.* **255** (2008), p. 1.
2. P.L. Hansen, S. Helveg and A.K. Datye, *Adv. Catal.* **50** (2006), p. 77.




Figure 1. Time-lapsed ETEM images of soot in contact with a CeO₂ catalyst during the exposure to 2mbar O₂ at 550°C. The time interval between the images is ~2min. Scale bar , 90nm. The figure adapted from [1].