



## Versatile two-dimensional transition metal dichalcogenides

Canulescu, Stela; Affannoukoué, Kévin ; Döbeli, Max; Schou, Jørgen

*Publication date:*  
2017

*Document Version*  
Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

*Citation (APA):*

Canulescu, S., Affannoukoué, K., Döbeli, M., & Schou, J. (2017). *Versatile two-dimensional transition metal dichalcogenides*. Abstract from 2017 MRS fall meeting & Exhibition, Boston, Massachusetts, United States.

---

### General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.



# 2017 MRS<sup>®</sup> FALL MEETING & EXHIBIT

November 26–December 1, 2017 | Boston, Massachusetts



## Versatile two-dimensional transition metal dichalcogenides

Stela Canulescu<sup>1</sup>, Kévin Affannoukoué<sup>1,2</sup>, Max Döbeli<sup>3</sup> and Jørgen Schou<sup>1</sup>

<sup>1</sup>*Department of Photonics Engineering, Technical University of Denmark, DK-4000 Roskilde, Denmark*

<sup>2</sup>*University Pierre and Marie Curie, 75 005 Paris, France*

<sup>3</sup>*Ion Beam Physics, ETH Zurich, Switzerland*

Two-dimensional transition metal dichalcogenides (2D-TMDCs), such as MoS<sub>2</sub>, have emerged as a new class of semiconducting materials with distinct optical and electrical properties. The availability of 2D-TMDCs with distinct band gaps allows for unlimited combinations of TMDC monolayers (MLs) and enables engineering of van der Waals (vdW) heterostructures with characteristics fundamentally different compared to the conventional 3D-covalently bounded heterostructures. Although various 2D materials have been successfully synthesized by mechanical exfoliation or chemical vapor deposition (CVD), a strategy for the fabrication of 2D heterostructures must be developed. Here we demonstrate a novel approach for the bottom-up synthesis of TMDC monolayers, namely Pulsed Laser Deposition (PLD) combined with a sulfur evaporation beam. PLD relies on the use of a pulsed laser (ns pulse duration) to induce material transfer from a solid source (such as a sintered target of MoS<sub>2</sub>) to a substrate (such as Si or sapphire). The deposition rate in PLD is typically much less than a monolayer per pulse, meaning that the number of MLs can be controlled by a careful selection of the number of laser pulses. In the paper, we will discuss the growth of high-quality MoS<sub>2</sub> in the form of one or several MLs over large areas and several substrates, such as sapphire, SiO<sub>2</sub>/Si and indium tin oxide (ITO). This approach allows the synthesis of 2D-TMDCs without the use of catalyst and with a good control of the sulfur vacancies. We have found that the absorption spectra

of the MoS<sub>2</sub> films exhibit distinct excitonic peaks at ~1.8 and ~2 eV when grown in the presence of a sulfur evaporation beam as compared to those deposited in vacuum. The structure of the PLD-grown MoS<sub>2</sub> films will be further discussed based Raman spectroscopy analysis, photoluminescence, as composition/thickness determined by Rutherford backscattering (RBS). Some challenging issues and future directions on the use of PLD for the synthesis of complex heterostructures by PLD will be discussed.