



## Why iron oxide nanoflowers are great candidates for magnetic hyperthermia

**Bender, P.; Fock, Jeppe; Frandsen, Cathrine; Hansen, Mikkel Fougte; Balceris, C.; Ludwig, F.; Posth, O.; Wetterskog, E.; Bogart, L.K.; Southern, P.**

*Total number of authors:*

18

*Publication date:*

2017

*Document Version*

Peer reviewed version

[Link back to DTU Orbit](#)

*Citation (APA):*

Bender, P., Fock, J., Frandsen, C., Hansen, M. F., Balceris, C., Ludwig, F., Posth, O., Wetterskog, E., Bogart, L. K., Southern, P., Szczerba, W., Zeng, L., Grüttner, C., Westphal, F., Honecker, D., González-Alonso, D., Barquín, L. F., & Johansson, C. (2017). *Why iron oxide nanoflowers are great candidates for magnetic hyperthermia*. Abstract from Nanomaterials Applied to Life Sciences 2017, Gijón, Spain.

---

### General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

## Why iron oxide nanoflowers are great candidates for magnetic hyperthermia

P. Bender<sup>1,\*</sup>, J. Fock<sup>2</sup>, C. Frandsen<sup>2</sup>, M. Hansen<sup>2</sup>, C. Balceris<sup>3</sup>, F. Ludwig<sup>3</sup>, O. Posth<sup>4</sup>, E. Wetterskog<sup>5</sup>, L.K. Bogart<sup>6</sup>, P. Southern<sup>6</sup>, W. Szczerba<sup>7,8</sup>, L. Zeng<sup>9</sup>, C. Grüttner<sup>10</sup>, F. Westphal<sup>10</sup>, D. Honecker<sup>11</sup>, D. González-Alonso<sup>1</sup>, L. Fernández Barquín<sup>1</sup>, C. Johansson<sup>12</sup>

<sup>1</sup>Universidad de Cantabria, 39005 Santander, Spain.

<sup>2</sup>Technical University of Denmark, 2800 Kongens Lyngby, Denmark.

<sup>3</sup>Technical University of Braunschweig, 38106 Braunschweig, Germany.

<sup>4</sup>Physikalisch-Technische Bundesanstalt, 10587 Berlin, Germany.

<sup>5</sup>Uppsala University, 75105 Uppsala, Sweden

<sup>6</sup>University College London, W1S 4BS London, UK.

<sup>7</sup>Bundesanstalt für Materialforschung und -prüfung, 12205 Berlin, Germany.

<sup>8</sup>AGH University of Science and Technology, 30-059 Krakow, Poland

<sup>9</sup>Chalmers University of Technology, 41296 Göteborg, Sweden.

<sup>10</sup>Micromod Partikeltechnologie GmbH, 18119 Rostock, Germany.

<sup>11</sup>Institut Laue-Langevin, 38042 Grenoble, France.

<sup>12</sup>RISE Acreo, 40014 Göteborg, Sweden.

Magnetic nanoflowers (NFs) [1,2] are densely packed clusters of small iron oxide cores (Fig.1). Exposed to alternating magnetic fields the emitted heat of such NF ensembles is usually high compared to conventional nanoparticles, which makes them great candidates for magnetic hyperthermia application [1]. In the current study a typical NF sample (Fig. 1) was characterized by a multitude of different techniques to reveal the interrelations between structure, magnetic properties and hyperthermia performance.




Figure 1: TEM images of the analyzed sample (NF2 from [2]).

According to hyperthermia measurements the intrinsic loss power (ILP) of the NFs amounts to 7 nHm<sup>2</sup>/kg<sub>Fe</sub>, which is high compared to literature, where typical values can be found to be in the range 0.2-4.4 nHm<sup>2</sup>/kg<sub>Fe</sub> [3]. We characterized the NFs using amongst others optomagnetic measurements [4] and quasistatic as well as dynamic magnetometry. Additionally we applied polarized small-angle neutron scattering (longitudinal neutron spin analysis POLARIS [5]). POLARIS can be only performed at a few selected large

scale facilities worldwide and we conducted our experiment [6] at the Institut Laue-Langevin (ILL, Grenoble, France). Using a simple numerical inversion method [7] for the analysis of the POLARIS, optomagnetic and magnetization data, enabled a detailed, (quasi) model-free examination of the NF properties and ultimately helped us to answer why they exhibit such a high ILP.

### Acknowledgements

The authors thank the Institute Laue-Langevin for provision of neutron beamtime at the instrument D33 [8]. This work was supported by EU NMP FP7 project NanoMag (grant no. 604448, www.nanomag-project.eu).

### References

- [1] L. Lartigue et al., *ACS Nano* **6** (2012) 10935-10949.
- [2] H. Gavilán et al., *Part. Part. Syst. Charact.* **34** (2017) 1700094.
- [3] M. Kallumadil et al., *JMMM* **321** (2009) 1509-1513.
- [4] J. Fock et al., *Phys. Chem. Phys. Chem.* **19** (2017) 8802-8814.
- [5] D. Honecker et al., *Eur. Phys. J. B* **76** (2010) 209-213.
- [6] P. Bender et al., *Institut Laue-Langevin (ILL)* doi: 10.5291/ILL-DATA.5-53-267
- [7] P. Bender et al., *Sci. Rep.* **7** (2017) 45990, P. Bender et al., *New J. Phys.* **19** (2017) 073012.
- [8] C. Dewhurst et al., *J. Appl. Cryst.* **49** (2016) 1-14.