



Comparison of measured lattice rotations of individual grains with crystal plasticity simulations

Juul, Nicolai Ytterdal; Oddershede, Jette; Winther, Grethe

Publication date:
2017

Document Version
Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

Citation (APA):

Juul, N. Y., Oddershede, J., & Winther, G. (2017). *Comparison of measured lattice rotations of individual grains with crystal plasticity simulations*. Abstract from 18th International Conference on Textures of Materials (ICOTOM 18), St. George, Utah, United States.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Comparison of measured lattice rotations of individual grains with crystal plasticity simulations

N. Ytterdal Juul¹, J. Oddershede² and G. Winther¹

¹*Department of Mechanical Engineering, Technical University of Denmark, Kgs. Lyngby, Denmark.*

²*Xnovo Technology ApS, Køge, Denmark.*

The lattice rotations of more than 300 grains in a 0.7x0.7x0.5 mm³ volume of a 316 stainless steel sample deformed in tension have been monitored by 3DXRD microscopy at CHESS to 5% elongation. The initial grain morphologies and microstructure were also mapped out in high spatial resolution using a near-field detector. This map serves as the input to finite-element based crystal plasticity simulations approximating the modelled crystallographic neighbourhood of individual grains closely. The experimental rotations are compared to the model results, revealing a larger spread of the experimental data. Representative grains are selected for detailed studies to investigate this in more detail.