



Advanced Wound Care Adhesives with New Functional Properties

Chiaula, Valeria; Mazurek, Piotr; Nielsen, Anders Christian ; Tornøe, Jens; Skov, Anne Ladegaard

Publication date:
2018

Document Version
Peer reviewed version

[Link back to DTU Orbit](#)

Citation (APA):

Chiaula, V., Mazurek, P., Nielsen, A. C., Tornøe, J., & Skov, A. L. (2018). *Advanced Wound Care Adhesives with New Functional Properties*. Abstract from 9th European Silicon Days, Saarbrücken, Germany.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Advanced Wound Care Adhesives with New Functional Properties

Valeria Chiaula^{1,2}, Piotr Mazurek¹, Anders Christian Nielsen², Jens Tornøe², Anne Ladegaard Skov*¹

1. DTU, Department of Chemical and Biochemical Engineering, The Danish Polymer Centre, Lyngby, Denmark

2. Coloplast A/S, Wound & Skin Care, Humlebæk, Denmark

Broadly, for wounds to heal, a moist, clean and warm environment is required. A moist wound bed easily promotes growth factors and many cell types including epithelial cells to migrate, facilitating wound edge contraction. Thus, appropriate dressings play a significant role to create and maintain such environment. ^[1] Silicone adhesives are silicone elastomers which are not fully crosslinked but remain close to the gelation threshold (i.e. with a low crosslinking degree). ^[2, 3] Within the field of advanced wound care, silicone adhesives are currently the preferred, state-of-the-art adhesive system due to its gentle skin adhesion properties. However, due to their hydrophobic nature, current silicone adhesives for wound care face challenges when it comes to moisture handling. Here, we propose a novel, skin-friendly, industrially relevant glycerol-silicone hybrid adhesive with improved moisture handling due to the incorporation of emulsified glycerol (Figure 1). Various parameters will be taken into account in order to develop a relevant adhesive, in particular glycerol content, glycerol domain size and adhesive thickness to allow for a controlled moisture absorption.




Figure 1: Glycerol domains in the silicone matrix characterized by optical microscope.

1. A. Sood, M. S. Granick, N. L. Tomaselli, *Adv Wound Care (New Rochelle)* 3 (2014), 511-529.
2. S. M. G. Frankær, M.K. Jensen, A. G. Bejenariu, A. L. Skov, *Rheologica Acta* 51 (2012), 559-567.
3. M. K. Jensen, A. Bach, O. Hassager, A. L. Skov, *Int. J. Adhesion and Adhesives* 29 (2009) 687-693.

