



Transfer and long-term persistence of plasmids encoding antimicrobial resistance in wastewater treatment plant microbial communities

Li, Liguang; Dechesne, Arnaud; Madsen, Jonas Stenlørkke; Nesme, Joseph; Kalckar, Asmus; Sørensen, Søren J.; Smets, Barth F.

Publication date:
2018

Document Version
Peer reviewed version

[Link back to DTU Orbit](#)

Citation (APA):
Li, L., Dechesne, A., Madsen, J. S., Nesme, J., Kalckar, A., Sørensen, S. J., & Smets, B. F. (2018). *Transfer and long-term persistence of plasmids encoding antimicrobial resistance in wastewater treatment plant microbial communities*. Abstract from 17th International Symposium on Microbial Ecology, Leipzig, Germany.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Title: Transfer and long-term persistence of plasmids encoding antimicrobial resistance in wastewater treatment plant microbial communities

Authors: Liguan Li, Arnaud Dechesne, Jonas Stenløkke Madsen, Joseph Nesme, Asmus Kalckar, Søren J. Sørensen, Barth F. Smets

There is increasing concern that wastewater treatment plants (WWTPs) may contribute to the dissemination of antimicrobial resistance genes (ARGs). Indeed, there transfer of plasmid-encoded ARGs might occur as human intestinal and environmental bacteria mix. Assuming that most enteric bacteria die off, ARG survival depends on transfer to and maintenance in WWTP adapted bacteria. Here, we explore, at the community level, the notion that plasmids cannot maximize both their within-population maintenance and their transfer proficiency, but that a tradeoff exists between these two properties.

We provide the first assessment of the transfer and maintenance of typical ARG-carrying plasmids in a WWTP activated sludge microbial community. This community was challenged with *Escherichia coli* carrying one of three GFP-tagged plasmids spanning multiple important incompatibility groups: pKJK5 (IncP), R27 (IncH) and R64 (IncI). Transconjugants were separated by fluorescence-activated cell sorting and identified by 16S rRNA gene amplicon sequencing. pKJK5 transferred to a broad phylogenetic range of bacteria, spanning 13 phyla, while transfer of R27 and R64 was limited to *Enterobacteriaceae*. Following initial transfer, the communities were serially propagated over at least 60 generations, and plasmid persistence monitored. For pKJK5, high plasmid-carrying fractions (up to 10%) were transiently observed, which decreased and remained above 1% by the end of the experiment. In contrast, R27 and R64 never reached high incidence. The description of the diversity of the plasmid carriers along the serial propagation experiment is pending, but will provide a unique insight into the dynamics of contrasting plasmids in complex microbial communities.