



Diffusion Retardation by Buffering of Tobramycin in Alginate Biofilms

Cao, Bao; Christophersen, Lars; Kolpen, Mette; Jensen, P.O.; Sneppen, Kim; Hoiby, Niels; Moser, Claus; Sams, Thomas

Publication date:
2018

Document Version
Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

Citation (APA):
Cao, B., Christophersen, L., Kolpen, M., Jensen, P. O., Sneppen, K., Hoiby, N., Moser, C., & Sams, T. (2018). *Diffusion Retardation by Buffering of Tobramycin in Alginate Biofilms*. Poster session presented at 8th ASM Conference on Biofilms, Washington DC, District of Columbia, United States.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

8th ASM Conference on Biofilms

October 7 – 11, 2018

Washington, DC



[Print this Page for Your Records](#)

[Close Window](#)

Control/Tracking Number: 2018-A-273-ASM

Activity: Abstract

Current Date/Time: 8/24/2018 4:02:25 AM

Diffusion Retardation by Buffering of Tobramycin in Alginate Biofilms

Author Block: B. Cao¹, L. Christophersen¹, M. Kolpen², P. O. Jensen³, K. Sneppen⁴, N. Hoiby², C. Moser¹, T. Sams⁵;

¹Department of Clinical Microbiology, Copenhagen University Hospital, Rigshospitalet, Copenhagen, DENMARK, ²Department of Clinical Microbiology, Rigshospitalet, Costerton Biofilm Center, Department of Immunology and Microbiology, Faculty of Health and Medical Sciences, University of Copenhagen, Copenhagen, DENMARK, ³Department of Clinical Microbiology, Rigshospitalet, DK-2100 Copenhagen, Denmark, Costerton Biofilm Center, Department of Immunology and Microbiology, Faculty of Health and Medical Sciences, University of Copenhagen, DK-2200 Copenhagen, Denmark, Copenhagen, DENMARK, ⁴Niels Bohr Institute, University of Copenhagen, Copenhagen, DENMARK, ⁵Biomedical Engineering, Technical University of Denmark, Lyngby, DENMARK.

Abstract:

The killing of bacteria by antibiotics in biofilms is known to be reduced by 100-1000 times relative to planktonic bacteria. This makes such infections difficult to treat. We suggest that a biofilm should be regarded as an independent compartment with distinct pharmacokinetics. To elucidate this, we have measured the penetration of the tobramycin into seaweed alginate beads which serve as a model of the extracellular polysaccharide matrix in *P. aeruginosa* biofilm. We find that, rather than a normal first order saturation curve, the concentration of tobramycin in the alginate beads follows a power-law as a function of the external concentration. The power-law appears to be a consequence of binding to a multitude of different binding sites. In a diffusion model these results are shown to produce pronounced retardation of the penetration of tobramycin into the biofilm. This filtering of the free tobramycin concentration inside biofilm beads is expected to aid in augmenting the survival probability of bacteria residing in the biofilm. PLOS ONE, 11, 4, e0153616, 2016.

:

Topic (Complete): Biofilm: From Nature to Models

Presentation Preference (Complete): Poster or Oral presentation

Additional Info (Complete):

Level of education?: Ph.D.

Travel Grants: No

Gender: Male

Minority: No

Status: Complete

[American Society for Microbiology](#)

1752 N Street N.W.

Washington, D.C. 20036

Phone: (202) 737-3600

[Leave cOASIS Feedback](#)

Powered by [cOASIS](#), The Online Abstract Submission and Invitation System SM

© 1996 - 2018 [CTI Meeting Technology](#) All rights reserved. [Privacy Policy](#)

Diffusion Retardation by Binding of Tobramycin in Alginate Biofilms



Bao Cao¹, Lars Christophersen¹, Mette Koel^{1,2},
 Peter Østrup Jensen¹, Kim Sneppen³, Niels Høiby^{1,2},
 Claus Moser¹, **Thomas Sams**⁴


Poster #047
 ASM Conference on Biofilms
 Washington DC, USA, October 6-11, 2018

- 1 Dept. Clinical Microbiology, Rigshospitalet, Copenhagen, Denmark
- 2 Dept. Immunology and Microbiology, UC-CARE, Faculty of Health Sciences, University of Copenhagen
- 3 Niels Bohr Institute, University of Copenhagen, Copenhagen, Denmark
- 4 Biomedical Engineering, Dept. of Electrical Engineering, Technical University of Denmark


A biofilm is an independent compartment with distinct pharmacokinetics!
 Test: We have measured the penetration of tobramycin into alginate beads. We find that, the concentration of tobramycin in the alginate beads follows a power-law as a function of the external concentration. The power-law is a consequence of binding to multiple binding sites. The buffering results in pronounced retardation of the penetration of tobramycin into the biofilm.

Measured total concentration of Tobramycin inside alginate beads as a function of external concentration. Follows power law! Non-specific binding explains power law.

Modeled space-time profile of free tobramycin inside an alginate bead.



[PLoS ONE 11, 1 (2016)]



[PLoS ONE 11, 1 (2016)]

Reaction diffusion model:

$$\frac{\partial a_t}{\partial t} = D \Delta a$$

$$a_t = \alpha a^\beta$$

$$\text{“retardation”} = \alpha \beta a^{\beta-1}$$