



## Effect of charge inversion on Poiseuille flow of multivalent electrolyte solutions in nanochannels: an atomistic study

Rojano, Andres; Córdoba, Andrés ; Walther, Jens H.; Zambrano, Harvey A.

*Publication date:*  
2018

*Document Version*  
Peer reviewed version

[Link back to DTU Orbit](#)

*Citation (APA):*

Rojano, A., Córdoba, A., Walther, J. H., & Zambrano, H. A. (2018). *Effect of charge inversion on Poiseuille flow of multivalent electrolyte solutions in nanochannels: an atomistic study*. Abstract from 71st Annual Meeting of the APS Division of Fluid Dynamics , Atlanta, United States.

---

### General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

DFD18-002269

# Effect of charge inversion on Poiseuille flow of multivalent electrolyte solutions in nanochannels: an atomistic study

Andrés Rojano<sup>1</sup>, Andrés Córdoba<sup>1</sup>, Jens H Walther<sup>2</sup>, Harvey A Zambrano<sup>3</sup><sup>1</sup>Univ of Concepcion, <sup>2</sup>Technical University of Denmark, <sup>3</sup>Univ Tecnica Federico Santa Maria, Valparaiso

## Body:

Miniaturized devices integrated by nanoconduits have a great potential for clinical and biotechnological analysis due to amplified sensibility, faster response and increased portability. In nanoconduits, wherein the electrical double layer can occupy a considerable part of the cross section, Electro-Kinetic Phenomena (EKP) play a key role in determining transport properties of electrolytes. Hence, a comprehensive understanding of EKP and related phenomenology such as charge inversion (CI), is essential to develop more efficient nanodevices. Here, atomistic simulations of Poiseuille flow of aqueous multivalent electrolyte solutions in silica nanochannels are conducted to study the influence of CI on fluid properties. The solutions consist of water as solvent, chloride as co-ion and different amounts of counter-ions i.e. sodium, magnesium, aluminum and calcium. From atomistic trajectories, the relation between the concentration of different cations and, local and effective viscosities is analyzed considering the particular hydration shell around each ionic species. Moreover, the effect of CI on flow velocity, stick boundary condition, shear stress and friction coefficient is examined.

## Funding Acknowledgment:

We thank funding from CONICYT scholarship 21181167, computational support from DTU and NLHPC.

## Special Instructions:

Print

Close