



Butanol for sustainable aviation

Junicke, Helena

Publication date:
2018

Document Version
Peer reviewed version

[Link back to DTU Orbit](#)

Citation (APA):
Junicke, H. (Author). (2018). Butanol for sustainable aviation. Sound/Visual production (digital)

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.


- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Butanol for sustainable aviation

Sustainable Aviation Fuel - Workshop
20.11.2018

Dr. Helena Junicke
heljun@dtu.dk



Outline

Introduction

- Alternative jet fuel pathways
- Alcohol-to-jet

Opportunities for butanol

- Butanol from waste
- The GreenLogic project

Methods and results

- Continuous enrichment studies
- Thermodynamic system design
- Modelling of full-scale reactors

Conclusions

Outlook

Alternative jet fuel pathways


- There are five ASTM D7566 certified pathways for synthetic paraffinic kerosene (SPK) production

Type	Pathway	Description
Gas-to-jet	FT-SPK	SPK from syngas via Fischer-Tropsch (FT)
	FT-SPK/A	FT-SPK with increased aromatic content
Oil-to-jet	HEFA-SPK	SPK from hydro-processed esters and fatty acids (HEFA)
Sugar-to-jet	SIP-SPK	Synthesized iso-paraffins (SIP) obtained via farnesene intermediate
Alcohol-to-jet	ATJ-SPK	SPK from C2-C5 alcohols

FOCUS


Yang et al. "An overview on performance characteristics of bio-jet fuels." *Fuel* 237 (2019): 916-936.

The alcohol-to-jet pathway




Opportunities

- ASTM D7566-18 permits blending iso-butanol and ethanol derived SPK with conventional jet fuels of up to 50%
- Sourcing **C2-C5 alcohols from waste**






Butanol from waste – How?

- Anaerobic mixed microbial cultures
- Non-standard conditions (pH 5, increased pH_2)




The GreenLogic project

- 
 Production of **C2-C5 alcohols** from industrial and municipal waste streams
- 
 Upgrading waste water treatment plants (WWTP) into water **resource recovery** facilities (WRRF)




Anaerobic digestion: The classical view



Current focus


Different microbial groups degrade complex waste streams into biogas.

Anaerobic digestion: Butanol enrichment




New focus

Operate at **pH 5** and **high pH_2** to promote alcohol formation.



Thermodynamic system design

- Unlocking butanol formation
- Increase H_2 , decrease pH (see arrow)



Modelling of full-scale anaerobic digesters

- From biogas towards butanol formation



**Confidential information on
this slide has been removed.**

Conclusions

- **Butanol production** from waste under non-standard conditions
- **Mixed culture biotechnology** as a solution for cheap feedstock conversion into ATJ-SPK
- ATJ-SPK approval for C3-C5 alcohols expected in the **mid-term**; ethanol and iso-butanol are certified already

Outlook

- **Techno-economic analysis** of upstream (H_2 and butyrate sources) and downstream processing
- **Enrichment of new biocatalysts** for butanol formation (microorganisms, enzymes)
- Municipal and industrial waste streams as **cheap and sustainable feedstock** for jet fuel production

Thank you for your attention!

Project partners:

