



Optical properties of titanium nitride films under low temperature

Vertchenko, Larissa; Leandro, Lorenzo; Shkondin, Evgeniy; Takayama, Osamu; Akopian, Nika; Laurynenka, Andrei

Publication date:
2019

Document Version
Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

Citation (APA):
Vertchenko, L., Leandro, L., Shkondin, E., Takayama, O., Akopian, N., & Laurynenka, A. (2019). *Optical properties of titanium nitride films under low temperature*. Abstract from Danish Optical Society Annual Conference 2019, Copenhagen, Denmark.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Optical properties of titanium nitride films under low temperature

Larissa Vertchenko^{1*}, Lorenzo Leandro¹, Evgeniy Shkondin², Osamu Takayama¹, Nika Akopian¹, and Andrei V. Lavrinenko¹

¹Department of Photonics Engineering, Technical University of Denmark,
Ørstedes Plads 343, DK-2800 Kongens Lyngby, Denmark

²DTU Nanolab - National Center for Micro and Nanofabrication, Technical University of Denmark, Ørstedes
Plads 347, DK-2800 Kongens Lyngby, Denmark

Transition-metal nitrides represent a class of materials receiving growing interest due to their high melting points, providing compatibility to Si platforms, as well as similar optical properties to noble metals such as gold or silver [1]. However, most of quantum photonics platforms operate at low temperatures, meaning that the optical properties of these materials are expected to change.

In this paper, we report the measurement of the reflection spectrum of a 100 nm thick film of titanium nitride (TiN), submitted to cryogenic temperatures. By fitting the data to the Drude-Lorentz model and using the transfer matrix method [2] we were able to retrieve its permittivity, as depicted in Fig. 1. From the permittivity curves we also extracted other properties, such as the quality factor of localized surface plasmons and surface plasmons polaritons [3]. We hope that these results will facilitate the design of metamaterials and other devices aiming integration of TiN with quantum devices.




Fig.1: Real (ϵ_1) and imaginary (ϵ_2) parts of the permittivity of TiN, calculated at room and cryogenic temperatures (300 K and 1.5 K), as a function of the wavelength.

References:

- [1] A. Boltasseva and V. M. Shalaev, “All that glitters need not be gold”, *Science*, **347(6228)**, 1308-1310, (2015).
- [2] M. E. Aryaee Panah, L. Han, K. Norrman, N. Pryds, A. Nadtochiy, A. E. Zhukov, A. V. Lavrinenko, and E. S. Semenova *Optical Materials Express*, **7**, 2260 (2017)..
- [3] P. R. West, S. Ishii, G. V. Naik, N. K. Emani, V. M. Shalaev and A. Boltasseva, “Searching for better plasmonic materials”, *Laser and Photonics Reviews*, **4(6)**, 795-808, (2010).