



Characterization of 17 elements in ten edible seaweed species from Greenland

Kreissig, Katharina Johanna; Holdt, Susan Løvstad; Herbst, Birgitte Koch; Jensen, Pernille Erland; Hansen, Lisbeth Truelstrup; Sloth, Jens Jørgen

Publication date:
2019

Document Version
Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

Citation (APA):
Kreissig, K. J., Holdt, S. L., Herbst, B. K., Jensen, P. E., Hansen, L. T., & Sloth, J. J. (2019). *Characterization of 17 elements in ten edible seaweed species from Greenland*. Poster session presented at 23rd International Seaweed Symposium , Jesu, Korea, Democratic People's Republic of.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Characterization of 17 elements in ten edible seaweed species from Greenland

Katharina Johanna Kreissig^{*1}, Susan Løvstad Holdt^{*1}, Birgitte Koch Herbst¹, Pernille Erland Jensen², Lisbeth Truelstrup Hansen¹, Jens J. Sloth¹

^{*}Corresponding author: kjkr@food.dtu.dk, ^{**} Presenting author ^{*}, ¹ National Food Institute, Technical University of Denmark, 2800 Kgs. Lyngby, Denmark, ² DTU Civil Engineering, Technical University of Denmark, 2800 Kgs. Lyngby, Denmark

1 Summary

Greenland seaweeds are of interest for local and global consumption. We investigated ten species for their content of essential, trace and toxic elements: As, Ca, Cd, Cr, Cu, Fe, Hg, I, K, Mg, Mn, Na, Ni, P, Pb, Se and Zn. The elemental composition was statistically significantly different ($p < 0.05$) between species with the exception of Cr, Fe and Pb. High levels of iodine were found in certain seaweeds (all brown algae): *Alaria esculenta* (Cr and I), *Ascophyllum nodosum* (I), *Laminaria solidungula* (I), *Saccharina latissima* (I), *Saccharina longicuris* (I) and *Saccharina nigripes* (I). Through consumption of 2 g dried seaweed of these species, the upper tolerable level of iodine of 600 µg/day for adults (EFSA) is exceeded.




Figure 1: Sampling locations in Greenland.




Figure 2: Principal component analysis of element content grouped by algal family. Fuaceae and Laminariaceae are well separated.

2 Methodology

Samples harvested in the field (figure 1) were freeze dried, pulverized and quantified by inductively coupled plasma mass spectrometry (ICP-MS). The quality of the analytical method was assured by simultaneous analysis of certified reference materials and adherence to European standard methods (EN 13805, EN 15763 and EN 15111).

To detect statistically significant differences between species, analysis of variance (ANOVA) and Tukey multiple comparisons of means tests were carried out. Principal component analysis (PCA) was carried out to detect patterns in the dataset.

3 Conclusion: how much is safe to eat?

Species	2 g serving	Why not?
<i>Agarum clathratum</i>		
<i>Alaria esculenta</i>		I
<i>Ascophyllum nodosum</i>		I
<i>Fucus distichus</i>		
<i>Fucus vesiculosus</i>		
<i>Laminaria solidungula</i>		I
<i>Palmaria palmata</i>		
<i>Saccharina latissima</i>		I
<i>Saccharina longicuris</i>		I
<i>Saccharina nigripes</i>		I

Figure 3: How much is safe to eat? Calculation based on dry weight of seaweed and tolerable daily intake levels set by the European Food Safety Authority (EFSA) for a 60 kg adult person.

4 PCA results

PCA reveals patterns in element content that follow the family level (figure 2).

5 Acknowledgements

The PhD project of Katharina Johanna Kreissig and thus this study is funded through a scholarship from the Greenland Research Council.

6 Sustainable development goals

