



## Enzyme kinetics of fungal glucuronoyl esterases on natural lignin-carbohydrate complexes

Mosbech, Caroline; Holck, Jesper; Meyer, Anne; Agger, Jane Wittrup

*Published in:*  
Applied Microbiology and Biotechnology

*Link to article, DOI:*  
[10.1007/s00253-019-09797-w](https://doi.org/10.1007/s00253-019-09797-w)

*Publication date:*  
2019

*Document Version*  
Other version

[Link back to DTU Orbit](#)

*Citation (APA):*  
Mosbech, C., Holck, J., Meyer, A., & Agger, J. W. (2019). Enzyme kinetics of fungal glucuronoyl esterases on natural lignin-carbohydrate complexes. *Applied Microbiology and Biotechnology*, 103(10), 4065-4075.  
<https://doi.org/10.1007/s00253-019-09797-w>

---

### General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Online Resources

## **Enzyme Kinetics of Fungal Glucuronoyl Esterases on Natural Lignin-Carbohydrate Complexes**

Applied Microbiology and Biotechnology

Caroline Mosbech, Jesper Holck, Anne Meyer, Jane Wittrup Agger

Protein Chemistry and Enzyme Technology

Department of Biotechnology and Biomedicine, Technical University of Denmark, Søtofts Plads 221, DK-2800

Kgs. Lyngby

Corresponding author:

Jane Wittrup Agger: jaag@dtu.dk

## **Contents**

Online Resource 1: Codon optimized DNA sequences.....	2
Online Resource 2: Cloning vector and SDS gel.....	5
Online Resource 3: Assay flow diagram .....	7
Online Resource 4: Ions for quantification.....	8
Online Resource 5: Sequence alignment.....	9
Online Resource 6: Percent Identity Matrix (PIM). .....	10
Online Resource 7: <i>Cu</i> GE Temperature Stability.....	11

## Online Resource 1: Codon optimized DNA sequences

### *Armillaria fuscipes*, AfGE

```
>GAATTCGGTTGTTCTGATTTGCCATCTAACATTCCATTGACTCCTAATTCTATGTTGCCAGATCCTTTTACTTTCTTGAAT
GGTACTGCTGTTACTTCTTTGCTGCTTTTACTTGTAGACAAGCTGAAATTTCTGCTTTGTTGCAACAATTTCGAG
TTGGGTCAATTGCCACCTAGACCTGAATCTGTTGTTGGTACTTTGTCTGGTAACACTTTGACTATTAATGTTGCT
CATTCTGGTAGATCTATCTCTTTTACTGTTGGTATTCAAAAGCCAAGTCTGGTACTGGTCCATTTCTGCT
TTGATTGTTTTGGGTGGTTTCTGTCTTTGCCTCAACCACCTGGTGTGCTATCTTGTCTTTCAACAACGATGAT
ATTGCTGCTCAAAACAATGCTCAATCTAGAGGTCAGGGTAAATTTTTCACTTTGTACGGTCTAACCACCCAGCT
GGTGTCTTTGATGGCTTGGGCTTGGGGTGTGCTAGAAATTATGGATGCTTTGGAGCAAGTAACTCTAACATCGAT
TTGACTAGAGTTGGTGTTACTGGTTGTTCTAGAAACGGTAAAGGTGCTTTGGTTGCTGGTGCTTTTGAGCCAAGA
ATTGCTTTGACTATTCCTCAAGAATCTGGTCTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGT
TCTGGTGTCTACTCAAAGTCTGCTTCTGAAATTGTTCAAGAGAACGTTTGGTTTTCTCCTGCTTTTAATACTTTT
GCTCAATCTGGTGTTAACCCATTGCCTTTGATCATCACATGTTGTCTGCTTTGATTGCTCCAAGACCTTTGTTG
GTTATTGATAAACTGGTATCGATTGGTGGGTCCAGAGTCTGTTTGGGGTGTCAAAGACTGCTTCTTTGGTT
TGGAAAAGCTTTGGGTGTTCTGATAGAATGGGTGTTTCTCAAGTTGGTAACCATGCTCACTGTGCTTTTCCAAGT
CAAGAAAAGCCTGATTGGATGCTTTGTTAACAGATTCTTGGTGGTCAAGGTGGTGGTGGTGGTGGTGGTGGTGGT
GTTAAGACTGATGGTGGTAAAGTTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGT
GGTGTGCGAC
```

### *Thielavia terrestris*, TtGE

```
>GAATTCGCTAGACAAGGTGGTGGTAAAGGCTACTATTCAATGTGCTGCTATTCCATCTCCTTTTCCAAGTGGCAACAA
TTGCCTCAACAATCTACTTTGCCTGATCCATTCTGCCTTTGAAGTACTACTCCATCTGATGCTCAAAATATT
ATGGCTGGTAAAGGTCAAGGTAGAGTTCAAAGTCTGATGAATGGTATCAATGTAGACAACCAGAAAATTTGCAA
ATGTTGCAAGAGTACCAATATGGTTACTATCCTGATCATTCTCAAGAAAAGGTTGAGGCTACTAGATCTGGTACT
ACTTTGAACATTGCTGTTACTGCTGGAGATAAGACTGGTCTTTTAAAGCTTTTCACTTTGCCATCTGGTGTCT
TCTGCTTCTAAACCTGCTCCAGTTGTTAATAACATTGGTGGTATGCAAAATCAACCTTACTTGTCTGCTGGTATC
GCTATCGCTCAATTCGATTACACTTCTGTTGCTCCAGATTCTAACTCTAAGACTGGTGGTCTTTCTGGTCTATCTAC
AATGGTAGAGATATTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGT
GTTCCAGAAAATTGATGCTACTAGAGTTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGT
TTGTTGATAAGAGAATCACTTTGACTATGCCTATGTCTTCTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGT
ACTATGTCTGGTCAAGGTGAAAAGTGGAAAAGTCTAAACAAGGTGCTCCTTGGTGGTGGTGGTGGTGGTGGTGGT
ACTTTTGTAAACCATGCTGAGAAATTTGCCTTATGATGCTCACACTATTGCTGCTGCTATTGCTCCAAGAGCTTTG
GTTATTGATCAAGGTACTGGAGATCAATTCATAACTCTAAGGCTACTGCTGTTATTATCTACCCAGCTGCTAAA
TTGGTTTTATGATTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGT
GGTTACACTTCTGTTTGCCTTACGTTCAAAGATTTTCTTTGGTACTCCAAGTAAAGATTACAAGTCTTTG
GGTCTTATGTTTCTCCTATTACTACTGCTTATCCATGGGCTACTGCTACTCCACCTTCTAAGGCTGTCT
GTCGAC
```

*Punctularia strigosonata*, PsGE


>GAATCCAATCTACTTGTGATACTCCATCTACTATTGCTGGTTATTCTAACGCTATGTTGCCAGATCCTTTTCAATCCCT  
AATGGTACTAGAGTACTACTGTTGATGAATGGAAGTGTAGAAGATCTCAAATTGCTGCTTTGGTTCAAGGTTAC  
GAGGCTGGTACTTTGCCACCTAAGCCATCTTCTGTTACTGGTTCTTTTTCTGGTAACACTTTGACTGTAAACGTT  
AACAAACGGTGGTTCTTCTATCTCTTTGCTAACACTATCACTTACCCTTCTGGTACTGCTCCAGCTGGTGGTTGG  
CCTTTGTTGATTGCTTATGATGGTGGTTCTATTCCAGTTCCTTCTGGTGTGCTGTTTTGAACTACAACATCGGT  
AACATCGCTCAACAAACTGATACTACTTCTAGAGGTGTTGGTTTGTTTTACAACCTGTACGGTAAAACCTGCTACT  
GCTTCTGCTATGACTGCTTGGGTTTGGGGTTTGTCTAGAATCATCGATGTTTTGGAAGTACTCCAGCTGCTATG  
GTTAACACTGCTAAGTTGGCTGTTACTGGTTGTTCTAGAGATGGTAAAGGTGCTTTGATGGCTGGTGCCTTCGAA  
CCTAGAATTGCTTTGACTATTGCTCAAGAGTCTGGTGTGGTGGAGATGCTTGTGGAGAATTACTAAAACCTGAA  
GGAGATGAGGGTGTGGTGTCAACCATCTACTGAAATTGTTCAAGAGAACGTTTGGTCTCTACTAACTTCAAC  
AACTACGTTTCTAACTGAATGTTTTGCCATATGATCATCACTTGTGGCTGCTATGATTGCTCCTAGAGCTTTG  
TTGCTTACGGTAATACTGATTATGCTTGGTTGTCTCCTATGTCTTCTGGGGTTGTATGAATGCTGCTCACT  
GTTTGGCAAGCTTTGGGTGTTCCACAAAACACGGTTTTGTTGAGGTTGGTGGTCATGCTCACTGTGCTTCCCT  
ACTTCTTTGGTTCAAGTTTGGATGCTTCTTTGATACTTTCTGTTGGGTCAAACCTGTTTCTACTGATTACTTC  
TCTACTAACAAACGTTTTCGGTTCTGCTCAATGGGTTCCAGCTAACTTCATTAATTGGACTGCTCCTGCTTTGACT  
GGTCTTCTACTTCTTCTTCTACTTCTGTTATTTCTTCTATTACTCCAACCTCTGTTCCAACCTACTTCTCCTACT  
ACTGTTCCAACCTACTTCTGCTCCTGCTCCAACCTGGTGTCCAGTTGCTAAATGGGGTCAATGTGGTGGTATTGGT  
TGGACTGGTTCTACTACTTGTACTTCTGGTACTACTTGTACTGTTTTGAAACGCTTACTATTCTCAATGTTTGG  
GTCGAC

*Cerrena unicolor*, CuGE

>GAATCCAAGCATCCGCTCCTCAATGGGGTCAATGTGGTGGTATCGGTTGGACTGGTCCT  
ACTGCCTGCCCTAGTGGTTGGGCTGTGAGCAATTGAACGCTTACTATTCTCAATGTTTG  
CAAGGTGCTGCTCCTGCTCCAGCTAGAACTACTGCTGCTCCACCTCCACCTCCAGCTACT  
ACTGCTGCTCCTCCACCTCCAACCTACTTCTGCTCCTACTGGTTCTTCTCCAGTTGCTGGT  
GCTTGTGGTGTCTATTGCTTCTACTGTTCCAAACTATAACAATGCTAAGTTGCCTGATCCA  
TTCACCTTCGCTAATGGTACTGCTTTGAGAACTAAAGCTGATTGGTCTTGTAGAAGAGCT  
GAAATTTCTGCTTTGATTCAAAACTACGAGGCTGGTACTTTGCCTCCAAAGCCTCCAGTT  
GTTACTGCTTCTTTTCTAAATCTGGTAACACTGGTACTTTGGCTATTACTGCTGGTTTG  
TCTAATTCTCAAACCTATAAATTCTCCTACTATCTCTTACCCATCTGGTACTCCTCCA  
GCTAATGGTTGGCCATTGATTATTGCTTATGAAGGTGGTTCTATTCTATTCCAGCTGGT  
GTTGCTACTTTGACTTACTCTAACTGATATGGCTCAACAAAATTCTGCTTCTTCCAGA  
GGTCAAGGTTTGTTTTACCAATTGTATGGTTCTACTCATTCTGCTTCTGCTATGACTGCT  
TGGGTTTGGGGTGTTCAGAAATTATTGATGCTTTGGAGATGACTCCTACTGCTCAAATT  
AATACTCAAAGAATCGGTGTTACTGGTTGTTCCAGAGATGGTAAAGGTGCTTTGATGGCT  
GGTGTCTTTCGAAGAGAGAATTGCTTTGACTATTCCACAAGAATCTGGTTCTGGTGGAGAT  
GCTTGTGGAGATTGTCTAAGTACGAGATCGATAACGGTAACCAAGTTCAAGATGCTGTT  
GAAATTGTTGGAGAGAACGTTTGGTCTCTACTAACTTCAACAACCTACGTTCAAAAGTTG  
CCTACTGTTCCAGAAGATCATCACTTGTGGCTGCTATGGTTGCTCCTAGAGCTATGATC  
TCTTTCGAGAACTGATTATTTGTGGTTGTCTCCAATGTCTTCTTTCGGTTGTATGACT

GCTGCTCATACTGTTTGGCAAGGTTTGGGTATTGCTGATTCTCACGGTTTTGCTCAAGTT  
GGTGGTCATGCTCACTGTGCTTGGCCTTCTTCTTTGACTCCACAATTGAACGCTTTTATT  
AACAGATTCTTGTTGGATCAATCTGCTACTACTAATGTTTTCACTACTAACAATCAATTC  
GGAAAGGTTTCAGTGGAATGCCGCAAATTGGATTACTTGGACTACCCCTACTCTTACTGGT  
CTAGA

Online Resource 2: Cloning vector and SDS gel




```

AOX1 promoter          alpha-factor          EcoR I  Pml I
-- AAACTAATT ATTCGAAACG ATG AGA TTT CCT ... 243bp...GAG GCT GAA GCT GAATTCACGT GGCCAGCCG GCCGTCT
   M   R   F   P   ... 81aa ...   E   A   E   A
Kpn I      Sac II  Not I      Xba I      e-myc tag
CGGATCGGTA CCTCGAGCCG CGGCGGCCGC CAGCTTTCTA GAA CAA AAA CTC ATC TCA GAA GAG GAT CTG AAT AGC
   E   Q   K   L   I   S   E   E   D   L
Sal I      His tag
GCC GTC GAC CAT CAT CAT CAT CAT TGA ---
   H   H   H   H   H   H   Stop
    
```


Graphic representation of the pPICZalphaA vector delivered by Genscript holding the CE15 genes between the EcoRI and SalI restriction sites

(pPICZalpha-A vector (2019) Genscript <https://www.genscript.com/gfiles/vector-map/yeast/pPICZalpha-A.pdf?1897614803> Accessed March 12<sup>th</sup> 2019)



SDS gel of the expressed enzymes after purification. Loaded in the following order with theoretical molecular weight given in bracket; *CuGE* (48 kDa), *AfuGE* (40 kDa), *PsGE* (47 kDa), *TtGE* (42 kDa). The four enzymes are all glycosylated resulting in the smear and the increase in size compared to the theoretical weight.

### Online Resource 3: Assay flow diagram



Schematic overview of assay procedure for the kinetic study. Varying substrate concentrations of LRP with a fixed enzyme concentration. Assay conducted in eppendorph tubes in thermomixer. 50  $\mu$ L samples taken every 5 minutes. Reaction stopped after initial removal of substrate by centrifugation and heat inactivation at 100 °C for 10 min. GH10 endo-xylanase added to the reaction supernatant to decrease the size of the products released by CE15 enzymes. Acetylation removed from the products by alkaline treatment to simplify the products profile. Characterization and quantification of products done by LC-MS.




#### Online Resource 4: Ions for quantification.

Complete list of adducts used for quantification of enzyme reaction products and their corresponding retention times.

Analyte	$m/z$ [M+Na] <sup>+</sup>	$m/z$ [M+NH <sub>4</sub> ] <sup>+</sup>	Retention time (min), peak max
MeGlcAXyl	363	358	7.6
MeGlcAXyl <sub>2</sub>	495	490	9.8
MeGlcAXyl <sub>3</sub>	627	622	12.6
Reduced MeGlcAXyl <sub>3</sub>	629	624	11.4

### Online Resource 5: Sequence alignment

Alignment of segments of the amino acid sequences from CE15 characterized in this study. Conserved GCSRXXG motif with a catalytic nucleophile serine marked with red curly bracket. Catalytic glutamic acid and histidine marked with red arrow. *TtGE* belonging to PPR group 8 holds a serine at the position of the glutamic acid. Alignment and sequence logo made with CLC Workbench 7.5.





### Online Resource 6: Percent Identity Matrix (PIM).

Percent query coverage given in brackets. Color scale from light to dark orange indicate percent sequence identity from the lowest value 28% in light orange to the highest value 100% in dark orange. Values obtained using BLAST (<https://blast.ncbi.nlm.nih.gov>).

	<i>Tt</i> GE	<i>Afu</i> GE	<i>Ps</i> GE	<i>Cu</i> GE
<i>Tt</i> GE	100 (100)	35 (84)	31(79)	28 (96)
<i>Afu</i> GE	35 (84)	100 (100)	51 (99)	49 (99)
<i>Ps</i> GE	31 (77)	51 (89)	100 (100)	65 (88)
<i>Cu</i> GE	28 (98)	49 (99)	65 (97)	100 (100)

**Online Resource 7: CuGE Temperature Stability.**



Thermostability of CuGE obtained by incubation at specific temperatures for 48 hours and followed by activity measurement on Me-MeGlcA (left graph). % conversion calculated relative to activity with CuGE not pre-exposed to incubation. Right graph: A zoom of the first 6 hours of incubation. The study was conducted in triplicates. The kinetic assays (Fig 2) were conducted for 20 min at 50 °C. Under these conditions CuGE still retained around 85 % of its relative activity. After 25 hours at 50 °C approx. 50% relative activity remained.