



## **INTEGRAL detects the recurrent transients XTE J1709-267 and XTE J1739-285 in outburst**

**Sanchez-Fernandez, C.; Chenevez, J.; Pavan, L.; Bozzo, E.; Cadolle Bel, M.; Natalucci, L.; Sidoli, L.; Watanabe, K.**

*Publication date:*  
2012

*Document Version*  
Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

*Citation (APA):*  
Sanchez-Fernandez, C., Chenevez, J., Pavan, L., Bozzo, E., Cadolle Bel, M., Natalucci, L., Sidoli, L., & Watanabe, K. (2012, Aug 10). INTEGRAL detects the recurrent transients XTE J1709-267 and XTE J1739-285 in outburst. The Astronomer's telegram No. ATel #4304 <http://www.astronomerstelegam.org/?read=4304>

---

### **General rights**

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

**Outside**  
[GCN](#)  
[IAUCs](#)

**Other**  
 MacOS: [Dashboard Widget](#)  
 Follow ATel on [Twitter](#)  
[ATELstream](#)  
[ATEL Community Site](#)

# The Astronomer's Telegram

[Post a New Telegram](#) | [Search](#) | [Information](#)  
[Telegram Index](#)  
[Obtain Credential To Post](#) | [RSS Feeds](#) | [Email Settings](#)

Present Time: 20 Dec 2012; 14:20 UT

This space for free for your conference.



[ [Previous](#) | [Next](#) | [ADS](#) ]

## INTEGRAL detects the recurrent transients XTE J1709-267 and XTE J1739-285 in outburst

ATel #4304; [C. Sanchez-Fernandez \(ESA/ESAC, Spain\)](#), [J. Chenevez \(DTU Space, Denmark\)](#), [L. Pavan, E. Bozzo \(ISDC, Switzerland\)](#), [M. Cadolle Bel \(ESA/ESAC, Spain\)](#), [L. Natalucci \(INAF-IASF, Italy\)](#), [L. Sidoli \(INAF-IASF, Italy\)](#), [K. Watanabe \(FGCU, USA\)](#)  
 on 10 Aug 2012; 21:56 UT

Credential Certification: [Celia Sanchez-Fernandez \(celia.sanchez@sciops.esa.int\)](mailto:celia.sanchez@sciops.esa.int)

Subjects: X-ray, Binary, Transient

The neutron star, recurrent X-ray transients XTE J1709-267 (=RX J1709.5-2639) and XTE J1739-285, both of which are known X-ray bursters, were detected in outburst during INTEGRAL observations of the Galactic Center region (PI, J. Wilms), carried out between (UT) 2012 August 08, 07:18 - 19:05.

XTE J1709-267 was seen by JEM-X at the 54-sigma level in the 3-10 keV band, with an average flux of 141 +/- 3 mCrab, and at the 27-sigma level in the 10-25 keV band, with an average flux of 61 +/- 7 mCrab. The effective JEM-X exposure time was 4 ks. XTE J1709-267 was only marginally detected by ISGRI in the 20-40 keV band. We estimate a rough flux of ~8 mCrab (5 sigma) for an effective ISGRI exposure time of 21 ks. A preliminary spectral fit to the JEM-X data is consistent with an absorbed disk blackbody model of temperature ~2.2 keV. The onset of this outburst was also detected by MAXI <http://maxi.riken.jp/top/index.php?cid=1&jname=J1709-266>.

This new outburst from XTE J1709-267 occurs 2 years after the previous period of activity of the source, reported by MAXI/GSC (ATEL #2729), and is consistent with a outburst recurrence time of 2-3 years, claimed in ATel #1302.

XTE J1739-285 was seen by JEM-X at the 9-sigma level in the 3-10 keV band, with an average flux of 16 +/- 2 mCrab, and at the 8-sigma level in the 10-25 keV band, with an average flux of 16 +/- 4 mCrab, for an effective exposure time of 10 ks. A weak (short) type-I X-ray burst was detected during these observations. The source flux in the 20-40 keV band was below the ISGRI sensitivity limit.

The last outburst from XTE J1739-285, reported by INTEGRAL (ATEL #734) was detected in 2006.

XTE J1709-267 and XTE J1739-285 will be observed regularly by INTEGRAL in the coming weeks during Galactic Center and Galactic Bulge monitoring observations.

### Related

- 4304 [INTEGRAL detects the recurrent transients XTE J1709-267 and XTE J1739-285 in outburst](#)
- 2729 [MAXI/GSC detects an X-ray outburst of RX J1709.5-2639 \(XTE J1709-267\)](#)
- 2425 [MAXI/GSC detects an increase in X-ray flux from 4U 1711-34](#)
- 2235 [INTEGRAL sees transient activity in the Galactic Bulge: XTE J1751-305 and GRS 1741.9-2853 in outburst](#)
- 1951 [Swift and INTEGRAL observations of SAX J1747.0-2853](#)
- 1945 [Recent PCA Measurements of SAX J1747.0-2853 and GX 339-4](#)
- 1944 [INTEGRAL detects an X-ray burst from SAX J1747.0-2853 with no detectable persistent emission](#)
- 1531 [Chandra detects activity from the Galactic X-ray transients KS 1741-293, Swift J174535.5-290135.6 and CXOGC J174535.5-290124](#)
- 1513 [Chandra detects Swift J174535.5-290135.6 in a relatively bright state](#)
- 1302 [X-ray outburst from RX J1709-2639](#)
- 1233 [Swift XRT observation of SAX J1747.0-2853](#)
- 1228 [A new outburst of the recurrent neutron star transient SAX J1747.0-2853](#)
- 1005 [Two active X-ray transients in the Galactic Center region as seen by INTEGRAL](#)
- 1004 [Detection of X-Ray Emission from SN 2005ip with Swift](#)
- 933 [Swift Observation of SN 2006it](#)
- 892 [Renewed activity of the very faint X-ray transient CXOGC J174535.5-290124 and continued activity of the neutron-star X-ray transient SAX J1747.0-2853](#)
- 874 [New INTEGRAL source, IGR J17354-3255, and continuation of the INTEGRAL Galactic Bulge monitoring program](#)
- 784 [Optical and NIR observations of XTE J1739-285](#)
- 777 [Chandra Localization of the Neutron Star X-Ray Transients XTE J1739-285 and XTE J1701-462](#)
- 753 [Swift/XRT detection of a transient source in the Galactic Center](#)
- 749 [Optical Spectroscopy of XTE J1817-330 in Outburst](#)
- 742 [INTEGRAL pointed observation of XTEJ1817-330](#)
- 740 [Swift-UVOT detection of XTEJ1817-330 in the UV](#)
- 738 [INTEGRAL and RXTE monitoring of XTE J1817-330: evolving through a state change?](#)
- 734 [Three active neutron star X-ray transients: SAX J1747.0-2853, XTE J1739-285 and GRS 1747-312](#)
- 733 [The Optical Counterpart to XTE J1817-330.](#)
- 731 [INTEGRAL detects hard X-ray emission from XTE J1817-330](#)
- 724 [Discovery of the NIR counterpart of XTE J1817-330](#)
- 721 [Confirmation of Radio Counterpart to XTE J1817-330](#)

- 717 [Possible Radio Counterpart to XTE J1817-330](#)
- 714 [Bright New Black Hole Transient XTE J1817-330](#)
- 642 [On the \(hard\) X-ray activity of SAX J1747.0-2853 as seen with INTEGRAL](#)
- 641 [Swift Observation of SAX J1747.0-2853](#)
- 638 [Further Chandra observations of SAX J1747.0-2853 and the region around Sgr A\\*](#)
- 637 [Renewed activity of the neutron star X-ray transient SAX J1747.0-2853](#)
- 622 [Type-I X-ray bursts from XTE J1739-285](#)
- 615 [INTEGRAL sees XTE J1739-285 change to hard state](#)
- 602 [Swift XRT position for XTE J1739-285](#)
- 592 [INTEGRAL detects XTE J1739-285](#)
- 567 [New Outburst of A1744-36 = XTE J1748-361](#)
- 262 [Optical counterpart of XTE J1709-267](#)
- 256 [INTEGRAL detection of the X-ray outburst of SAX J1747.0-2853](#)
- 255 [RXTE PCA Detections of Transient Activity of X-ray Bursters in the Galactic Center Region](#)
- 248 [The LMXRB GX354-0 is flaring in the hard X-rays](#)
- 244 [R-band Observations of 2S 1711-339 in 1998 During Outburst](#)
- 238 [Correction to ATEL #233 \(2S 1711-339\) and addendum to ATEL #205 \(A1744-36\)](#)
- 233 [First Detection of the X-ray Burster 2S 1711-339 in Quiescence and a Suggested Optical Counterpart.](#)

 Tweet 1

 Recommend 0 

[ [Telegram Index](#) ]

R. E. Rutledge, Editor-in-Chief  
Derek Fox, Editor

rrutledge@astronomerstelegram.org  
dfox@astronomerstelegram.org