



## Geddefiskeri - Fangstrate VS agntype

Skov, Christian; Jørgensen, Casper Gundelund

*Publication date:*  
2019

*Document Version*  
Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

*Citation (APA):*  
Skov, C., & Jørgensen, C. G. (2019). Geddefiskeri - Fangstrate VS agntype. DTU Aqua.  
<https://www.fiskepleje.dk/raadgivning/fangstjournal-dtu-aqua/nyheder-fangstjournalen/Nyhed?id={5C11388D-ACAE-4747-B639-5633A5450E52}>

---

### General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

FORSIDE › RÅDGIVNING › FANGSTJOURNALEN › NYHEDER FRA FANGSTJOURNALEN › GEDDEFISKERI - FANGSTRATE VS AGNTYPE

---



## Geddefiskeri - Fangstrate VS agntype

---

ONSDAG 06 MAR 19 |

### Fluefiskeri efter gedder er mest effektivt.

---

Har nogle typer af gedde-agn en højere fangst-rate end andre? Og hvad svarer den anonyme statistik i Fangstjournalen til det?

Vi har kigget på knap 4.000 timers dansk geddefiskeri fra ca. 150 lystfiskere i 74 danske søer, og vi har fokuseret på de fisketure, hvor I lystfiskere har angivet jeres agn. Og konklusionen er klar: Fluefiskerne fanger flest gedder - en hel del flere, endda.


Helt præcist lander en geddefluefisker 0,46 gedde pr. times fiskeri. I den modsatte ende af skalen finder vi "naturlig agn" med 0,08 gedde/time.

Kan fluefiskernes større effektivitet mon skyldes, at de har nemmere ved at fiske i de lavvandede områder med vandplanter... dér hvor gedderne gerne holder til?

Bemærk, at her taler vi ikke om størrelse og længde på fiskene, men udelukkende effektivitet - i næste uge undersøger vi hvilken agn, som leverer trofæerne!

(Antallet af fisketimer ses over diagrammets søjler).

K&amp;B her i lune marts 😊👍👂



<https://www.fiskepleje.dk/raadgivning/fangstjournal-dtu-aqua/nyheder-fangstjournalen/Nyhed?id=%7B5C11388D-ACAE-4747-B639-5633A5450E52%7D>

21 DECEMBER 2020