



Hvilke agntyper fanger søens største gedder

Skov, Christian; Jørgensen, Casper Gundelund

Publication date:
2019

Document Version
Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

Citation (APA):

Skov, C., & Jørgensen, C. G. (2019). Hvilke agntyper fanger søens største gedder. DTU Aqua. <https://www.fiskepleje.dk/raadgivning/fangstjournal-dtu-aqua/nyheder-fangstjournalen/Nyhed?id={38123849-5DCD-48BF-95AB-5A0B93FE08D6}>

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

FORSIDE › RÅDGIVNING › FANGSTJOURNALEN › NYHEDER FRA FANGSTJOURNALEN › HVILKE AGNTYPER FANGER SØENS STØRSTE GEDDER



Hvilke agntyper fanger søens største gedder

TORSDAG 14 MAR 19 |


Trofægedder bliver ofte fanget på naturlig agn.

I sidste uges nyhed så vi, at fluefiskerne er forfærdeligt effektive (0,46 gedde/time) - i modsætning til de, som fisker med naturlig agn (0,08 gedde/time). Men hvem leverer de største trofæer fra geddesøerne?

Den anonyme statistik fra Fangstjournalen viser en klar tendens: Trofæerne fanges oftest på naturlig agn (gennemsnitslængde: 81,6 cm). Mest beskedne er de som fisker med spinner, hvor gennemsnitslængden ligger på 64,7 cm. Wobler, flue og jig placerer sig her imellem med ca. 73-75 cm. i gennemsnitslængde. 👍

Statistikken er anonym og afspejler geddefiskeriet i søer fra de lystfiskere, som har husket at angive agnen sammen med deres geddefangster i 2017 og 2018. Antallet af fisk pr. agn samt den såkaldte standardafvigelse er indsat på figuren.

K&B derude inden fredningen 📷📷



ALT Gennemsnitslængderne af gedder indrapporteret i Fangstjournalen i forhold til agntyper. Det ser ud til at spinnere ofte fanger mindre gedder end naturlig agn.