



## Characterization of multiphase flow in fractured reservoirs using hidden physics models

Andrianov, Nikolai; M. Nick, Hamid

*Publication date:*  
2019

*Document Version*  
Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

*Citation (APA):*

Andrianov, N., & M. Nick, H. (2019). *Characterization of multiphase flow in fractured reservoirs using hidden physics models*. Abstract from Danish Hydrocarbon Research and Technology Centre Technology Conference 2019, Kolding, Denmark.

---

### General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

# Danish Hydrocarbon Research and Technology Centre Technology Conference 2019

## Characterization of multiphase flow in fractured reservoirs using hidden physics models

*Nikolai Andrianov and Hamid M. Nick*

*Nikolai Andrianov*

*AWF.1*

We consider a two-phase oil-water flow in matrix-fracture system and choose a specific parametrized form of multiphase flow functions in matrix and in fractures. First, we assume that all parameters are known. We run simulations of this system using a conventional hydrodynamic simulator with a fixed set of parameters and use the obtained saturation field as a ground truth. Then, we represent the discretization of the governing equations as a Gaussian process and estimate its covariance function by minimizing the negative log marginal likelihood. The obtained parameters of the covariance function are used to close the system of governing equations.

We start with estimating the parameters of the Brooks-Corey relative permeability functions in the Buckley-Leverett equation. Next, we present results for a core flooding experiment, where the injected water is displaced in high permeability fracture and simultaneously imbibes into adjacent matrix blocks. We generate the ground truth solutions for various values of residual saturations, Brooks-Corey exponent, and capillary entry pressure at several time instants and estimate the parameters of fracture relative permeabilities and capillary pressure. Finally, we estimate how much does the accuracy of predictions deteriorate in case of a noisy training data.