



Estimation of leading edge erosion risk on wind turbines, repair prediction and mitigation strategy

Hasager, Charlotte Bay; Hannesdóttir, Ásta; Badger, Merete; Bech, Jakob Ilsted; Johansen, Nicolai Frost-Jensen; Madsen, Jens Visbech; Göçmen, Tuhfe

Publication date:
2022

Document Version
Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

Citation (APA):
Hasager, C. B. (Author), Hannesdóttir, Á. (Author), Badger, M. (Author), Bech, J. I. (Author), Johansen, N. F-J. (Author), Madsen, J. V. (Author), & Göçmen, T. (Author). (2022). Estimation of leading edge erosion risk on wind turbines, repair prediction and mitigation strategy. Sound/Visual production (digital)

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Estimation of leading edge erosion risk on wind turbines, repair prediction and mitigation strategy

Charlotte Hasager, Ásta Hannesdóttir, Merete Badger, Jakob Ilsted Bech, Nicolai Frost-Jensen Johansen, Jens Visbech Madsen, Tuhfe Göçmen

Content

- Introduction
- Mitigation strategy using turbine control based on nowcasting of rain
- Long-term monitoring to estimate blade lifetime and repair need
- Conclusions


www.rain-erosion.dk

Innovation Fund Denmark




Erosion safe mode operation

Rounds per minute
(blade tip speed)




Courtesy: Jakob Ilsted Bech

Technologies for nowcasting rain



Technologies for nowcasting rain




Technical implementation

Micro Rain Radar
at the nacelle



Technical implementation



A priori knowledge



VN-curve of the indicator coating.

Testing is done in Rain Erosion Tester (RET).

Erosion-safe mode demonstration campaign

Erosion safe operation

Aim is to compare:

- Erosion rate
- Cost model (profit)





Standard operation

Bech *et al.* 2018 *Wind Energy Science*

Aberdeen Bay Wind Farm



Micro Rain Radar from METEKO




Tilg et al. 2021

Challenges

- To install Micro Rain Radar
 - To paint the blades
 - To monitor regularly
 - *To make the control settings without knowing the rain and winds well*
-
- The exciting part is to overcome all the challenges and demonstrate erosion safe mode

Long-term rain monitoring for leading edge erosion



Rain 'magnified'



Annual rain amount at 0.7 m

Tip speed of the blades at 90 m/s

Assume the turbine is at rated speed.

Summary

Rain data are 'magnified' by turbines so good accuracy is required!

Hasager *et al.* 2021, in Book chapter

Disdrometer data from DTU

<https://www.rain-erosion.dk/publication>

Data from seven disdrometers, Open Access

- Risø - on the ground next to the tall met mast
 - Risø - on the top of the tall met mast
 - Risø - on the ground next to the V52 met mast
 - Rødsand - offshore wind farm
 - Horns Rev 3 - offshore wind farm
 - Hvide Sande - DMI station
 - Thyborøn - DMI station
 - Voulund - DMI station
-
- Tilg and Hasager, 2021, DOI links to raw and Quality Controlled data



Parsivel² disdrometer

Wind and rain data




Location	Number of years
Aalborg	16.9
Anholt	17.9
Arkona	28.2
Billund	16.4
Bremen	28.2
Fehmarn	23.6
Grosser Arber	21.9
Hammerodde	18.3
Helgoland	23.0
Hvide Sande	18.0
Karup	16.9
List	24.1
Seehausen	28.2
Skagen	18.0
Thyborøn	18.0
Utsira	3.3
Vindebæk	13.6
Weybourne	2.6

10-minute wind speed

10-minute rain rate

Quality control

All time series are > 13 years
(except at two stations)




Hasager *et al.* 2021 *Energies*

Erosion-safe mode




Innovation Fund Denmark



Hasager *et al.* 2020 *Renewable Energy*

Profit for ideal blades and for erosion-safe mode

Assume cost of electricity at Euro 0.05 per kWh, 20k Euro each repair and six days downtime for repair



Hasager *et al.* 2021 *Energies*


Profit for ideal blades and for erosion-safe mode




Assume cost of electricity at Euro 0.05 per kWh, 20k Euro each repair and six days downtime for repair

Average potential profit using erosion-safe mode is 70 %

The last 30 % can only be obtained with ideal blades



Hasager *et al.* 2021 *Energies*




References is 18 year's data at Hvide Sande from 2002 to 2019

Hasager *et al.* 2021 *Energies*

Global Precipitation Mission (GPM) satellite


- Global coverage
- Grid resolution 25 km
- Data every 30 minutes

Global Precipitation Mission (GMP) and erosion



Rain intensity

Integrated Multi-satellitE Retrievals for GPM (IMERG)




Ocean surface winds

SAR winds from Sentinel-1 from DTU

Artificial Intelligence correlation: Blade erosion vs. Numerical Weather Prediction

Representing weather in stratified format



- Correlation between damage progression and number of hours above threshold
- High correlation for high wind speeds in combination with rain
- Mesoscale weather model does not consider wake effects, blockage, etc.

WESC 2021 Conference
Madsen *et al.* 2021

Conclusions

- Nowcasting for erosion safe mode operation demonstration is in progress
 - Eventually wind farm control strategy is necessary
- Meteorological instrument technologies to be further developed and tested
- Long-term rain erosion risk mapping need further validation, e.g. using novel rain erosion test results (Bech et al. 2022, submitted) and meteorological data analysis including satellite data
- Repair recommendation based on meteorological data and blade erosion data using AI is established

Acknowledgements

We warmly acknowledge

Fundings:

- Innovation Fund Denmark grant 6154-00018B for the project EROSION (2018-2021).
- Innovation Fund Denmark grant 9067-00008B for the project Blade Defect Forecasting (2019-2022).
- ESA Atlantic Regional Initiative (ARIA2) (2020-2022).
- EUDP grant 64021-0003 for the IEA Wind Task 46 Erosion of wind turbine blades (2021-2025).

Position:

- Professor II, Charlotte Hasager at University of Bergen (2020-2023).

References

- Bech, J. I., Hasager, C.B., Bak, C. 2018 Extending the life of wind turbine blade leading edges by reducing the tip speed during extreme precipitation events. *Wind Energy Science*, 3, 729–748, <https://doi.org/10.5194/wes-3-729-2018>, 2018.
- Bech, J.I. et al. 2022 (submitted)
- Hasager CB, Vejen F, Skrzypiński WR, Tilg A-M. Rain Erosion Load and Its Effect on Leading-Edge Lifetime and Potential of Erosion-Safe Mode at Wind Turbines in the North Sea and Baltic Sea. 2021 *Energies*, 14(7):1959. <https://doi.org/10.3390/en14071959>
- Hasager, C.B., Vejen, F., Bech, J. I., Skrzypiński, W. R., Tilg, A.-M. Nielsen, M. 2020 Assessment of the rain and wind climate with focus on wind turbine blade leading edge erosion rate and expected lifetime in Danish Seas. *Renewable Energy*, 149, 91-102. <https://doi.org/10.1016/j.renene.2019.12.043>
- Hasager, C.B., Mishnaevsky, L., Bak, C., Bech, J.I., Fæster, S., Johansen, N. F.-J., 2021 How can we combat leading edge erosion at wind turbine blades? DOI: <https://doi.org/10.11581/DTU.00000214> In: Jørgensen, B.H. et al. DTU International Energy Report 2021: Perspectives on Wind Energy. (book chapter)
- Madsen, J. V., Göçmen, T., Hasager, C. Handberg, M.E., Espersen, A. 2021, Wind Turbine Blade Defect Forecasting, WESC 225-28 May 2021, Hannover, Germany (online)
- Tilg, A.-M., Hasager, C. B., Kirtzel, H.-J., and Hummelshøj, P. 2020 Brief communication: Nowcasting of precipitation for leading edge erosion-safe mode, *Wind Energ. Sci.*, 5, 3, p. 977-981. <https://doi.org/10.5194/wes-2020-4>
- Tilg and Hasager, 2021, DOI links to raw and Quality Controlled data <https://www.rain-erosion.dk/publication>

DTU

