



## Non-destructive evaluations of water uptake in epoxy coating

Li, Shu; Bi, Huichao (Teresa); Weinell, Claus Erik; Dam-Johansen, Kim

*Publication date:*  
2022

*Document Version*  
Peer reviewed version

[Link back to DTU Orbit](#)

*Citation (APA):*

Li, S., Bi, H., Weinell, C. E., & Dam-Johansen, K. (2022). *Non-destructive evaluations of water uptake in epoxy coating*. Abstract from 12th International Workshop on Application of Electrochemical Techniques to Organic Coatings, Cavalese, Italy.


---

### General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.




# Non-destructive evaluations of water uptake in epoxy coating

Shu Li<sup>1</sup>, Huichao Bi<sup>1,\*</sup>, Claus Erik Weinell, Kim Dam-Johansen<sup>1</sup>

<sup>1</sup> CoaST, Department of Chemical and Biochemical Engineering, Technical University of  
Denmark(DTU), Building 229, 2800 Kgs. Lyngby, Denmark  
\*Referring author: hubi@kt.dtu.dk

**Keywords:** *Water uptake, Epoxy coating, EIS, SAM, FTIR.*

Water uptake can be considered as the first stage of organic coating ageing in humid conditions. Water can fill in voids –the free form and interact with polar groups in the binder[1]. The absorption of water molecules in organic coatings can cause severe defects such as polymer hydrolysis[2], leaching[3], swelling and blistering[4] therefore resulting in the reduction of the coating film's protective properties. Thus, understanding the mechanism of water adsorption to the coating is essential for improving coating barrier properties. Many studies have investigated the water absorption process in organic coatings using electrochemical spectroscopy (EIS) [5][6][7] which follows the change of dielectric constant of the coating through the estimation of the coating capacitance change. The most common approach is using Brasher-Kingsbury[8] equation to estimate the volume fraction of water absorbed. However, the accuracy of the Brasher-Kingsbury equation has been questioned where several papers[5][9] claimed an overestimation of water uptake compared to gravimetric evaluation. It was also proposed to use modified determinations of film capacitance [10][11][12] or incorporation of a coating swelling coefficient into the Brasher-Kingsbury equation to get compliance results to the gravimetric data. However, the discussion on the role of the swelling plays on water uptake of the organic coating remains open. In this study, Scanning Acoustic Spectroscopy (SAM) is applied as an additional non-destructive technique to study the water uptake in epoxy coatings by direct measurement of the coating swelling process through the evolution of height in real-time. The application of SAM introduces a new methodology to estimate the volume expansion in coating caused by the process of water uptake. SAM would provide a new benchmark to the existing way of monitoring the swelling process in organic coating and the impact of adding a swelling factor to the Brasher-Kingsbury equation derived from EIS measurement results can be determined.



## Reference

- [1] N. Coniglio, K. Nguyen, R. Kurji, and E. Gamboa, "Characterizing water sorption in 100% solids epoxy coatings," *Prog. Org. Coatings*, vol. 76, no. 9, pp. 1168–1177, 2013.
- [2] J. El Yagoubi, G. Lubineau, A. Traidia, and J. Verdu, "Monitoring and simulations of hydrolysis in epoxy matrix composites during hygrothermal ageing," *Compos. Part A Appl. Sci. Manuf.*, vol. 68, pp. 184–192, 2015.
- [3] J. Sajiki and J. Yonekubo, "Leaching of bisphenol A (BPA) to seawater from polycarbonate plastic and its degradation by reactive oxygen species," *Chemosphere*, vol. 51, no. 1, pp. 55–62, 2003.
- [4] J. M. Pommersheim and T. Nguyen, "Prediction of Blistering in Coating Systems," *ACS Symp. Ser.*, vol. 689, pp. 137–150, 1998.
- [5] A. Miszczyk and K. Darowicki, "Water uptake in protective organic coatings and its reflection in measured coating impedance," *Prog. Org. Coatings*, vol. 124, no. March, pp. 296–302, 2018.
- [6] C. Moreno, S. Hernández, J. J. Santana, J. González-Guzmán, R. M. Souto, and S. González, "Characterization of water uptake by organic coatings used for the corrosion protection of steel as determined from capacitance measurements," *Int. J. Electrochem. Sci.*, vol. 7, no. 9, pp. 8444–8457, 2012.
- [7] J. M. Hu, J. Q. Zhang, and C. N. Cao, "Determination of water uptake and diffusion of Cl<sup>-</sup> ion in epoxy primer on aluminum alloys in NaCl solution by electrochemical impedance spectroscopy," *Prog. Org. Coatings*, vol. 46, no. 4, pp. 273–279, 2003.
- [8] D. M. Kingbury and B. A. H., "ELECTRICAL MEASUREMENTS IN THE STUDY OF IMMERSED PAINT COATINGS ON METAL. I. COMPARISON BETWEEN CAPACITANCE AND GRAVIMETRIC METHODS OF ESTIMATING WATER-UPTAKE," *J.appl.Chem*, vol. 4, 1954.
- [9] C. Vosgien Lacombe, G. Bouvet, D. Trinh, S. Mallarino, and S. Touzain, "Water uptake in free films and coatings using the Brasher and Kingsbury equation: a possible explanation of the different values obtained by electrochemical Impedance spectroscopy and gravimetry," *Electrochim. Acta*, vol. 231, pp. 162–170, 2017.
- [10] C. Vosgien Lacombe, G. Bouvet, D. Trinh, S. Mallarino, and S. Touzain, "Effect of pigment and temperature onto swelling and water uptake during organic coating ageing," *Prog. Org. Coatings*, vol. 124, no. September, pp. 249–255, 2018.
- [11] X. Yuan, Z. F. Yue, X. Chen, S. F. Wen, L. Li, and T. Feng, "EIS study of effective capacitance and water uptake behaviors of silicone-epoxy hybrid coatings on mild steel," *Prog. Org. Coatings*, vol. 86, pp. 41–48, 2015.
- [12] F. E. Bedoya-Lora, F. Echeverría, and J. A. Calderón, "Effectiveness of non-Fickian diffusion model on the water uptake determination of different organic coatings," *Prog. Org. Coatings*, vol. 136, no. May, p. 105206, 2019.