



Quasi-One-Dimensional Molybdenum Disulfide Nanoribbons

Ghimire, Ganesh; Ulaganathan, Rajesh; Miakota, Denys Igorevich; Ilchenko, Oleksii; Tempez, Agnes; Chaigneau, Marc ; Canulescu, Stela

Publication date:
2023

Document Version
Peer reviewed version

[Link back to DTU Orbit](#)

Citation (APA):
Ghimire, G., Ulaganathan, R., Miakota, D. I., Ilchenko, O., Tempez, A., Chaigneau, M., & Canulescu, S. (Accepted/In press). *Quasi-One-Dimensional Molybdenum Disulfide Nanoribbons*. Abstract from 4th European Congress on Graphene & 2D Materials, Paris, France.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Quasi-One-Dimensional Molybdenum Disulfide Nanoribbons

Ganesh Ghimire¹, Rajesh Ulaganathan¹, Denys I. Miakota¹, Oleksii Ilchenko², Agnès Tempez, Marc Chaigneau and Stela Canulescu*¹

¹ Department of Photonics Engineering, Technical University of Denmark, DK-4000 Roskilde, Denmark

Horiba France SAS, Palaiseau, France

²Department of Health Technology Nanoprobes, Technical University of Denmark, 2800 Kgs. Lyngby, Denmark

One-dimensional (1D) materials, such as nanowires, nanotubes, and nanorods, have been studied intensively recently due to their unusual structural characteristics and novel physical properties¹⁻³. Similarly, 1D structures of transition metal dichalcogenides (TMDs), such as WS₂ nanorods, have been shown to exhibit striking functionalities compared to their two-dimensional (2D) counterparts, such as enhanced photovoltaic effect in bulk, in the absence of a p-n junction[1]. These findings lead to many exciting opportunities for their utilization in optoelectronic devices, such as solar cells, photodetectors, laser diodes, and light-emitting diodes.

This paper will discuss a novel approach for synthesizing MoS₂ nanostructures with tunable dimensionality ranging from 2D to 1D. In our process, epitaxial precursors of transition metal oxides, i.e., ultra-thin films of MoO_x ($x < 3$) grown by Pulsed Laser Deposition (PLD), serve as precursors [2,3]. We will show that the addition of halides during sulfurization leads to the unidirectional growth into quasi-1D MoS₂ nanoribbons. The morphological and atomic resolution imaging studies reveal an anisotropic growth of epitaxial quasi-1D nanoribbons in either 2H or 3H stacking orientation. Tip-enhanced photoluminescence (TEPL) spectroscopy reveals a photoluminescence (PL) emission from the edge of the nanoribbons and no emission from the core of the quasi-1D structures. Moreover, we observe an edge-enhanced secondary harmonic generation (SHG) of the quasi-1D MoS₂ nanoribbons, which will be discussed in detail during the talk. Finally, we will report the first ultrasensitive photodetector based on a single 1D MoS₂ nanoribbon. The highly crystalline quasi-1D ribbon device exhibits a high photocurrent response under light illumination and outstanding stability. Photocurrent measurements of single-ribbon photodetector made on SiO₂/Si substrate exhibit a photoresponsivity above 500 AW⁻¹ at a wavelength of 532 nm, which exceeds that of graphene, MoS₂, or other nanoribbon-based devices. The experimental results show that single-crystalline quasi-1D MoS₂ nanoribbons have immense potential for high-performance photodetector applications.

References

1. Y. J. Zhang, T. Ideue, M. Onga, F. Qin, R. Suzuki, A. Zak, R. Tenne, J. H. Smet, and Y. Iwasa, *Nature* **570**, 349 (2019).
2. D. I. Miakota, R. R. Unocic, F. Bertoldo, G. Ghimire, S. Engberg, D. Geohegan, K. S. Thygesen, and **S. Canulescu**, *Nanoscale* **14**, 9485 (2022).
3. F. Bertoldo, R. R. Unocic, Y.-C. Lin, X. Sang, A. A. Puretzky, Y. Yu, D. Miakota, C. M. Rouleau, J. Schou, K. S. Thygesen, D. B. Geohegan, and **S. Canulescu**, *ACS Nano* **15**, 2858 (2021).