



Sustainability assessment of water supply in Copenhagen Alternatives fulfilling the EU-Water Framework Directive

Godskesen, Berit; Rygaard, Martin; Hauschild, Michael Zwicky; Zambrano, Kim Cecilia; Albrechtsen, Hans-Jørgen

Publication date:
2012

Document Version
Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

Citation (APA):
Godskesen, B., Rygaard, M., Hauschild, M. Z., Zambrano, K. C., & Albrechtsen, H.-J. (2012). *Sustainability assessment of water supply in Copenhagen: Alternatives fulfilling the EU-Water Framework Directive*. Poster session presented at 2012 Water Quality Technology Conference and Exposition (WQTC), Toront, Ontario, Canada.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Sustainability assessment of water supply in Copenhagen

- Alternatives fulfilling the EU-Water Framework Directive

Berit Godskesen***, Martin Rygaard**, Michael Hauschild***, Kim Zambrano*, Hans-Jørgen Albrechtsen**

* Københavns Energi A/S, Ørestads Boulevard 35, 2300 København S, Denmark, (E-mail: *bego@ke.dk*)

** Technical University of Denmark, Dep. of Environmental Engineering, Miljøvej, Bld. 113, DK-2800 Lyngby

*** Technical University of Denmark, Dep. of Management Engineering, Produktionstorv, Bld. 424, DK-2800 Lyngby

Keywords: Evaluation of technologies; Life cycle assessment; Multi criteria assessment; Sustainability; Water Framework Directive; Water use impact

Water utilities seek to satisfy the increasing demand for both potable and non-potable water and at the same time improving the environmental performance of the water system. The EU-Water Framework Directive states that the current drinking water production for Copenhagen based on abstracted groundwater is too high and calls for actions to protect and enhance the status of aquatic ecosystems. This has emphasized the need for development of a methodology for sustainability assessment of alternative sources or compensating actions capable of supplementing the current water production. We investigated 4 alternatives - Rainwater harvesting, Compensating actions, New well sites and Desalination - all tailored for solving the water shortages implied by the Directive. We conducted a Life cycle assessment (LCA) of the alternatives and the base scenario of today to find their environmental performance. The stages included in the LCA are: Water withdrawal, Water treatment, Distribution including effects of water quality in the households (hardness) (Godskesen et al., *accepted*), Electricity for transport and treatment of sewage. We found that the alternative with the lowest impact was rainwater harvesting followed by the base scenario. Desalination had a relatively high impact but was found lower compared to others (Lundie et al., 2004; Lyons et al., 2009) due to the effects in the households of the soft water compared to drinking water coming from groundwater.

We compared production of 1 m³ of drinking water in Copenhagen as it is produced today with consumers buying bottled water (Jungbluth, 2006). The comparison showed that the impact increases approximately 900 times, thus bottled water is not environmentally rational compared to water supply as of today.

At the time of writing the LCA does not reflect the impact on the freshwater resources and a method will be developed to quantify the effect of water use in relation to water availability. The latest results of this water use impact will be presented at the conference.




Figure 1. Results of the Life cycle assessment of 4 alternatives for drinking water supply in Copenhagen. A1 and A4 includes the effects of the water quality in the households due to softer water.

References

- Godskesen, B., Hauschild, M., Rygaard, M., Zambrano, K., Albrechtsen, H.-J. (*accepted*). Life cycle assessment of central softening of very hard drinking water. *J. Env. Management. Accepted for publication December '11*.
- Jungbluth, N. (2006). Comparison of the environmental impact of drinking water vs. bottled mineral water, Manuscript for the SGWA information bulletin and GWA (gas water sewage).
- Lundie, S., Peters, G.M., Beavis, P.C. (2004). Life Cycle Assessment for Sustainable Metropolitan Water Systems Planning, *Environ. Sci. Technol.* 38, 3465-3473.
- Lyons, E., Zhang, P., Benn, T., Sharif, F., Costanza, M., Li, K., Crittenden, J., Chen, Y.S. (2009). Life cycle assessment of three water supply systems: Importation, reclamation and desalination, *Water Sci. Technol. Water Supply* 9, 439-448.