



## Simulating the effects of efficiency improvement efforts on mechanical exposure

Forsman, M.; Neumann, W.P.; Palmerud, G.; Winkel, Jørgen

*Published in:*

Book of abstracts - Ergonomics for sustainability and growth

*Publication date:*

2012

*Document Version*

Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

*Citation (APA):*

Forsman, M., Neumann, W. P., Palmerud, G., & Winkel, J. (2012). Simulating the effects of efficiency improvement efforts on mechanical exposure. In A-B. Antonsson, K. Vogel, & G. M. Hägg (Eds.), *Book of abstracts - Ergonomics for sustainability and growth* (pp. 162-162). KTH, Royal Institute of Technology.

---

### General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.



# NES2012

Saltsjöbaden, Stockholm, Sweden  
19-22 August, 2012

## Book of abstracts

Editors:  
Ann-Beth Antonsson  
Kjerstin Vogel  
Göran M Hägg

## Simulating the effects of efficiency improvement efforts on mechanical exposure

**Forsman M<sup>1,2</sup>, Neumann WP<sup>3</sup>, Palmerud G<sup>4</sup>, and Winkel J<sup>5,6</sup>**

<sup>1</sup>Division of Occ. and Env. Med, Dept. of Public Health Sciences, Karolinska Institutet, Stockholm

<sup>2</sup>Centre for Musculoskeletal Research, University of Gävle, SE-801 76 Gävle, Sweden  
Email: mikael.forsman@ki.se

<sup>3</sup>Department of Mechanical and Industrial Engineering, Ryerson University, Toronto, Canada

<sup>4</sup>Occupational and Environmental Medicine, University of Gothenburg, Sweden

<sup>5</sup>Department of Sociology and Work Science, University of Gothenburg, Sweden

<sup>6</sup>Department of Management Engineering, Technical University of Denmark

### Introduction

Rationalizations toward more effective systems generally focus on reduction of waste ('losses'). Our previous research has shown that waste generally offers less risky biomechanical exposures. Some of these data are used in the present simulation study to predict potential biomechanical exposures implications at job level.

### Methods

Data were obtained from nine male workers in a serial-flow car-disassembly system. Direct measurement of mechanical exposure and video-recordings were performed simultaneously. The present analyses focus on the wrist and arm kinematics including time in low and high angular velocities, the median (50<sup>th</sup>ile) wrist flexion and arm inclination levels, and % time at rest for the wrist. In the simulation the duration of waste activities was gradually reduced from the average 18.5% occurring in the present factory down to zero. The changes in job exposure for the above mentioned parameters were calculated as new time-weighted mean values based on the remaining relative work task exposures.

### Results and Discussion

The simulations showed that the job exposures will increase risk levels as the duration of waste is reduced (see Figure 1). This is due to the fact that waste, in general, offers lower risk levels compared to the remaining tasks.

This kind of simulation performed ahead of a rationalization may offer information of particular significance in high-risk jobs. For instance, wrist velocity has been revealed as a risk factor for disorders in many jobs demanding light manual handling, e.g. light and repetitive work. Caution should then be taken not to substitute waste reduction by other tasks without considering their exposure profile. In the present case, the tasks should not represent high wrist velocities.




Figure 1: Results of simulated rationalization