



Multiplex Solid-Phase PCR for Rapid Detection and Identification of *Salmonella* spp. at Sub-species

Cao, Cuong; Høgberg, Jonas; Wolff, Anders; Bang, Dang Duong

Publication date:
2011

Document Version
Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

Citation (APA):

Cao, C., Høgberg, J., Wolff, A., & Bang, D. D. (2011). *Multiplex Solid-Phase PCR for Rapid Detection and Identification of Salmonella spp. at Sub-species*. Abstract from Lab-on-a-Chip European Congress 2011, Hamburg, Germany. <http://www.selectbiosciences.com/conferences/LOACEC2011/>

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Multiplex Solid-Phase PCR for Rapid Detection and Identification of *Salmonella* spp. at Sub-species

Cuong Cao,¹ Jonas Høgberg,² Anders Wolff,¹ and Dang Duong Bang^{2*}

¹ BioLabChip Group, DTU Nanotech, Department of Micro- and Nanotechnology, Technical University of Denmark, DENMARK

² Laboratory of Applied Micro-Nanotechnology (LAMINATE), National Veterinary Institute, Technical University of Denmark, DENMARK.

This study presents a solid-phase PCR (SP-PCR) for rapid detection, identification, and sub-typing of various *Salmonella* species, the major food-borne cause of salmonellosis. The target DNA is firstly amplified with PCR primers (one primer is labeled with fluorophores) in the liquid phase. Simultaneously on the solid phase, the amplified PCR amplicons interact with the nested DNA probes immobilized on the solid substrate as an array. If the immobilized probes match the sequence of the DNA templates they are extended by the polymerase and serve as template for the second strand elongation primed by the liquid phase primer thus generating new templates for the SP-PCR. After the reaction, PCR products labeled with fluorophores remain attached to the substrate and can be visualized directly by fluorescence readout devices. Using this method, *S. enteritidis*, *S. typhimurium* and *S. dublin* can be detected at the same time. The method offers several advantages over conventional multiplex PCR: less competition between different primer pairs thus increasing multiplexing capability, only single wavelength optical readout needed for the multiplexing detection, and less time-consuming owing to reduction of the post-PCR gel electrophoresis. The method will be useful for development of point-of-care devices for rapid detection and identification of *Salmonella* spp.

A solid-phase PCR for rapid detection and identification of *S. enteritidis*, *S. typhimurium* and *S. dublin* is developed. The method offers advantages such as better multiplexing capability, only single wavelength optical readout needed, and less time-consuming.